




Complete Drug List (Formulary) 2025

UnitedHealthcare® Group Medicare Advantage (PPO)
PEEHIP

Important notes: This document has information about the drugs covered by this plan. For more up-to-date information or if you have any questions, contact Customer Service:

 retiree.uhc.com/peehip

 Toll-free **1-877-298-2341**, TTY **711**
8 a.m.-8 p.m. local time, Monday-Friday

United
Healthcare®



PEEHIP

Formulary ID Number 00025008
Y0066_070524_043000_C

Last updated October 1, 2024

Table of contents

| | |
|--|----|
| What is a Drug List? | 3 |
| Note to existing members:..... | 3 |
| How can I find a drug on the Drug List? | 4 |
| What are generic drugs?..... | 4 |
| What are original biological products and how are they related to biosimilars? | 4 |
| What is a compounded drug? | 4 |
| Drug payment stage and drug tiers | 5 |
| Getting Extra Help | 5 |
| Are there any rules or limits on my drug coverage? | 6 |
| What if my drug is not on this list? | 8 |
| How can I get an exception? | 8 |
| Can I get my drug while I wait for an exception? | 9 |
| Can the Drug List change? | 10 |
| Drugs with dosages other than a 1-month supply | 11 |
| Covered drugs by name (Drug index)..... | 12 |
| Covered drugs by category | 31 |
| Covered drugs with a quantity limit (QL) | 95 |

What is a Drug List?

A Drug List, or Formulary, is a list of prescription drugs covered by your plan. Your plan and a team of health care providers work together in selecting drugs that are needed for well-rounded care and treatment.

Your plan will generally cover the drugs listed in our Drug List as long as:

- The drug is used for a medically accepted indication
- The prescription is filled at a network pharmacy, and
- Other plan rules are followed

For more information about your drug coverage, please review your Evidence of Coverage.

Note to existing members:

This **complete** list of prescription drugs covered by your plan is current as of October 1, 2024.

To get updated information about the covered drugs or if you have questions, please call Customer Service. Our contact information is on the cover.

This Drug List has changed since last year. Please review this document to make sure your prescription drugs are still covered. In most cases, you must use network pharmacies to have your prescriptions covered by the plan.

When this Drug List refers to “we,” “us,” or “our,” it means UnitedHealthcare. When it refers to “plan,” “our plan,” or “your plan,” it means UnitedHealthcare Group Medicare Advantage.

Important message about what you pay for vaccines - Some vaccines are considered medical benefits. Other vaccines are considered Part D drugs. Our plan covers most adult Part D vaccines at no cost to you. Review your Evidence of Coverage or call Customer Service for more information. Our contact information is on the cover.

Important message about what you pay for insulin - You won't pay more than \$35 for a 1-month supply of each Part D insulin product covered by our plan. Review your Evidence of Coverage for more information.

How can I find a drug on the Drug List?

There are 2 ways to find your prescription drugs in this Drug List:

1. **By name.** Turn to the section “Covered drugs by name (**Drug index**)” on pages 12-30 to see the list of drug names in alphabetical order. Find the name of your drug. The page number where you can find the drug will be next to it.
2. **By medical condition.** Turn to the section “Covered drugs by category” on pages 31-94. The drugs in this Drug List are grouped into categories depending on the type of medical condition they are used to treat. For example, if you have a heart condition, you should look in the category Cardiovascular Agents. This is where you will find drugs that treat heart conditions.

What are generic drugs?

Generic drugs have the same active ingredients as brand name drugs. They usually cost less than brand name drugs and generally work just as well. They usually don't have well-known names. Generic drugs are approved by the Food and Drug Administration (FDA). There are generic drugs available for many brand name drugs. Depending on state laws, generic drugs usually can be substituted for brand name drugs at the pharmacy without a new prescription. Our plan covers both brand name and generic drugs.

Talk with your doctor or prescriber to see if any of the brand name drugs you take have generic versions.

The Drug List shows BRAND NAME drugs in CAPITALIZED type (for example, HUMALOG) and generic drugs in plain type italic (for example, *Simvastatin*).

What are original biological products and how are they related to biosimilars?

On the Drug List, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

For more information about drug types, please review your Evidence of Coverage. The Drug List tells which Part D drugs are covered.

What is a compounded drug?

A compounded drug is created by a pharmacist by combining or mixing ingredients to create a prescription medication customized to the needs of an individual patient. Compounded drugs may be Part D eligible. For more information about compounded drugs, please review your Evidence of Coverage.

Drug payment stage and drug tiers

The amount you pay for a covered prescription drug will depend on:

- **Your drug payment stage.** Your plan has different stages of drug coverage. When you fill a prescription, the amount you pay depends on the coverage stage you're in.
- **Your drug's tier.** Each covered drug is in 1 of 4 drug tiers. Each tier has a copay or coinsurance amount. The chart below shows the differences between the tiers.

If you need help or have any questions about your drug costs, please review your Evidence of Coverage or call Customer Service. Our contact information is on the cover.

| Drug tier | Includes |
|---|---|
| Tier 1: Preferred Generic | All covered generic drugs. In addition, Part D eligible generic drug compound medications are covered in Tier 1. |
| Tier 2: Preferred Brand | Many common brand name drugs, called preferred brands. |
| Tier 3: Non-preferred Drug | Non-preferred brand name drugs. In addition, Part D eligible brand drug compound medications are covered in Tier 3. |
| Tier 4: Specialty Tier | Unique and/or very high-cost brand drugs. |

Getting Extra Help

If you qualify for Extra Help paying for your prescription drugs, your copays and coinsurance may be lower. Members who qualify for Extra Help will receive the Evidence of Coverage Rider for people who get Extra Help paying for prescription drugs (also called a Low Income Subsidy (LIS) Rider). Please read it to learn about your costs. You can also call Customer Service. Our contact information is on the cover.

Are there any rules or limits on my drug coverage?

Yes, some drugs may have coverage rules or have limits on the amount you can get. If your drug has any coverage rules or limits, there will be a code(s) in the “Coverage rules or limits on use” column of the “Covered drugs by category” chart starting on page 31. The codes and what they mean are shown below and on the next page.

You can also get more information about the coverage rules and/or limits applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. If you would like a copy sent to you, please call Customer Service. Our contact information is on the cover.

Coverage rules and limits

PA - Prior authorization

The plan requires you or your doctor or prescriber to get prior approval for certain drugs. This means the plan needs more information from your doctor or prescriber to make sure the drug is being used and covered correctly by Medicare for your medical condition. Certain drugs may be covered by either Medicare Part B (doctor and outpatient health care) or Medicare Part D (prescription drugs) depending on how it is used. If you don't get prior approval, the plan may not cover the drug.

QL - Quantity limits

The plan will only cover a certain amount of this drug for 1 copay/coinsurance or over a certain number of days. These limits can help ensure safe and effective use of the drug. If you are prescribed more than this amount or your doctor or prescriber thinks the limit is not right for your situation, you or your doctor or prescriber can ask the plan to cover the additional quantity.

ST - Step therapy

There may be effective, lower-cost drugs that treat the same medical condition as this drug. You may be required to try 1 or more of these other drugs before the plan will cover your drug. If you have already tried other drugs or your doctor or prescriber thinks they are not right for you, you or your doctor or prescriber can ask the plan to cover this drug.

You and your doctor or prescriber may ask the plan for an exception to the coverage rules and/or limits for your drug. See the section “How can I get an exception?” on page 8 or see your Evidence of Coverage to learn more.

If you don't get approval from the plan before you fill a prescription for a drug with coverage rules or limits, you may have to pay the full cost of the drug.

Other special coverage rules

B/D - Medicare Part B or Part D

Depending on how this drug is used, it may be covered by either Medicare Part B (doctor and outpatient health care) or Medicare Part D (prescription drugs). Your doctor or prescriber may need to provide the plan with more information about how this drug will be used to make sure it's correctly covered by Medicare.

HRM - High-risk medication

This drug is a high-risk medication (HRM) for people 65 years and older. It may cause side effects if taken on a regular basis. We suggest you talk with your doctor or prescriber to see if an alternative drug is available to treat your condition.

LA - Limited access

Drugs are considered "limited access" if the FDA says the drug can only be given out by certain facilities, doctors or prescribers. These drugs may require extra handling, provider coordination or patient education that can't be done at a network pharmacy.

MME - Morphine Milligram Equivalent

Additional quantity limits may apply to all opioid drugs used to treat pain. This additional limit is called a cumulative Morphine Milligram Equivalent (MME). It's designed to monitor safe dosing levels of opioids for people who may be taking more than one opioid drug for pain management. If your doctor or prescriber prescribes more than this amount or thinks the limit is not right for your situation, you or your doctor or prescriber can ask the plan to cover the additional quantity.

7D - 7-day limit

An opioid drug used to treat pain may be limited to a 7-day supply if you don't have a recent history of using opioids. This limit helps minimize long-term opioid use. If you are new to the plan and have a recent history of using opioids, the pharmacy may override the limit when appropriate.

DL - Dispensing limit

Dispensing limits apply to this drug. This drug is limited to a 1-month supply per prescription.

What if my drug is not on this list?

If your drug is not included in this Drug List, we may still cover it. Call Customer Service toll-free at **1-877-298-2341**, TTY **711**, 8 a.m.-8 p.m. local time, Monday-Friday to ask if it's covered. Or go to retiree.uhc.com/peehip to look it up online. The information is updated on a regular basis.

If you find out that your drug is not covered, you can do either of the following options:

1. **Ask Customer Service for a list** of similar drugs that are covered by the plan. When you get the list, show it to your doctor or prescriber and ask them to prescribe a covered drug.
2. **Ask the plan to make an exception** and cover your drug. Review the next section for more exception information.

How can I get an exception?

Sometimes you may need to ask for drug coverage that's not normally provided by your plan. This is called asking for an exception. When you do, the plan will review your request and give you a coverage decision known as a coverage determination.

Types of exceptions you can ask for

- **Drug List exception:** Ask the plan to cover your drug even if it's not on the Drug List. If approved, this drug will be covered at a pre-determined cost-sharing level. You will not be able to ask us to provide the drug at a lower cost-sharing level.
- **Utilization exception:** Ask the plan to revise the coverage rules or limits on your drug. For example, if your drug has a quantity limit, you can ask the plan to change the limit and cover more.
- **Tiering exception:** Ask the plan to cover your drug on our list at a lower cost-sharing level if this drug is not on the Specialty Tier.

The plan may approve your request for an exception if the covered alternative drugs wouldn't be as effective in treating your condition or would cause adverse medical effects.

Who can ask for an exception?

You, your authorized representative, doctor or prescriber can ask for an exception by calling Customer Service. Our contact information is on the cover. Your doctor or prescriber must give us a supporting statement with the reason for the exception.

How long does it take to get an exception?

After we get the statement from your doctor or prescriber supporting your request for an exception, we'll give you a decision within 72 hours. You can ask for an expedited (fast) decision if you or your doctor or prescriber believes that your health could be seriously harmed by waiting 72 hours. If your request for an expedited review is approved, we'll give you a decision within 24 hours after we get your doctor's or prescriber's supporting statement.

Can I get my drug while I wait for an exception?

As a new or continuing member in our plan, we may cover a temporary supply of your drug if it's not on our Drug List or if it has rules or limits. For example, you may need a prior authorization from us before you can fill your prescription. During the time when you are getting a temporary supply, you should talk with your doctor or prescriber to decide if there is a similar drug on the Drug List you can take instead. If you and your doctor or prescriber decide this is the only drug that will work for you, you will need to ask for an exception. For more information about exceptions, please review your Evidence of Coverage.

We may cover your drug in certain cases during the first 90 days of your membership. The following chart shows how much of your drug we may cover while you ask for an exception.

| If you... | And you are... | We may cover... |
|--|---|------------------------------------|
| are a new member in the first 90 days of your membership | not in a nursing home or long-term care facility | at least a 30-day temporary supply |
| OR were a member last year and it's the first 90 days of your plan year | in a nursing home or long-term care facility | at least a 31-day temporary supply |
| have been in the plan for more than 90 days | in a nursing home or long-term care facility and need a supply right away | at least a 31-day emergency supply |
| are going through a change in your level of care, such as being transferred from a hospital to a long-term care facility, any time during the year | not in a nursing home or long-term care facility | at least a 30-day temporary supply |
| | in a nursing home or long-term care facility | at least a 31-day temporary supply |

The prescription must be filled at a network pharmacy. If your prescription is written for fewer days, we'll allow refills to provide at least the day supply listed in the chart above. Note: The long-term care pharmacy may provide the drug in smaller amounts at a time to prevent waste.

We will not pay for more of your drug after you get this temporary or emergency supply unless you receive authorization from the plan.

Can the Drug List change?

Most changes in drug coverage happen on January 1. We may need to make changes during the plan year for safety or other reasons that can affect you. We must follow the Medicare rules in making these changes.

Changes that can affect you this year

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our Drug List if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our Drug List, we may decide to keep the brand name drug or original biological product on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the Drug List (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your doctor or prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section "How can I get an exception?" on page 8.

Some of these drug types may be new to you. For more information, see the section titled "What are original biological products and how are they related to biosimilars?".

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the Drug List when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product or move it to a different cost-sharing tier or both. We may make changes based on new clinical guidelines. If we remove drugs from our Drug List, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Or, when a member requests a refill of the drug, they may receive at least a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your doctor or prescriber can ask us to make an exception and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception. For more information, see the section "How can I get an exception?" on page 8.

- **Drugs removed from the market.** If the Food and Drug Administration (FDA) says a drug you are taking is not safe or effective or the drug's manufacturer takes a drug off the market, we may immediately take it off the Drug List. If you are taking the drug, we will send you a notice after we make the change.

Changes that will not affect you if you are currently taking the drug

Usually, if you're taking a drug on this Drug List that was covered at the beginning of the year, we will not remove or reduce coverage during the year except as described above. You will not get a notice this year about changes that do not affect you. However, on January 1 of the next year these changes will affect you, therefore it is important to check the Drug List for any changes to drugs for the new plan year.

Drugs with dosages other than a 1-month supply

Drugs packaged in an extended day supply

Some drugs are packaged from the manufacturer to provide more than a 1-month supply. When you fill these drugs, you may have to pay more than 1 copay/coinsurance for a single prescription. For more information, please call Customer Service. Our contact information is on the cover.

Daily cost-sharing for oral medications filled for less than a 1-month supply

A daily cost-sharing rate may apply when your doctor prescribes less than a full month's supply of certain drugs for you and you are required to pay a copay. A daily cost-sharing rate is the copay divided by the number of days in a month's supply.

Daily cost-sharing applies only if the drug is in the form of a solid oral dose (e.g., tablet or capsule) when dispensed for a supply of less than 1-month under applicable law. The daily cost-sharing requirements do not apply to either of the following:

1. Solid oral doses of antibiotics
2. Solid oral doses that are dispensed in their original container or are usually dispensed in their original packaging to help patients comply with usage and dosage directions

For more information

For more detailed information about your plan's prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about your plan's prescription drug coverage, we're here to help. Call Customer Service toll-free at **1-877-298-2341**, TTY **711**, 8 a.m.-8 p.m. local time, Monday-Friday. You can also visit us online at **retiree.uhc.com/peehip**.

If you have general questions about Medicare prescription drug coverage, visit www.medicare.gov or call Medicare at 1-800-633-4227, TTY 1-877-486-2048, 24 hours a day, 7 days a week.

Covered drugs by name (Drug index)

| A | | | | | |
|-----------------------------|----|--|----|---|----|
| ABELCET | 43 | AUSTEDO XR | 67 | Albuterol Sulfate HFA | 91 |
| ABILIFY MAINTENA | 56 | AUSTEDO XR PATIENT TITRATION | 67 | Alclometasone Dipropionate | 69 |
| ABRYSVO | 85 | AUVELITY | 41 | Alendronate Sodium | 87 |
| ACTHIB | 85 | AVONEX PEN | 67 | Alfuzosin HCl ER | 76 |
| ACTIMMUNE | 83 | AVONEX PREFILLED | 67 | Aliskiren Fumarate | 63 |
| ADACEL | 85 | AYVAKIT | 46 | Allopurinol | 43 |
| ADALIMUMAB -AATY | 84 | Abacavir Sulfate | 54 | Alosetron HCl | 73 |
| ADALIMUMAB -ADB1 | 84 | Abacavir Sulfate -Lamivudine | 54 | Alprazolam | 55 |
| ADEMPAS | 92 | Abiraterone Acetate | 45 | Altavera | 77 |
| AIMOVIG | 44 | Acamprosate Calcium | 33 | Alyacen 1/35 | 77 |
| AKEEGA | 45 | Acarbose | 57 | Amantadine HCl | 50 |
| ALCOHOL PREP PADS | 88 | Accutane | 68 | Ambrisentan | 92 |
| ALECENSA | 46 | Acebutolol HCl | 62 | Amethia | 77 |
| ALUNBRIG | 46 | Acetaminophen -Caffeine -Dihydrocodeine | 32 | Amikacin Sulfate | 34 |
| ANORO ELLIPTA | 93 | Acetaminophen -Codeine | 32 | Amiloride HCl | 64 |
| APTIOM | 39 | Acetazolamide | 63 | Amiloride -Hydrochlorothiazide | 63 |
| APTIVUS | 54 | Acetazolamide ER | 63 | Amiodarone HCl | 62 |
| ARALAST NP | 75 | Acetic Acid | 90 | Amitriptyline HCl | 42 |
| ARANESP | 60 | Acetylcysteine | 93 | Amlodipine Besylate | 63 |
| ARCALYST | 83 | Acitretin | 68 | Amlodipine -Atorvastatin | 63 |
| AREXVY | 85 | Acyclovir | 53 | Amlodipine -Benazepril | 63 |
| ARIKAYCE | 34 | Acyclovir Sodium | 53 | Amlodipine -Olmesartan | 63 |
| ARISTADA | 56 | Adapalene | 68 | Amlodipine -Valsartan | 63 |
| ARISTADA INITIO | 56 | Adapalene -Benzoyl Peroxide | 68 | Amlodipine -Valsartan -HCTZ | 63 |
| ARNUITY ELLIPTA | 91 | Adefovir Dipivoxil | 52 | Ammonium Lactate | 69 |
| ATROVENT HFA | 91 | Ala -Cort | 69 | Amnesteem | 68 |
| AUGTYRO | 46 | Albendazole | 50 | Amoxapine | 42 |
| AUSTEDO | 67 | Albuterol Sulfate | 91 | Amoxicillin | 36 |

| | | | | |
|--|----|---------------------------------|--|----|
| Amoxicillin -Potassium Clavulanate | 36 | Atovaquone -Proguanil HCl . 50 | BRAFTOVI | 46 |
| Amoxicillin -Potassium Clavulanate ER | 36 | Atropine Sulfate | BREO ELLIPTA | 93 |
| Amphetamine -Dextroamphetamine | 66 | Aubra EQ | BREZTRI AEROSPHERE | 93 |
| Amphetamine -Dextroamphetamine ER | 66 | Aviane | BRILINTA | 61 |
| Amphotericin B | 43 | Azathioprine | BRIVIACT | 38 |
| Amphotericin B Liposome | 43 | Azelaic Acid | BRONCHITOL | 93 |
| Ampicillin | 36 | Azelastine HCl | BRUKINSA | 46 |
| Ampicillin Sodium | 36 | Azithromycin | BYDUREON BCISE | 57 |
| Ampicillin -Sulbactam Sodium | 36 | Aztreonam | Bacitracin | 89 |
| Anagrelide HCl | 60 | Azurette | Bacitracin -Polymyxin B | 89 |
| Anastrozole | 46 | B | | |
| Apomorphine HCl | 50 | BALVERSA | Baclofen | 52 |
| Apraclonidine HCl | 90 | BAQSIMI ONE PACK | Balsalazide Disodium | 87 |
| Aprepitant | 42 | BARACLUDE | Balziva | 77 |
| Apri | 77 | BCG VACCINE | Benazepril HCl | 62 |
| Arformoterol Tartrate | 91 | BELSOMRA | Benazepril -Hydrochlorothiazide | 63 |
| Aripiprazole | 56 | BENLYSTA | Benzoyl Peroxide -Erythromycin | 68 |
| Aripiprazole ODT | 56 | BERINERT | Benzotropine Mesylate | 50 |
| Armodafinil | 94 | BESREMI | Betaine | 75 |
| Asenapine Maleate | 56 | BETASERON | Betamethasone Dipropionate | 69 |
| Ashlyna | 77 | BEVESPI AEROSPHERE | Betamethasone Dipropionate Aug | 69 |
| Aspirin -Dipyridamole ER | 61 | BEXSERO | Betamethasone Valerate | 69 |
| Atazanavir Sulfate | 54 | BICILLIN C -R | Betaxolol HCl | 90 |
| Atenolol | 62 | BICILLIN C -R 900/300 | Bethanechol Chloride | 76 |
| Atenolol -Chlorthalidone | 63 | BICILLIN L -A | Bexarotene | 49 |
| Atomoxetine HCl | 66 | BIKTARVY | Bicalutamide | 45 |
| Atorvastatin Calcium | 65 | BIVIGAM | Bisoprolol Fumarate | 62 |
| Atovaquone | 50 | BOOSTRIX | Bisoprolol -Hydrochlorothiazide | 63 |
| | | BOSULIF | Blisovi 24 Fe | 77 |

| | | | | | |
|--|----|---------------------------------------|----|--|----|
| Blisovi Fe 1.5/30 | 77 | CAYSTON | 91 | Carbamazepine | 39 |
| Bosentan | 92 | CHEMET | 73 | Carbamazepine ER | 39 |
| Breyna | 93 | CHENODAL | 74 | Carbidopa | 51 |
| Briellyn | 77 | CHOLBAM | 75 | Carbidopa -Levodopa | 51 |
| Brimonidine Tartrate | 90 | CIMDUO | 54 | Carbidopa -Levodopa ER | 51 |
| Brimonidine Tartrate -Timolol | 88 | CLENPIQ | 74 | Carbidopa -Levodopa ODT | 51 |
| Brinzolamide | 90 | CLIMARA PRO | 77 | Carbidopa -Levodopa -Entacapone | 50 |
| Bromfenac Sodium | 89 | COARTEM | 50 | Carglumic Acid | 71 |
| Bromocriptine Mesylate | 81 | COMBIVENT RESPIMAT | 93 | Carisoprodol | 93 |
| Budesonide | 91 | COMETRIQ | 46 | Carteolol HCl | 90 |
| Budesonide ER | 87 | COMPLERA | 53 | Cartia XT | 63 |
| Budesonide -Formoterol Fumarate | 93 | COPIKTRA | 46 | Carvedilol | 62 |
| Bumetanide | 64 | COSENTYX | 83 | Caspofungin Acetate | 43 |
| Buprenorphine | 32 | COSENTYX SENSOREADY | 83 | Cefaclor | 35 |
| Buprenorphine HCl | 33 | COSENTYX UNOREADY | 83 | Cefadroxil | 35 |
| Buprenorphine HCl -Naloxone HCl | 33 | COTELLIC | 46 | Cefazolin Sodium | 35 |
| Bupropion HCl | 41 | CREON | 75 | Cefdinir | 35 |
| Bupropion HCl SR | 41 | CRINONE | 81 | Cefepime HCl | 35 |
| Bupropion HCl XL | 41 | CYCLOPHOSPHAMIDE | 45 | Cefixime | 35 |
| Buspirone HCl | 55 | CYSTAGON | 75 | Cefoxitin Sodium | 35 |
| Butalbital -Acetaminophen -Caffeine | 32 | CYSTARAN | 88 | Cefpodoxime Proxetil | 35 |
| Butorphanol Tartrate | 32 | Cabergoline | 81 | Cefprozil | 35 |
| C | | | | | |
| CABLIVI | 61 | Calcipotriene | 70 | Ceftazidime | 35 |
| CABOMETYX | 46 | Calcitonin Salmon | 87 | Ceftriaxone Sodium | 35 |
| CALQUENCE | 46 | Calcitriol | 87 | Cefuroxime Axetil | 35 |
| CAMRESE LO | 77 | Camila | 80 | Cefuroxime Sodium | 35 |
| CAPLYTA | 51 | Candesartan Cilexetil | 61 | Celecoxib | 31 |
| CAPRELSA | 46 | Candesartan Cilexetil -HCTZ | 63 | Cephalexin | 35 |
| | | Captopril | 62 | Cetirizine HCl | 90 |

| | | | | | |
|---|----|--|----|--|----|
| Cevimeline HCl | 68 | Clobetasol Propionate Emollient Base | 69 | Cyproheptadine HCl | 90 |
| Chlordiazepoxide HCl | 55 | Clobetasol Propionate Emulsion | 69 | Cyred EQ | 78 |
| Chlorhexidine Gluconate | 68 | Clodan | 69 | D | |
| Chloroquine Phosphate | 50 | Clomipramine HCl | 42 | DAPTACEL | 85 |
| Chlorpromazine HCl | 51 | Clonazepam | 55 | DAURISMO | 46 |
| Chlorthalidone | 64 | Clonazepam ODT | 55 | DAYVIGO | 93 |
| Chlorzoxazone | 93 | Clonidine | 61 | DELSTRIGO | 53 |
| Cholestyramine | 65 | Clonidine HCl | 61 | DEPO -SUBQ PROVERA 104 | 81 |
| Cholestyramine Light | 65 | Clonidine HCl ER | 66 | DESCOVY | 54 |
| Ciclopirox | 71 | Clopidogrel Bisulfate | 61 | DIACOMIT | 39 |
| Ciclopirox Olamine | 71 | Clorazepate Dipotassium | 55 | DIFICID | 37 |
| Cilostazol | 61 | Clotrimazole | 71 | DILANTIN | 39 |
| Cimetidine | 74 | Clotrimazole -Betamethasone | 70 | DIPHThERIA -TETANUS TOXOIDS DT | 85 |
| Cinacalcet HCl | 87 | Clozapine | 52 | DIURIL | 64 |
| Ciprofloxacin HCl | 89 | Clozapine ODT | 52 | DOPTELET | 61 |
| Ciprofloxacin in D5W | 37 | Codeine Sulfate | 32 | DOVATO | 53 |
| Ciprofloxacin -Dexamethasone | 90 | Colchicine | 43 | DRIZALMA SPRINKLE | 67 |
| Citalopram Hydrobromide | 41 | Colchicine -Probenecid | 43 | DROXIA | 46 |
| Claravis | 68 | Colesevelam HCl | 65 | DUAVEE | 78 |
| Clarithromycin | 37 | Colestipol HCl | 65 | DULERA | 93 |
| Clarithromycin ER | 37 | Colistimethate Sodium | 34 | DUPIXENT | 83 |
| Clindacin ETZ | 71 | Compro | 42 | Dabigatran Etexilate Mesylate | 60 |
| Clindamycin HCl | 34 | Cromolyn Sodium | 92 | Dalfampridine ER | 67 |
| Clindamycin Palmitate HCl | 34 | Cryselle -28 | 78 | Danazol | 77 |
| Clindamycin Phosphate | 71 | Cyclobenzaprine HCl | 93 | Dantrolene Sodium | 52 |
| Clindamycin Phosphate in D5W | 34 | Cyclophosphamide | 45 | Dapsone | 44 |
| Clindamycin Phosphate -Benzoyl Peroxide | 68 | Cycloserine | 44 | Daptomycin | 34 |
| Clobazam | 39 | Cyclosporine | 88 | Darunavir | 54 |
| Clobetasol Propionate | 69 | Cyclosporine Modified | 84 | Deblitane | 81 |

| | | | | | |
|---|----|--|----|--|----|
| Deferasirox | 73 | Dicyclomine HCl | 73 | Doxy 100 | 37 |
| Deferasirox Granules | 73 | Diflunisal | 31 | Doxycycline Hyclate | 37 |
| Demeclocycline HCl | 37 | Difluprednate | 89 | Doxycycline Monohydrate | 37 |
| Desipramine HCl | 42 | Digoxin | 64 | Dronabinol | 42 |
| Desloratadine | 91 | Dihydroergotamine Mesylate | 44 | Drospirenone -Ethinyl Estradiol | 78 |
| Desmopressin Acetate | 76 | Dilt -XR | 63 | Droxidopa | 61 |
| Desmopressin Acetate Spray | 76 | Diltiazem HCl | 63 | Duloxetine HCl | 67 |
| Desogestrel -Ethinyl Estradiol | 78 | Diltiazem HCl ER | 63 | Dutasteride | 76 |
| Desonide | 69 | Diltiazem HCl ER Beads | 63 | Dutasteride -Tamsulosin HCl | 76 |
| Desoximetasone | 69 | Diltiazem HCl ER Coated Beads | 63 | E | |
| Desvenlafaxine Succinate ER | 41 | Dimethyl Fumarate | 67 | EDARBI | 61 |
| Dexamethasone | 76 | Dimethyl Fumarate Starter Pack | 68 | EDARBYCLOR | 64 |
| Dexamethasone Sodium Phosphate | 89 | Diphenoxylate -Atropine | 73 | EDURANT | 53 |
| Dexlansoprazole | 74 | Dipyridamole | 61 | EGRIFTA SV | 76 |
| Dexmethylphenidate HCl | 66 | Disulfiram | 33 | ELESTRIN | 78 |
| Dexmethylphenidate HCl ER | 66 | Divalproex Sodium | 56 | ELIGARD | 81 |
| Dextroamphetamine Sulfate | 66 | Divalproex Sodium ER | 56 | ELIQUIS | 60 |
| Dextroamphetamine Sulfate ER | 66 | Dofetilide | 62 | ELIQUIS STARTER PACK | 60 |
| Dextrose | 72 | Dolishale | 78 | EMGALITY | 44 |
| Dextrose -Sodium Chloride .. | 72 | Donepezil HCl | 40 | EMSAM | 41 |
| Diazepam | 55 | Donepezil HCl ODT | 40 | EMTRIVA | 54 |
| Diazepam Intensol | 55 | Dorzolamide HCl | 90 | ENBREL | 84 |
| Diazoxide | 58 | Dorzolamide HCl -Timolol Maleate | 88 | ENBREL MINI | 84 |
| Diclofenac Potassium | 31 | Dorzolamide HCl -Timolol Maleate Preservative Free | 88 | ENBREL SURECLICK | 84 |
| Diclofenac Sodium | 89 | Dotti | 78 | ENGERIX -B | 85 |
| Diclofenac Sodium ER | 31 | Doxazosin Mesylate | 61 | ENTRESTO | 64 |
| Diclofenac -Misoprostol | 31 | Doxepin HCl | 93 | ENTYVIO | 83 |
| Dicloxacillin Sodium | 36 | Doxercalciferol | 87 | ENVARUSUS XR | 84 |
| | | | | EPIDIOLEX | 38 |

| | | |
|---|--|--------------------------------|
| EPRONTIA38 | Ergotamine -Caffeine44 | FASENRA93 |
| ERIVEDGE46 | Erlotinib HCl46 | FASENRA PEN93 |
| ERLEADA45 | Errin81 | FETZIMA41 |
| ESTRING78 | Ertapenem Sodium36 | FETZIMA TITRATION41 |
| EUTHYROX81 | Ery71 | FIASP58 |
| EVOTAZ54 | Erythromycin89 | FIASP FLEXTOUCH58 |
| Econazole Nitrate71 | Erythromycin Base37 | FIASP PENFILL58 |
| Efavirenz53 | Erythromycin Ethylsuccinate37 | FINTEPLA38 |
| Efavirenz -Emtricitabine -Tenofovir53 | Escitalopram Oxalate41 | FIRMAGON82 |
| Efavirenz -Lamivudine -Tenofovir53 | Esomeprazole Magnesium .74 | FOTIVDA47 |
| EluRyng78 | Estasylla78 | FRUZAQLA47 |
| Emtricitabine54 | Estradiol78 | FUZEON54 |
| Emtricitabine -Tenofovir Disoproxil Fumarate54 | Estradiol Valerate78 | FYCOMPA38 |
| Enalapril Maleate62 | Estradiol -Norethindrone Acetate78 | Falmina78 |
| Enalapril -Hydrochlorothiazide64 | Ethambutol HCl44 | Famciclovir53 |
| Endocet32 | Ethosuximide38 | Famotidine74 |
| EnilloRing78 | Ethinodiol Diacetate -Ethinyl Estradiol78 | Febuxostat44 |
| Enoxaparin Sodium60 | Etodolac31 | Felbamate38 |
| Enpresse -2878 | Etodolac ER31 | Felodipine ER63 |
| Enskyce78 | Etonogestrel -Ethinyl Estradiol78 | Fenofibrate65 |
| Entacapone50 | Etravirine53 | Fenofibrate Micronized65 |
| Entecavir52 | Everolimus84 | Fenofibric Acid65 |
| Enulose73 | Exemestane46 | Fentanyl32 |
| Epinastine HCl89 | Ezetimibe65 | Fentanyl Citrate32 |
| Epinephrine91 | Ezetimibe -Simvastatin65 | Fesoterodine Fumarate ER ..75 |
| Epitol39 | | Finasteride76 |
| Eplerenone66 | F | Fingolimod HCl68 |
| Ergoloid Mesylates40 | FANAPT51 | Finzala78 |
| | FANAPT TITRATION PACK .51 | Flac90 |
| | FARXIGA66 | |

| | | | | | | |
|--|----|---------------------------------------|----|--|-----------------------|----|
| Flavoxate HCl | 75 | Furosemide | 64 | GaviLyte -N with Flavor Pack | 74 | |
| Flecainide Acetate | 62 | Fyavolv | 78 | Gefitinib | 47 | |
| Fluconazole | 43 | G | | | Gemfibrozil | 65 |
| Fluconazole in Sodium Chloride | 43 | GAMMAGARD | 82 | Generlac | 73 | |
| Flucytosine | 43 | GAMMAGARD S/D LESS IGA | 82 | Gengraf | 84 | |
| Fludrocortisone Acetate | 76 | GAMMAKED | 82 | Gentamicin Sulfate | 89 | |
| Flunisolide | 91 | GAMMAPLEX | 82 | Gentamicin Sulfate -0.9% Sodium Chloride | 34 | |
| Fluocinolone Acetonide | 90 | GAMUNEX -C | 82 | Glatiramer Acetate | 68 | |
| Fluocinolone Acetonide Scalp | 69 | GARDASIL 9 | 86 | Glatopa | 68 | |
| Fluocinonide | 70 | GATTEX | 74 | Glimepiride | 57 | |
| Fluocinonide Emulsified Base | 70 | GAUZE | 88 | Glipizide | 57 | |
| Fluorometholone | 89 | GAVRETO | 47 | Glipizide ER | 57 | |
| Fluorouracil | 70 | GEMTESA | 75 | Glipizide -Metformin HCl | 57 | |
| Fluoxetine HCl | 41 | GENOTROPIN | 77 | Glucagon | 58 | |
| Fluphenazine Decanoate | 51 | GENOTROPIN MINIQUICK | 77 | Glyburide | 57 | |
| Fluphenazine HCl | 51 | GENVOYA | 53 | Glyburide Micronized | 57 | |
| Flurbiprofen | 31 | GILOTRIF | 47 | Glyburide -Metformin | 57 | |
| Flurbiprofen Sodium | 89 | GLEOSTINE | 45 | Glycopyrrolate | 74 | |
| Fluticasone Propionate | 91 | GLYXAMBI | 57 | Granisetron HCl | 43 | |
| Fluticasone -Salmeterol | 93 | GVOKE HYPOPEN 2 -PACK | 58 | Griseofulvin Microsize | 43 | |
| Fluvastatin Sodium | 65 | GVOKE KIT | 58 | Griseofulvin Ultramicrosize | 43 | |
| Fluvastatin Sodium ER | 65 | GVOKE PFS | 58 | Guanfacine HCl | 61 | |
| Fluvoxamine Maleate | 41 | Gabapentin | 39 | Guanfacine HCl ER | 66 | |
| Fluvoxamine Maleate ER | 41 | Galantamine Hydrobromide | 40 | H | | |
| Fondaparinux Sodium | 60 | Galantamine Hydrobromide ER | 40 | HAEGARDA | 82 | |
| Formoterol Fumarate | 91 | Gatifloxacin | 89 | HAVRIX | 86 | |
| Fosamprenavir Calcium | 55 | GaviLyte -C | 74 | HEPLISAV -B | 86 | |
| Fosinopril Sodium | 62 | GaviLyte -G | 74 | HIBERIX | 86 | |
| Fosinopril Sodium -HCTZ | 64 | | | HUMALOG | 58 | |

| | | | | | |
|---|----|--|----|---|----|
| HUMALOG JUNIOR KWIKPEN | 58 | Hydrocodone -Acetaminophen | 32 | INSULIN ASPART PROT & ASPART | 59 |
| HUMALOG KWIKPEN | 58 | Hydrocodone -Ibuprofen | 32 | INSULIN ASPART PROT & ASPART FLEXPEN | 59 |
| HUMALOG MIX 50/50 KWIKPEN | 58 | Hydrocortisone | 87 | INSULIN LISPRO | 59 |
| HUMALOG MIX 75/25 | 58 | Hydrocortisone Valerate | 70 | INSULIN LISPRO JUNIOR KWIKPEN | 59 |
| HUMALOG MIX 75/25 KWIKPEN | 58 | Hydrocortisone -Acetic Acid | 90 | INSULIN LISPRO PROT & LISPRO | 59 |
| HUMIRA | 84 | Hydromorphone HCl | 32 | INSULIN SYRINGES, NEEDLES | 88 |
| HUMIRA PEN CROHN'S DISEASE/ULCERATIVE COLITIS/HIDRADENITIS SUPPURATIVA STARTER ... | 84 | Hydromorphone HCl ER | 32 | INTELENCE | 53 |
| HUMIRA PEN PSORIASIS/UVEITIS STARTER | 85 | Hydromorphone HCl Preservative Free | 32 | INTRALIPID | 72 |
| HUMIRA PEN -PEDIATRIC ULCERATIVE COLITIS STARTER | 85 | Hydroxychloroquine Sulfate . | 50 | INVEGA HAFYERA | 51 |
| HUMULIN 70/30 | 58 | Hydroxyurea | 45 | INVEGA SUSTENNA | 52 |
| HUMULIN 70/30 KWIKPEN | 58 | Hydroxyzine HCl | 55 | INVEGA TRINZA | 52 |
| HUMULIN N | 58 | Hydroxyzine Pamoate | 55 | IPOL | 86 |
| HUMULIN N KWIKPEN | 58 | | | ISENTRESS | 53 |
| HUMULIN R | 58 | | | ISENTRESS HD | 53 |
| HUMULIN R U -500 | 59 | | | ISOLYTE -P IN D5W | 72 |
| HUMULIN R U -500 KWIKPEN | 59 | | | ISTURISA | 82 |
| Hailey 24 Fe | 78 | | | IWILFIN | 46 |
| Halobetasol Propionate | 70 | | | IXCHIQ | 86 |
| Haloette | 78 | | | IXIARO | 86 |
| Haloperidol | 51 | | | Ibandronate Sodium | 87 |
| Haloperidol Decanoate | 51 | | | Ibu | 31 |
| Haloperidol Lactate | 51 | | | Ibuprofen | 31 |
| Heather | 81 | | | Icatibant Acetate | 82 |
| Heparin Sodium | 60 | | | Iclevia | 78 |
| Hydralazine HCl | 66 | | | Icosapent Ethyl | 65 |
| Hydrochlorothiazide | 64 | | | Imatinib Mesylate | 47 |
| | | | | Imipenem -Cilastatin | 36 |
| | | | | Imipramine HCl | 42 |

| | | | | | |
|---|----|--------------------------------------|----|-----------------------------------|----|
| Imipramine Pamoate | 42 | JENTADUETO XR | 57 | Kelnor 1/35 | 79 |
| Imiquimod | 70 | JULUCA | 53 | Kelnor 1/50 | 79 |
| Incassia | 81 | JYLAMVO | 85 | Ketoconazole | 71 |
| Indapamide | 65 | JYNNEOS | 86 | Ketoprofen | 31 |
| Indomethacin | 31 | Jantoven | 60 | Ketorolac Tromethamine | 89 |
| Indomethacin ER | 31 | Jasmiel | 78 | Klor -Con M10 | 72 |
| Introvale | 78 | Jinteli | 78 | Klor -Con M15 | 72 |
| Ipratropium Bromide | 91 | Juleber | 78 | Klor -Con M20 | 72 |
| Ipratropium -Albuterol | 93 | Junel 1.5/30 | 78 | Kourzeq | 68 |
| Irbesartan | 61 | Junel 1/20 | 78 | Kurvelo | 79 |
| Irbesartan -Hydrochlorothiazide | 64 | Junel Fe 1.5/30 | 78 | L | |
| Isibloom | 78 | Junel Fe 1/20 | 78 | L -Glutamine | 72 |
| Isoniazid | 45 | Junel Fe 24 | 79 | LANTUS | 59 |
| Isosorbide Dinitrate | 66 | K | | LANTUS SOLOSTAR | 59 |
| Isosorbide Mononitrate | 66 | KALYDECO | 92 | LARIN 1.5/30 | 79 |
| Isosorbide Mononitrate ER | 66 | KCl in Dextrose -NaCl | 72 | LARIN 1/20 | 79 |
| Isotretinoin | 69 | KCl -Lactated Ringers -D5W | 72 | LARIN Fe 1.5/30 | 79 |
| Isradipine | 63 | KERENDIA | 66 | LARIN Fe 1/20 | 79 |
| Itraconazole | 43 | KESIMPTA | 68 | LENVIMA 10MG DAILY DOSE | 47 |
| Ivabradine HCl | 64 | KINRIX | 86 | LENVIMA 12MG DAILY DOSE | 47 |
| Ivermectin | 50 | KIONEX | 73 | LENVIMA 14MG DAILY DOSE | 47 |
| J | | KISQALI | 47 | LENVIMA 18MG DAILY DOSE | 47 |
| JAKAFI | 47 | KISQALI FEMARA | 47 | LENVIMA 20MG DAILY DOSE | 47 |
| JANUMET | 57 | KLOR -CON 10 | 72 | LENVIMA 24MG DAILY DOSE | 47 |
| JANUMET XR | 57 | KLOR -CON 8 | 72 | LENVIMA 4MG DAILY DOSE | 47 |
| JANUVIA | 57 | KLOXXADO | 33 | LENVIMA 8MG DAILY DOSE | 47 |
| JARDIANCE | 66 | KOSELUGO | 47 | LEVORA 0.15/30 | 79 |
| JAYPIRCA | 47 | KRAZATI | 47 | LEVOXYL | 81 |
| JENTADUETO | 57 | Kariva | 79 | | |

| | | | | | |
|---|----|--|----|--|----|
| LIBERVANT | 39 | Lamotrigine Starter Kit -Orange | 38 | Linezolid | 34 |
| LILETTA | 81 | Lansoprazole | 74 | Liothyronine Sodium | 81 |
| LINZESS | 73 | Lapatinib Ditosylate | 47 | Lisinopril | 62 |
| LIRAGLUTIDE | 57 | Latanoprost | 90 | Lisinopril -Hydrochlorothiazide | 64 |
| LIVTENCITY | 52 | Leflunomide | 85 | Lithium | 56 |
| LOKELMA | 73 | Lenalidomide | 45 | Lithium Carbonate | 56 |
| LONSURF | 46 | Lessina | 79 | Lithium Carbonate ER | 56 |
| LORBRENA | 48 | Letrozole | 46 | Loperamide HCl | 73 |
| LUMAKRAS | 48 | Leucovorin Calcium | 50 | Lopinavir -Ritonavir | 55 |
| LUMIGAN | 90 | Leuprolide Acetate | 82 | Lorazepam | 55 |
| LUMRYZ | 94 | Levalbuterol HCl | 91 | Lorazepam Intensol | 55 |
| LUPRON DEPOT | 82 | Levetiracetam | 38 | Loryna | 79 |
| LUPRON DEPOT -PED | 82 | Levetiracetam ER | 38 | Losartan Potassium | 61 |
| LYBALVI | 56 | Levobunolol HCl | 90 | Losartan Potassium -HCTZ .. | 64 |
| LYNPARZA | 48 | Levocarnitine | 75 | Loteprednol Etabonate | 89 |
| LYSODREN | 46 | Levocetirizine Dihydrochloride | 91 | Lovastatin | 65 |
| LYTGOBI | 48 | Levofloxacin | 89 | Low -Ogestrel | 79 |
| LYUMJEV | 59 | Levofloxacin in D5W | 37 | Loxapine Succinate | 51 |
| LYUMJEV KWIKPEN | 59 | Levonest | 79 | Lubiprostone | 73 |
| Labetalol HCl | 62 | Levonorgestrel -Ethinyl Estradiol | 79 | Lurasidone HCl | 56 |
| Lacosamide | 40 | Levonorgestrel -Ethinyl Estradiol & Ethinyl Estradiol . | 79 | Lutera | 79 |
| Lactulose | 73 | Levonorgestrel -Ethinyl Estradiol 91 -Day . | 79 | Lyleq | 81 |
| Lamivudine | 54 | Levonorgestrel -Ethinyl Estradiol Triphasic | 79 | Lyllana | 79 |
| Lamivudine -Zidovudine | 54 | Levothyroxine Sodium | 81 | Lyza | 81 |
| Lamotrigine | 38 | Lidocaine | 33 | M | |
| Lamotrigine ER | 38 | Lidocaine HCl | 33 | M -M -R II | 86 |
| Lamotrigine ODT | 38 | Lidocaine Viscous | 33 | MARPLAN | 41 |
| Lamotrigine Starter Kit -Blue | 38 | Lidocaine -Prilocaine | 33 | MATULANE | 45 |
| Lamotrigine Starter Kit -Green | 38 | | | MAVYRET | 53 |

| | | | | | |
|--|----|---|----|--------------------------------|----|
| MAYZENT | 68 | Memantine HCl Titration Pak | 40 | Mexiletine HCl | 62 |
| MAYZENT STARTER PACK | 68 | Mercaptopurine | 45 | Mibelas 24 Fe | 79 |
| MEKINIST | 48 | Meropenem | 36 | Miconazole 3 | 43 |
| MEKTOVI | 48 | Mesalamine | 87 | Microgestin 1.5/30 | 79 |
| MENACTRA | 86 | Mesalamine ER | 87 | Microgestin 1/20 | 79 |
| MENEST | 79 | Metformin HCl | 57 | Microgestin 24 Fe | 79 |
| MENQUADFI | 86 | Metformin HCl ER | 57 | Microgestin Fe 1.5/30 | 79 |
| MENVEO | 86 | Methadone HCl | 32 | Microgestin Fe 1/20 | 79 |
| MESNEX | 50 | Methazolamide | 90 | Midodrine HCl | 61 |
| MIGERGOT | 44 | Methenamine Hippurate | 34 | Mifepristone | 82 |
| MOUNJARO | 57 | Methimazole | 82 | Miglustat | 75 |
| MOVANTIK | 73 | Methocarbamol | 93 | Mili | 79 |
| MRESVIA | 86 | Methotrexate Sodium | 85 | Minocycline HCl | 37 |
| MULTAQ | 62 | Methoxsalen Rapid | 70 | Minoxidil | 66 |
| MYALEPT | 74 | Methscopolamine Bromide . | 74 | Mirtazapine | 41 |
| MYHIBBIN | 85 | Methsuximide | 39 | Mirtazapine ODT | 41 |
| Magnesium Sulfate | 72 | Methylphenidate HCl | 67 | Misoprostol | 74 |
| Malathion | 71 | Methylphenidate HCl CD | 67 | Modafinil | 94 |
| Maraviroc | 54 | Methylphenidate HCl ER | 67 | Moexipril HCl | 62 |
| Marlissa | 79 | Methylphenidate HCl ER Osmotic Release | 67 | Molindone HCl | 51 |
| Matzim LA | 63 | Methylphenidate HCl LA | 67 | Mometasone Furoate | 91 |
| Meclizine HCl | 42 | Methylprednisolone | 76 | Montelukast Sodium | 91 |
| Medroxyprogesterone Acetate | 81 | Metoclopramide HCl | 42 | Morphine Sulfate | 33 |
| Mefenamic Acid | 31 | Metolazone | 65 | Morphine Sulfate ER | 32 |
| Mefloquine HCl | 50 | Metoprolol Succinate ER | 62 | Moxifloxacin HCl | 89 |
| Megestrol Acetate | 81 | Metoprolol Tartrate | 62 | Moxifloxacin HCl in NaCl | 37 |
| Meloxicam | 31 | Metoprolol -Hydrochlorothiazide | 64 | Mupirocin | 71 |
| Memantine HCl | 40 | Metronidazole | 34 | Mycophenolate Mofetil | 85 |
| Memantine HCl ER | 40 | Metyrosine | 64 | Mycophenolate Sodium | 85 |

| N | |
|---|----|
| NAMZARIC | 40 |
| NAYZILAM | 39 |
| NERLYNX | 48 |
| NEULASTA | 60 |
| NEUPRO | 50 |
| NEXLETOL | 65 |
| NEXLIZET | 65 |
| NEXPLANON | 81 |
| NICOTROL | 34 |
| NINLARO | 48 |
| NITRO -BID | 66 |
| NORVIR | 55 |
| NOVOLIN 70/30 | 59 |
| NOVOLIN 70/30 FLEXPEN | 59 |
| NOVOLIN N | 59 |
| NOVOLIN N FLEXPEN | 59 |
| NOVOLIN R | 59 |
| NOVOLIN R FLEXPEN | 59 |
| NOVOLOG | 59 |
| NOVOLOG FLEXPEN | 59 |
| NOVOLOG MIX 70/30 | 59 |
| NOVOLOG MIX 70/30 FLEXPEN | 59 |
| NOVOLOG PENFILL | 59 |
| NUBEQA | 45 |
| NUEDEXTA | 67 |
| NUPLAZID | 52 |
| NURTEC ODT | 44 |
| NUTRILIPID | 72 |
| Nabumetone | 31 |
| Nadolol | 62 |
| Nafcillin Sodium | 36 |
| Naloxone HCl | 33 |
| Naltrexone HCl | 33 |
| Naproxen | 31 |
| Naproxen DR | 31 |
| Naproxen Sodium | 31 |
| Naratriptan HCl | 44 |
| Nateglinide | 57 |
| Nebivolol HCl | 62 |
| Necon 0.5/35 | 79 |
| Nefazodone HCl | 41 |
| Neo -Polycin | 89 |
| Neo -Polycin HC | 88 |
| Neomycin Sulfate | 34 |
| Neomycin -Bacitracin -Polymyxin | 89 |
| Neomycin -Polymyxin -Bacitracin -Hydrocortisone | 88 |
| Neomycin -Polymyxin -Dexamethasone | 88 |
| Neomycin -Polymyxin -Gramicidin | 89 |
| Neomycin -Polymyxin -HC | 90 |
| Neuac | 69 |
| Nevirapine | 54 |
| Nevirapine ER | 53 |
| Niacin | 65 |
| Niacin ER | 65 |
| Niacor | 65 |
| Nifedipine ER | 63 |
| Nifedipine ER Osmotic Release | 63 |
| Nikki | 79 |
| Nilutamide | 45 |
| Nimodipine | 63 |
| Nitazoxanide | 50 |
| Nitisinone | 75 |
| Nitrofurantoin Macrocrystal | 34 |
| Nitrofurantoin Monohydrate | 34 |
| Nitroglycerin | 66 |
| Nizatidine | 74 |
| Nora -BE | 81 |
| Norelgestromin -Ethinyl Estradiol | 79 |
| Norethindrone | 81 |
| Norethindrone Acetate | 81 |
| Norethindrone Acetate -Ethinyl Estradiol | 79 |
| Norethindrone Acetate -Ethinyl Estradiol -Fe | 79 |
| Norgestimate -Ethinyl Estradiol | 79 |
| Norgestimate -Ethinyl Estradiol Triphasic | 79 |
| Nortrel 0.5/35 | 80 |
| Nortrel 1/35 | 80 |
| Nortriptyline HCl | 42 |
| Nyamyc | 71 |
| Nylia 1/35 | 80 |
| Nymyo | 80 |
| Nystatin | 71 |
| Nystatin -Triamcinolone | 70 |
| Nystop | 71 |

| O | |
|---|----|
| OCTAGAM | 82 |
| ODEFSEY | 54 |
| ODOMZO | 48 |
| OFEV | 92 |
| OGSIVEO | 46 |
| OJEMDA | 48 |
| OJJAARA | 48 |
| OMNITROPE | 77 |
| ONUREG | 45 |
| OPSUMIT | 92 |
| OPVEE | 33 |
| ORENCIA | 83 |
| ORENCIA CLICKJECT | 83 |
| ORENITRAM | 92 |
| ORENITRAM MONTH 1 | 92 |
| ORENITRAM MONTH 2 | 92 |
| ORENITRAM MONTH 3 | 92 |
| ORFADIN | 75 |
| ORGOVYX | 46 |
| ORKAMBI | 92 |
| ORSERDU | 45 |
| OSPHENA | 81 |
| OTEZLA | 83 |
| OXACILLIN SODIUM IN DEXTROSE | 36 |
| OZEMPIC | 57 |
| Ocella | 80 |
| Octreotide Acetate | 82 |
| Ofloxacin | 90 |
| Olanzapine | 56 |
| Olanzapine ODT | 56 |
| Olanzapine -Fluoxetine HCl | 56 |
| Olmesartan Medoxomil | 61 |
| Olmesartan Medoxomil -HCTZ | 64 |
| Olmesartan -Amlodipine -HCTZ | 64 |
| Omega -3 -Acid Ethyl Esters | 65 |
| Omeprazole | 74 |
| Ondansetron HCl | 43 |
| Ondansetron ODT | 43 |
| Oseltamivir Phosphate | 55 |
| Oxaprozin | 31 |
| Oxazepam | 56 |
| Oxcarbazepine | 40 |
| Oxybutynin Chloride | 75 |
| Oxybutynin Chloride ER | 75 |
| Oxycodone HCl | 33 |
| Oxycodone -Acetaminophen | 33 |
| Oxymorphone HCl | 33 |
| Oxymorphone HCl ER | 32 |
| P | |
| PANRETIN | 49 |
| PANZYGA | 83 |
| PAXLOVID | 55 |
| PEDIARIX | 86 |
| PEDVAX HIB | 86 |
| PEG -3350 -Electrolytes | 74 |
| PEG -3350 -NaCl -Na Bicarbonate -KCl | 74 |
| PEGASYS | 84 |
| PEMAZYRE | 48 |
| PENBRAYA | 86 |
| PENTACEL | 86 |
| PERSERIS | 56 |
| PIFELTRO | 54 |
| PIQRAY | 48 |
| PLEGRIDY | 68 |
| PLENAMINE | 72 |
| POMALYST | 45 |
| PREHEVBRIO | 86 |
| PREMARIN | 80 |
| PREMASOL | 72 |
| PREVYMIS | 52 |
| PREZCOBIX | 55 |
| PREZISTA | 55 |
| PRIFTIN | 45 |
| PRIORIX | 86 |
| PRIVIGEN | 83 |
| PROCRIT | 61 |
| PROGRAF | 85 |
| PROLASTIN -C | 75 |
| PROLIA | 88 |
| PROMACTA | 61 |
| PROQUAD | 86 |
| PROSOL | 72 |
| PULMOZYME | 92 |
| PURIXAN | 45 |
| PYRUKYND | 75 |

| | | | | | |
|--|----|--|----|------------------------------|----|
| PYRUKYND TAPER PACK . | 75 | Pirfenidone | 92 | Primidone | 39 |
| Paliperidone ER | 52 | Piroxicam | 31 | Probenecid . | 44 |
| Pantoprazole Sodium | 74 | Pitavastatin Calcium . | 65 | Prochlorperazine . | 42 |
| Paricalcitol | 88 | Podofilox | 70 | Prochlorperazine Maleate . | 42 |
| Paroxetine HCl | 41 | Polycin | 89 | Procto -Med HC | 87 |
| Pazopanib HCl | 48 | Polymyxin B -Trimethoprim .. | 89 | Progesterone | 81 |
| Penicillamine . | 76 | Portia -28 | 80 | Promethazine HCl | 42 |
| Penicillin G Potassium . | 36 | Posaconazole | 43 | Propafenone HCl | 62 |
| Penicillin V Potassium | 36 | Potassium Chloride | 72 | Propafenone HCl ER | 62 |
| Pentamidine Isethionate . | 50 | Potassium Chloride ER | 72 | Propranolol HCl . | 63 |
| Pentoxifylline ER | 64 | Potassium Chloride Microencapsulated ER | 72 | Propranolol HCl ER | 62 |
| Perindopril Erbumine . | 62 | Potassium Chloride in Dextrose 5% | 72 | Propylthiouracil . | 82 |
| Periogard | 68 | Potassium Chloride in NaCl . | 72 | Protriptyline HCl | 42 |
| Permethrin . | 71 | Potassium Citrate ER | 72 | Pyrazinamide | 45 |
| Perphenazine | 42 | Pramipexole Dihydrochloride . | 50 | Pyridostigmine Bromide | 44 |
| Perphenazine -Amitriptyline . | 41 | Prasugrel HCl | 61 | Pyridostigmine Bromide ER . | 44 |
| Phenelzine Sulfate | 41 | Pravastatin Sodium | 65 | Pyrimethamine | 50 |
| Phenobarbital | 39 | Praziquantel | 50 | Q | |
| Phenytek | 40 | Prazosin HCl | 61 | QINLOCK | 48 |
| Phenytoin . | 40 | Prednisolone . | 76 | QUADRACEL . | 86 |
| Phenytoin Sodium Extended . | 40 | Prednisolone Acetate | 89 | QULIPTA | 44 |
| Pilocarpine HCl | 90 | Prednisolone Sodium Phosphate | 90 | QUVIVIQ . | 93 |
| Pimecrolimus | 70 | Prednisone | 76 | QVAR REDHALER | 91 |
| Pimozide | 51 | Prednisone Intensol | 76 | Quetiapine Fumarate | 56 |
| Pimtreea | 80 | Pregabalin | 67 | Quetiapine Fumarate ER | 56 |
| Pindolol | 62 | Prenatal | 73 | Quinapril HCl | 62 |
| Pioglitazone HCl | 57 | Prevalite . | 65 | Quinidine Gluconate ER | 62 |
| Pioglitazone HCl -Metformin HCl | 57 | Primaquine Phosphate . | 50 | Quinidine Sulfate | 62 |
| Piperacillin -Tazobactam . | 36 | | | Quinine Sulfate | 50 |

| R | |
|--|----|
| RABAVERT | 86 |
| RASUVO | 85 |
| RAVICTI | 75 |
| RAYALDEE | 88 |
| REBIF | 68 |
| REBIF REBIDOSE | 68 |
| REBIF REBIDOSE TITRATION PACK | 68 |
| REBIF TITRATION PACK | 68 |
| RECOMBIVAX HB | 86 |
| REGRANEX | 71 |
| RELENZA DISKHALER | 55 |
| REPATHA | 65 |
| REPATHA PUSHTRONEX SYSTEM | 65 |
| REPATHA SURECLICK | 65 |
| RESTASIS MULTIDOSE | 88 |
| RESTASIS SINGLE -USE VIALS | 88 |
| RETACRIT | 61 |
| RETEVMO | 48 |
| REVCОВI | 75 |
| REXULTI | 52 |
| REYATAZ | 55 |
| REZLIDHIA | 48 |
| REZUROCK | 85 |
| RHOPRESSA | 90 |
| RINVOQ | 83 |
| RIVELSA | 80 |
| ROCKLATAN | 88 |
| ROTARIX | 86 |
| ROTATEQ | 86 |
| ROZLYTREK | 48 |
| RUBRACA | 48 |
| RUKOBIA | 54 |
| RYBELSUS | 57 |
| RYDAPT | 48 |
| RYTARY | 51 |
| Rabeprazole Sodium | 74 |
| Raloxifene HCl | 81 |
| Ramelteon | 93 |
| Ramipril | 62 |
| Ranolazine ER | 64 |
| Rasagiline Mesylate | 51 |
| Reclipsen | 80 |
| Repaglinide | 57 |
| Ribavirin | 53 |
| Rifabutin | 44 |
| Rifampin | 45 |
| Riluzole | 67 |
| Rimantadine HCl | 55 |
| Risedronate Sodium | 88 |
| Risperidone | 56 |
| Risperidone Microspheres ER | 56 |
| Risperidone ODT | 56 |
| Ritonavir | 55 |
| Rivastigmine | 40 |
| Rivastigmine Tartrate | 40 |
| Rizatriptan Benzoate | 44 |
| Rizatriptan Benzoate ODT | 44 |
| Roflumilast | 92 |
| Ropinirole HCl | 51 |
| Ropinirole HCl ER | 50 |
| Rosuvastatin Calcium | 65 |
| Roweepra | 38 |
| Rufinamide | 40 |
| S | |
| SANCUSO | 43 |
| SANTYL | 71 |
| SAVELLA | 67 |
| SAVELLA TITRATION PACK | 67 |
| SCEMBLIX | 48 |
| SECUADO | 56 |
| SELZENTRY | 54 |
| SEREVENT DISKUS | 91 |
| SHINGRIX | 86 |
| SIGNIFOR | 82 |
| SIRTURO | 45 |
| SKYCLARYS | 67 |
| SKYRIZI | 83 |
| SKYRIZI PEN | 83 |
| SOLIQUA | 57 |
| SOLTAMOX | 45 |
| SOMAVERT | 82 |
| SOTYKTU | 83 |
| SPIRIVA RESPIMAT | 91 |
| SPRITAM ODT | 38 |
| SPRIX | 32 |
| SPRYCEL | 48 |

| | | | | | |
|-----------------------------------|----|--|----|-----------------------------|----|
| SPS | 73 | Sildenafil Citrate | 92 | Sulfasalazine | 87 |
| SSD | 71 | Silodosin | 76 | Sulindac | 32 |
| STELARA | 83 | Silver Sulfadiazine | 71 | Sumatriptan | 44 |
| STIOLTO RESPIMAT | 93 | Simvastatin | 65 | Sumatriptan Succinate | 44 |
| STIVARGA | 48 | Sirolimus | 85 | Sunitinib Malate | 48 |
| STRIBILD | 53 | Sodium Chloride | 72 | Syeda | 80 |
| STRIVERDI RESPIMAT | 91 | Sodium Fluoride | 73 | T | |
| SUCRAID | 75 | Sodium Phenylbutyrate | 75 | TABRECTA | 48 |
| SUNLENCA | 54 | Sodium Polystyrene Sulfonate | 73 | TAFINLAR | 48 |
| SUNOSI | 94 | Sodium Sulfate -Potassium Sulfate -Magnesium Sulfate | 74 | TAGRISSO | 48 |
| SUTAB | 74 | Solifenacin Succinate | 75 | TALZENNA | 48 |
| SYMBICORT | 93 | Sorafenib Tosylate | 48 | TASIGNA | 49 |
| SYMDEKO | 92 | Sorine | 62 | TAZVERIK | 49 |
| SYMLINPEN 120 | 58 | Sotalol HCl | 62 | TDVAX | 86 |
| SYMLINPEN 60 | 58 | Spirolactone | 66 | TEFLARO | 35 |
| SYMPAZAN | 39 | Spirolactone -HCTZ | 64 | TEGSEDI | 75 |
| SYMTUZA | 55 | Sprintec 28 | 80 | TENIVAC | 87 |
| SYNJARDY | 58 | Sronyx | 80 | TEPMETKO | 49 |
| SYNJARDY XR | 58 | Streptomycin Sulfate | 34 | TERIPARATIDE | 88 |
| SYNTHROID | 81 | Subvenite | 38 | THALOMID | 45 |
| Sapropterin Dihydrochloride | 75 | Subvenite Starter Kit -Blue | 38 | TIBSOVO | 49 |
| Saxagliptin HCl | 57 | Subvenite Starter Kit -Green . | 38 | TICOVAC | 87 |
| Saxagliptin -Metformin ER | 57 | Subvenite Starter Kit -Orange . | 38 | TIVICAY | 53 |
| Scopolamine | 42 | Sucralfate | 74 | TIVICAY PD | 53 |
| Selegiline HCl | 51 | Sulfacetamide Sodium | 89 | TOBRADEX | 88 |
| Selenium Sulfide | 70 | Sulfacetamide -Prednisolone | 88 | TOUJEO MAX SOLOSTAR .. | 60 |
| Sertraline HCl | 41 | Sulfadiazine | 37 | TOUJEO SOLOSTAR | 60 |
| Setlakin | 80 | Sulfamethoxazole -Trimethoprim | 37 | TPN ELECTROLYTES | 73 |
| Sharobel | 81 | | | TRADJENTA | 58 |

| | | | | | |
|-------------------------|----|--|----|---|----|
| TRAVASOL | 73 | Tarina 24 Fe | 80 | Timolol Maleate Ophthalmic Gel Forming | 90 |
| TRECATOR | 45 | Tarina Fe 1/20 EQ | 80 | Timolol Maleate PF | 90 |
| TRELEGY ELLIPTA | 93 | Tasimelteon | 93 | Tinidazole | 34 |
| TREMFYA | 83 | Tazarotene | 69 | Tiopronin | 76 |
| TRESIBA | 60 | Tazicef | 35 | Tiotropium Bromide Monohydrate | 91 |
| TRESIBA FLEXTOUCH | 60 | Telmisartan | 61 | Tizanidine HCl | 52 |
| TREXALL | 85 | Telmisartan -Amlodipine | 64 | Tobramycin | 92 |
| TRIJARDY XR | 58 | Telmisartan -HCTZ | 64 | Tobramycin Sulfate | 34 |
| TRIKAFTA | 92 | Temazepam | 93 | Tobramycin -Dexamethasone | 88 |
| TRINTELLIX | 42 | Tenofovir Disoproxil Fumarate | 54 | Tolcapone | 50 |
| TRIUMEQ | 54 | Terazosin HCl | 76 | Tolterodine Tartrate | 75 |
| TRIUMEQ PD | 54 | Terbinafine HCl | 43 | Tolterodine Tartrate ER | 75 |
| TROPHAMINE | 73 | Terbutaline Sulfate | 91 | Tolvaptan | 73 |
| TRULANCE | 73 | Terconazole | 43 | Topiramate | 38 |
| TRULICITY | 58 | Teriflunomide | 68 | Topiramate ER | 38 |
| TRUMENBA | 87 | Testosterone | 77 | Toremifene Citrate | 45 |
| TRUQAP | 49 | Testosterone Cypionate | 77 | Torpenz | 49 |
| TUKYSA | 49 | Testosterone Enanthate | 77 | Torseamide | 64 |
| TURALIO | 49 | Testosterone Pump | 77 | Tramadol HCl | 33 |
| TWINRIX | 87 | Tetrabenazine | 67 | Tramadol HCl ER | 32 |
| TYBOST | 54 | Tetracycline HCl | 37 | Tramadol -Acetaminophen . | 33 |
| TYENNE | 83 | Theophylline | 92 | Trandolapril | 62 |
| TYMLOS | 88 | Theophylline ER | 92 | Tranexamic Acid | 61 |
| TYPHIM VI | 87 | Thioridazine HCl | 51 | Tranylcypromine Sulfate | 41 |
| TYRVAYA | 89 | Thiothixene | 51 | Travoprost | 90 |
| Tacrolimus | 85 | Tiadyt ER | 63 | Trazodone HCl | 42 |
| Tadalafil | 92 | Tiagabine HCl | 39 | Tretinoin | 69 |
| Tamoxifen Citrate | 45 | Tigecycline | 34 | Tri -Estarylla | 80 |
| Tamsulosin HCl | 76 | Timolol Maleate | 90 | Tri -Lo -Estarylla | 80 |

| | | | |
|----------------------------|----|----------------------------|----|
| XARELTO | 60 | ZIRGAN | 52 |
| XARELTO STARTER PACK | 60 | ZOLINZA | 46 |
| XATMEP | 85 | ZONISADE | 40 |
| XCOPRI | 40 | ZTALMY | 39 |
| XDEMVY | 89 | ZUBSOLV | 33 |
| XELJANZ | 83 | ZURZUVAE | 41 |
| XELJANZ XR | 83 | ZYDELIG | 49 |
| XERMELO | 73 | ZYKADIA | 49 |
| XGEVA | 88 | ZYLET | 89 |
| XIFAXAN | 35 | ZYPREXA RELPREVV | 56 |
| XIGDUO XR | 58 | Zafemy | 80 |
| XIIDRA | 89 | Zafirlukast | 91 |
| XOFLUZA | 55 | Zaleplon | 93 |
| XOLAIR | 83 | Zenatane | 69 |
| XOLREMDI | 61 | Zidovudine | 54 |
| XOSPATA | 49 | Ziprasidone HCl | 56 |
| XPOVIO | 49 | Ziprasidone Mesylate | 56 |
| XTAMPZA ER | 32 | Zolpidem Tartrate | 94 |
| XTANDI | 45 | Zonisamide | 40 |
| Xulane | 80 | Zovia 1/35 | 80 |

Y

| | |
|----------------|----|
| YF -VAX | 87 |
| Yargesa | 75 |
| Yuvaferm | 80 |

Z

| | |
|----------------|----|
| ZARXIO | 61 |
| ZEJULA | 49 |
| ZELBORAF | 49 |
| ZENPEP | 75 |

Covered drugs by category

The list below has information about the drugs covered by this plan. If you have trouble finding your drug, turn to the “Covered drugs by name (**Drug index**)” on pages 12-30.

The first column lists the drug name, which may include the dosage form and strength. BRAND NAME drugs are listed in CAPITALIZED type (for example, HUMALOG) and generic drugs are listed in plain type italic (for example, *Simvastatin*). The information in the “Coverage rules or limits on use” column lists any special requirements for coverage of your drug. If quantity limits (QL) apply to a drug, the restriction amounts are shown in the chart on pages 95-124.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Analgesics | | |
| Nonsteroidal Anti-inflammatory Drugs | | |
| <i>Celecoxib (Oral Capsule)</i> | 1 | QL |
| <i>Diclofenac Potassium (50MG Oral Tablet)</i> | 1 | |
| <i>Diclofenac Sodium ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Diclofenac Sodium (1.5% External Solution)</i> | 1 | PA |
| <i>Diclofenac Sodium (Oral Tablet Delayed Release)</i> | 1 | |
| <i>Diclofenac-Misoprostol (Oral Tablet Delayed Release)</i> | 1 | |
| <i>Diflunisal (Oral Tablet)</i> | 1 | |
| <i>Etodolac ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Etodolac (Oral Capsule)</i> | 1 | |
| <i>Etodolac (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Flurbiprofen (100MG Oral Tablet)</i> | 1 | |
| <i>Ibu (600MG Oral Tablet, 800MG Oral Tablet)</i> | 1 | |
| <i>Ibuprofen (Oral Suspension)</i> | 1 | |
| <i>Ibuprofen (400MG Oral Tablet, 600MG Oral Tablet, 800MG Oral Tablet)</i> | 1 | |
| <i>Indomethacin ER (Oral Capsule Extended Release)</i> | 1 | HRM |
| <i>Indomethacin (Oral Capsule Immediate Release)</i> | 1 | HRM |
| <i>Ketoprofen (Oral Capsule Immediate Release)</i> | 1 | |
| <i>Ketorolac Tromethamine (Oral Tablet)</i> | 1 | HRM |
| <i>Mefenamic Acid (Oral Capsule)</i> | 1 | |
| <i>Meloxicam (Oral Tablet)</i> | 1 | |
| <i>Nabumetone (Oral Tablet)</i> | 1 | |
| <i>Naproxen DR (Oral Tablet Delayed Release) (Generic EC-Naprosyn)</i> | 1 | |
| <i>Naproxen (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Naproxen (375MG Oral Tablet Delayed Release) (Generic EC-Naprosyn)</i> | 1 | |
| <i>Naproxen Sodium (275MG Oral Tablet Immediate Release, 550MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Oxaprozin (Oral Tablet)</i> | 1 | |
| <i>Piroxicam (Oral Capsule)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| SPRIX (NASAL SOLUTION) | 4 | |
| <i>Sulindac (Oral Tablet)</i> | 1 | |
| Opioid Analgesics, Long-acting | | |
| <i>Buprenorphine (Transdermal Patch Weekly)</i> | 1 | 7D; DL; QL |
| <i>Fentanyl (100MCG/HR Transdermal Patch 72 Hour, 12MCG/HR Transdermal Patch 72 Hour, 25MCG/HR Transdermal Patch 72 Hour, 50MCG/HR Transdermal Patch 72 Hour, 75MCG/HR Transdermal Patch 72 Hour, 87.5MCG/HR Transdermal Patch 72 Hour)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydromorphone HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | 7D; MME; DL; QL |
| <i>Methadone HCl (Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Methadone HCl (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Morphine Sulfate ER (Oral Tablet Extended Release) (Generic MS Contin)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxymorphone HCl ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | 7D; MME; DL; QL |
| <i>Tramadol HCl (ER Biphasic) (Oral Tablet Extended Release 24 Hour)</i> | 1 | 7D; MME; DL; QL |
| <i>Tramadol HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | 7D; MME; DL; QL |
| XTAMPZA ER (ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT) | 2 | 7D; MME; DL; QL |
| Opioid Analgesics, Short-acting | | |
| <i>Acetaminophen-Caffeine-Dihydrocodeine (Oral Capsule)</i> | 1 | 7D; MME; DL; QL |
| <i>Acetaminophen-Codeine (120-12MG/5ML Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Acetaminophen-Codeine (300-15MG Oral Tablet, 300-30MG Oral Tablet, 300-60MG Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Butalbital-Acetaminophen-Caffeine (50-325-40MG Oral Capsule)</i> | 1 | HRM; QL |
| <i>Butalbital-Acetaminophen-Caffeine (Oral Tablet)</i> | 1 | HRM; QL |
| <i>Butorphanol Tartrate (Nasal Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Codeine Sulfate (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Endocet (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Fentanyl Citrate (Buccal Lozenge On A Handle)</i> | 1 | PA; DL; QL |
| <i>Hydrocodone-Acetaminophen (7.5-325MG/15ML Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydrocodone-Acetaminophen (10-300MG Oral Tablet, 10-325MG Oral Tablet, 5-300MG Oral Tablet, 5-325MG Oral Tablet, 7.5-300MG Oral Tablet, 7.5-325MG Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydrocodone-Ibuprofen (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydromorphone HCl (Oral Liquid)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydromorphone HCl (Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydromorphone HCl Preservative Free (10MG/ML Injection Solution, 50MG/5ML Injection Solution)</i> | 1 | 7D; DL |
| <i>Morphine Sulfate (Concentrate) (20MG/ML Oral Solution)</i> | 1 | 7D; MME; DL; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Morphine Sulfate (10MG/5ML Oral Solution, 20MG/5ML Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Morphine Sulfate (Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxycodone HCl (Oral Capsule)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxycodone HCl (Oral Concentrate)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxycodone HCl (Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxycodone HCl (Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxycodone-Acetaminophen (10-325MG Oral Tablet, 2.5-325MG Oral Tablet, 5-325MG Oral Tablet, 7.5-325MG Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxymorphone HCl (Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| <i>Tramadol HCl (100MG Oral Tablet Immediate Release, 50MG Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| <i>Tramadol-Acetaminophen (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| Anesthetics | | |
| Local Anesthetics | | |
| <i>Lidocaine (5% External Patch)</i> | 1 | PA; QL |
| <i>Lidocaine HCl (4% External Solution)</i> | 1 | |
| <i>Lidocaine Viscous (2% Mouth/Throat Solution)</i> | 1 | |
| <i>Lidocaine-Prilocaine (External Cream)</i> | 1 | |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| Alcohol Deterrents/Anti-craving | | |
| <i>Acamprosate Calcium (Oral Tablet Delayed Release)</i> | 1 | |
| <i>Disulfiram (Oral Tablet)</i> | 1 | |
| <i>Naltrexone HCl (Oral Tablet)</i> | 1 | |
| VIVITROL (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 4 | |
| Opioid Dependence | | |
| <i>Buprenorphine HCl (Tablet Sublingual)</i> | 1 | QL |
| <i>Buprenorphine HCl-Naloxone HCl (Sublingual Film)</i> | 1 | QL |
| <i>Buprenorphine HCl-Naloxone HCl (Tablet Sublingual)</i> | 1 | QL |
| ZUBSOLV (TABLET SUBLINGUAL) | 2 | QL |
| Opioid Reversal Agents | | |
| KLOXXADO (NASAL LIQUID) | 3 | ST |
| <i>Naloxone HCl (0.4MG/ML Injection Solution)</i> | 1 | |
| <i>Naloxone HCl (Injection Solution Cartridge)</i> | 1 | |
| <i>Naloxone HCl (Injection Solution Prefilled Syringe)</i> | 1 | |
| <i>Naloxone HCl (Nasal Liquid)</i> | 1 | |
| OPVEE (NASAL SOLUTION) | 3 | |
| Smoking Cessation Agents | | |
| <i>Bupropion HCl SR (150MG Oral Tablet Extended Release 12 Hour Smoking-Deterrent)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| NICOTROL (INHALATION INHALER) | 3 | |
| <i>Varenicline Tartrate (Starter) (Oral Tablet Therapy Pack)</i> | 1 | |
| <i>Varenicline Tartrate (Oral Tablet)</i> | 1 | |
| Antibacterials | | |
| Aminoglycosides | | |
| <i>Amikacin Sulfate (500MG/2ML Injection Solution)</i> | 1 | |
| ARIKAYCE (INHALATION SUSPENSION) | 4 | PA |
| <i>Gentamicin Sulfate-0.9% Sodium Chloride (Intravenous Solution)</i> | 1 | |
| <i>Gentamicin Sulfate (40MG/ML Injection Solution)</i> | 1 | |
| <i>Neomycin Sulfate (Oral Tablet)</i> | 1 | |
| <i>Streptomycin Sulfate (Intramuscular Solution Reconstituted)</i> | 1 | |
| <i>Tobramycin Sulfate (10MG/ML Injection Solution, 80MG/2ML Injection Solution)</i> | 1 | |
| Antibacterials, Other | | |
| <i>Aztreonam (Injection Solution Reconstituted)</i> | 1 | |
| <i>Clindamycin HCl (Oral Capsule)</i> | 1 | |
| <i>Clindamycin Palmitate HCl (Oral Solution Reconstituted)</i> | 1 | |
| <i>Clindamycin Phosphate in D5W (Intravenous Solution)</i> | 1 | |
| <i>Clindamycin Phosphate (900MG/6ML Injection Solution)</i> | 1 | |
| <i>Clindamycin Phosphate (Vaginal Cream)</i> | 1 | |
| <i>Colistimethate Sodium (CBA) (Injection Solution Reconstituted)</i> | 1 | |
| <i>Daptomycin (500MG Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Linezolid (Intravenous Solution)</i> | 1 | |
| <i>Linezolid (Oral Suspension Reconstituted)</i> | 1 | QL |
| <i>Linezolid (Oral Tablet)</i> | 1 | QL |
| <i>Methenamine Hippurate (Oral Tablet)</i> | 1 | |
| <i>Metronidazole (External Cream)</i> | 1 | |
| <i>Metronidazole (External Gel)</i> | 1 | |
| <i>Metronidazole (External Lotion)</i> | 1 | |
| <i>Metronidazole (Intravenous Solution)</i> | 1 | |
| <i>Metronidazole (Oral Tablet)</i> | 1 | |
| <i>Metronidazole (Vaginal Gel)</i> | 1 | |
| <i>Nitrofurantoin Macrocrystal (Oral Capsule) (Generic Macrochantin)</i> | 1 | HRM |
| <i>Nitrofurantoin Monohydrate (Generic Macrobid)</i> | 1 | HRM |
| <i>Tigecycline (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Tinidazole (Oral Tablet)</i> | 1 | |
| <i>Trimethoprim (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Vancomycin HCl (10GM Intravenous Solution Reconstituted, 1GM Intravenous Solution Reconstituted, 500MG Intravenous Solution Reconstituted, 750MG Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Vancomycin HCl (Oral Capsule)</i> | 1 | QL |
| XIFAXAN (200MG ORAL TABLET) | 3 | PA |
| XIFAXAN (550MG ORAL TABLET) | 4 | PA |
| Beta-lactam, Cephalosporins | | |
| <i>Cefaclor (Oral Capsule)</i> | 1 | |
| <i>Cefadroxil (Oral Capsule)</i> | 1 | |
| <i>Cefadroxil (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefazolin Sodium (1GM Injection Solution Reconstituted, 500MG Injection Solution Reconstituted)</i> | 1 | |
| <i>Cefdinir (Oral Capsule)</i> | 1 | |
| <i>Cefdinir (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefepime HCl (Injection Solution Reconstituted)</i> | 1 | |
| <i>Cefepime HCl (2GM Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Cefixime (Oral Capsule)</i> | 1 | |
| <i>Cefixime (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefoxitin Sodium (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Cefpodoxime Proxetil (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefpodoxime Proxetil (Oral Tablet)</i> | 1 | |
| <i>Cefprozil (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefprozil (Oral Tablet)</i> | 1 | |
| <i>Ceftazidime (Injection Solution Reconstituted)</i> | 1 | |
| <i>Ceftazidime (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Ceftriaxone Sodium (1GM Injection Solution Reconstituted, 250MG Injection Solution Reconstituted, 2GM Injection Solution Reconstituted, 500MG Injection Solution Reconstituted)</i> | 1 | |
| <i>Ceftriaxone Sodium (10GM Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Cefuroxime Axetil (Oral Tablet)</i> | 1 | |
| <i>Cefuroxime Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Cefuroxime Sodium (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Cephalexin (Oral Capsule)</i> | 1 | |
| <i>Cephalexin (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cephalexin (Oral Tablet)</i> | 1 | |
| <i>Tazicef (Injection Solution Reconstituted)</i> | 1 | |
| <i>Tazicef (2GM Intravenous Solution Reconstituted, 6GM Intravenous Solution Reconstituted)</i> | 1 | |
| TEFLARO (INTRAVENOUS SOLUTION RECONSTITUTED) | 4 | |
| Beta-lactam, Penicillins | | |
| <i>Amoxicillin (Oral Capsule)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Amoxicillin (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Amoxicillin (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Amoxicillin (Oral Tablet Chewable)</i> | 1 | |
| <i>Amoxicillin-Potassium Clavulanate ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | |
| <i>Amoxicillin-Potassium Clavulanate (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Amoxicillin-Potassium Clavulanate (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Amoxicillin-Potassium Clavulanate (Oral Tablet Chewable)</i> | 1 | |
| <i>Ampicillin (Oral Capsule)</i> | 1 | |
| <i>Ampicillin Sodium (125MG Injection Solution Reconstituted, 1GM Injection Solution Reconstituted)</i> | 1 | |
| <i>Ampicillin Sodium (10GM Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Ampicillin-Sulbactam Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Ampicillin-Sulbactam Sodium (15 (10-5)GM Intravenous Solution Reconstituted)</i> | 1 | |
| BICILLIN C-R 900/300 (INTRAMUSCULAR SUSPENSION) | 3 | |
| BICILLIN C-R (INTRAMUSCULAR SUSPENSION) | 3 | |
| BICILLIN L-A (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 3 | |
| <i>Dicloxacillin Sodium (Oral Capsule)</i> | 1 | |
| <i>Nafcillin Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Nafcillin Sodium (10GM Intravenous Solution Reconstituted)</i> | 1 | |
| OXACILLIN SODIUM IN DEXTROSE (INTRAVENOUS SOLUTION) | 3 | |
| <i>Penicillin G Potassium (20000000UNIT Injection Solution Reconstituted)</i> | 1 | |
| <i>Penicillin V Potassium (Oral Solution Reconstituted)</i> | 1 | |
| <i>Penicillin V Potassium (Oral Tablet)</i> | 1 | |
| <i>Piperacillin-Tazobactam (2.25 (2-0.25)GM Intravenous Solution Reconstituted, 3.375 (3-0.375)GM Intravenous Solution Reconstituted, 4.5 (4-0.5)GM Intravenous Solution Reconstituted, 40.5 (36-4.5)GM Intravenous Solution Reconstituted)</i> | 1 | |
| Carbapenems | | |
| <i>Ertapenem Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Imipenem-Cilastatin (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Meropenem (1GM Intravenous Solution Reconstituted, 500MG Intravenous Solution Reconstituted)</i> | 1 | |
| Macrolides | | |
| <i>Azithromycin (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Azithromycin (Oral Packet)</i> | 1 | |
| <i>Azithromycin (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Azithromycin (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Clarithromycin ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Clarithromycin (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Clarithromycin (Oral Tablet Immediate Release)</i> | 1 | |
| DIFICID (ORAL SUSPENSION RECONSTITUTED) | 4 | |
| DIFICID (ORAL TABLET) | 4 | |
| <i>Erythromycin Base (Oral Capsule Delayed Release Particles)</i> | 1 | |
| <i>Erythromycin Base (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Erythromycin Ethylsuccinate (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Erythromycin Ethylsuccinate (Oral Tablet)</i> | 1 | |
| <i>Erythromycin (Oral Tablet Delayed Release)</i> | 1 | |
| Quinolones | | |
| <i>Ciprofloxacin HCl (250MG Oral Tablet Immediate Release, 500MG Oral Tablet Immediate Release, 750MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Ciprofloxacin in D5W (200MG/100ML Intravenous Solution)</i> | 1 | |
| <i>Levofloxacin in D5W (500MG/100ML Intravenous Solution, 750MG/150ML Intravenous Solution)</i> | 1 | |
| <i>Levofloxacin (Oral Solution)</i> | 1 | |
| <i>Levofloxacin (Oral Tablet)</i> | 1 | |
| <i>Moxifloxacin HCl in NaCl (Intravenous Solution)</i> | 1 | |
| <i>Moxifloxacin HCl (Oral Tablet)</i> | 1 | |
| <i>Ofloxacin (Oral Tablet)</i> | 1 | |
| Sulfonamides | | |
| <i>Sulfadiazine (Oral Tablet)</i> | 1 | |
| <i>Sulfamethoxazole-Trimethoprim (200-40MG/5ML Oral Suspension)</i> | 1 | |
| <i>Sulfamethoxazole-Trimethoprim (Oral Tablet)</i> | 1 | |
| Tetracyclines | | |
| <i>Demeclocycline HCl (Oral Tablet)</i> | 1 | |
| <i>Doxy 100 (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Doxycycline Hyclate (Oral Capsule)</i> | 1 | |
| <i>Doxycycline Hyclate (100MG Oral Tablet Immediate Release, 20MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Doxycycline Monohydrate (100MG Oral Capsule, 50MG Oral Capsule)</i> | 1 | |
| <i>Doxycycline Monohydrate (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Doxycycline Monohydrate (100MG Oral Tablet, 50MG Oral Tablet, 75MG Oral Tablet)</i> | 1 | |
| <i>Minocycline HCl (Oral Capsule)</i> | 1 | |
| <i>Tetracycline HCl (Oral Capsule)</i> | 1 | |
| Anticonvulsants | | |
| Anticonvulsants, Other | | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| BRIVIACT (ORAL SOLUTION) | 4 | PA |
| BRIVIACT (ORAL TABLET) | 4 | PA |
| EPIDIOLEX (ORAL SOLUTION) | 4 | PA |
| EPRONTIA (ORAL SOLUTION) | 3 | |
| <i>Felbamate (Oral Suspension)</i> | 1 | |
| <i>Felbamate (Oral Tablet)</i> | 1 | |
| FINTEPLA (ORAL SOLUTION) | 4 | PA; QL |
| FYCOMPA (ORAL SUSPENSION) | 4 | QL |
| FYCOMPA (10MG ORAL TABLET, 12MG ORAL TABLET, 4MG ORAL TABLET, 6MG ORAL TABLET, 8MG ORAL TABLET) | 4 | QL |
| FYCOMPA (2MG ORAL TABLET) | 3 | QL |
| <i>Lamotrigine ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Lamotrigine ODT (Oral Tablet Dispersible Kit)</i> | 1 | |
| <i>Lamotrigine (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Lamotrigine (Oral Tablet Chewable)</i> | 1 | |
| <i>Lamotrigine ODT (Oral Tablet Dispersible)</i> | 1 | |
| <i>Lamotrigine Starter Kit-Blue (Oral Kit)</i> | 1 | |
| <i>Lamotrigine Starter Kit-Green (Oral Kit)</i> | 1 | |
| <i>Lamotrigine Starter Kit-Orange (Oral Kit)</i> | 1 | |
| <i>Levetiracetam ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Levetiracetam (100MG/ML Oral Solution)</i> | 1 | |
| <i>Levetiracetam (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Roweepra (Oral Tablet Immediate Release)</i> | 1 | |
| SPRITAM ODT (ORAL TABLET DISINTEGRATING SOLUBLE) | 3 | QL |
| <i>Subvenite (100MG Oral Tablet, 150MG Oral Tablet, 200MG Oral Tablet, 25MG Oral Tablet)</i> | 1 | |
| <i>Subvenite Starter Kit-Blue (Oral Kit)</i> | 1 | |
| <i>Subvenite Starter Kit-Green (Oral Kit)</i> | 1 | |
| <i>Subvenite Starter Kit-Orange (Oral Kit)</i> | 1 | |
| <i>Topiramate ER (Oral Capsule Extended Release 24 Hour Sprinkle)</i> | 1 | PA |
| <i>Topiramate ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | PA |
| <i>Topiramate (Oral Capsule Sprinkle Immediate Release)</i> | 1 | |
| <i>Topiramate (Oral Tablet)</i> | 1 | |
| <i>Valproic Acid (Oral Capsule)</i> | 1 | |
| <i>Valproic Acid (250MG/5ML Oral Solution)</i> | 1 | |
| XCOPRI (25MG ORAL TABLET) | 4 | PA; QL |
| Calcium Channel Modifying Agents | | |
| <i>Ethosuximide (Oral Capsule)</i> | 1 | |
| <i>Ethosuximide (Oral Solution)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Methsuximide (Oral Capsule)</i> | 1 | |
| Gamma-aminobutyric Acid (GABA) Augmenting Agents | | |
| LIBERVANT (BUCCAL FILM) | 4 | PA; QL |
| Gamma-aminobutyric Acid (GABA) Modulating Agents | | |
| <i>Clobazam (Oral Suspension)</i> | 1 | PA; QL |
| <i>Clobazam (Oral Tablet)</i> | 1 | PA; QL |
| DIACOMIT (ORAL CAPSULE) | 4 | QL |
| DIACOMIT (ORAL PACKET) | 4 | QL |
| <i>Diazepam (10MG Rectal Gel, 2.5MG Rectal Gel, 20MG Rectal Gel)</i> | 1 | QL |
| <i>Gabapentin (Oral Capsule)</i> | 1 | |
| <i>Gabapentin (250MG/5ML Oral Solution)</i> | 1 | |
| <i>Gabapentin (600MG Oral Tablet, 800MG Oral Tablet)</i> | 1 | |
| NAYZILAM (NASAL SOLUTION) | 3 | PA; QL |
| <i>Phenobarbital (Oral Elixir)</i> | 1 | HRM |
| <i>Phenobarbital (Oral Tablet)</i> | 1 | HRM |
| <i>Primidone (Oral Tablet)</i> | 1 | |
| SYMPAZAN (10MG ORAL FILM, 20MG ORAL FILM) | 4 | PA; QL |
| SYMPAZAN (5MG ORAL FILM) | 3 | PA; QL |
| <i>Tiagabine HCl (Oral Tablet)</i> | 1 | |
| VALTOCO 10MG DOSE (NASAL LIQUID) | 3 | PA; QL |
| VALTOCO 15MG DOSE (NASAL LIQUID THERAPY PACK) | 4 | PA; QL |
| VALTOCO 20MG DOSE (NASAL LIQUID THERAPY PACK) | 4 | PA; QL |
| VALTOCO 5MG DOSE (NASAL LIQUID) | 3 | PA; QL |
| <i>Vigabatrin (Oral Packet)</i> | 1 | PA; QL |
| <i>Vigabatrin (Oral Tablet)</i> | 1 | PA; QL |
| <i>Vigadrone (Oral Packet)</i> | 1 | PA; QL |
| <i>Vigadrone (Oral Tablet)</i> | 1 | PA; QL |
| VIGAFYDE (ORAL SOLUTION) | 4 | PA |
| <i>Vigpoder (Oral Packet)</i> | 1 | PA; QL |
| ZTALMY (ORAL SUSPENSION) | 4 | PA |
| Sodium Channel Agents | | |
| APTIOM (ORAL TABLET) | 4 | QL |
| <i>Carbamazepine ER (Oral Capsule Extended Release 12 Hour)</i> | 1 | |
| <i>Carbamazepine ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | |
| <i>Carbamazepine (100MG/5ML Oral Suspension)</i> | 1 | |
| <i>Carbamazepine (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Carbamazepine (Oral Tablet Chewable)</i> | 1 | |
| DILANTIN (30MG ORAL CAPSULE) | 2 | |
| <i>Epitol (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Lacosamide (10MG/ML Oral Solution)</i> | 1 | QL |
| <i>Lacosamide (Oral Tablet)</i> | 1 | QL |
| <i>Oxcarbazepine (Oral Suspension)</i> | 1 | |
| <i>Oxcarbazepine (Oral Tablet)</i> | 1 | |
| <i>Phenytek (Oral Capsule)</i> | 1 | |
| <i>Phenytoin (Oral Suspension)</i> | 1 | |
| <i>Phenytoin (Oral Tablet Chewable)</i> | 1 | |
| <i>Phenytoin Sodium Extended (Oral Capsule)</i> | 1 | |
| <i>Rufinamide (Oral Suspension)</i> | 1 | |
| <i>Rufinamide (Oral Tablet)</i> | 1 | |
| XCOPRI (250MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XCOPRI (350MG DAILY DOSE) (150MG & 200MG ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XCOPRI (100MG ORAL TABLET, 150MG ORAL TABLET, 200MG ORAL TABLET, 50MG ORAL TABLET) | 4 | PA; QL |
| XCOPRI (14 X 12.5MG & 14 X 25MG ORAL TABLET THERAPY PACK) | 3 | PA; QL |
| XCOPRI (14 X 150MG & 14 X 200MG ORAL TABLET THERAPY PACK, 14 X 50MG & 14 X 100MG ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| ZONISADE (ORAL SUSPENSION) | 4 | ST |
| <i>Zonisamide (Oral Capsule)</i> | 1 | |
| Antidementia Agents | | |
| Antidementia Agents, Other | | |
| <i>Ergoloid Mesylates (Oral Tablet)</i> | 1 | PA; HRM |
| NAMZARIC (ORAL CAPSULE ER 24 HOUR THERAPY PACK) | 2 | PA; QL |
| NAMZARIC (ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | 2 | PA; QL |
| Cholinesterase Inhibitors | | |
| <i>Donepezil HCl (10MG Oral Tablet, 5MG Oral Tablet)</i> | 1 | QL |
| <i>Donepezil HCl ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| <i>Galantamine Hydrobromide ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Galantamine Hydrobromide (Oral Solution)</i> | 1 | |
| <i>Galantamine Hydrobromide (Oral Tablet)</i> | 1 | |
| <i>Rivastigmine Tartrate (Oral Capsule)</i> | 1 | |
| <i>Rivastigmine (Transdermal Patch 24 Hour)</i> | 1 | ST; QL |
| N-methyl-D-aspartate (NMDA) Receptor Antagonist | | |
| <i>Memantine HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | PA; QL |
| <i>Memantine HCl (Oral Solution)</i> | 1 | PA; QL |
| <i>Memantine HCl (Oral Tablet)</i> | 1 | PA; QL |
| <i>Memantine HCl Titration Pak (Oral Tablet)</i> | 1 | PA; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Antidepressants | | |
| Antidepressants, Other | | |
| AUVELITY (ORAL TABLET EXTENDED RELEASE) | 3 | |
| <i>Bupropion HCl SR (Oral Tablet Extended Release 12 Hour)</i> | 1 | |
| <i>Bupropion HCl XL (150MG Oral Tablet Extended Release 24 Hour, 300MG Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Bupropion HCl (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Mirtazapine (Oral Tablet)</i> | 1 | |
| <i>Mirtazapine ODT (Oral Tablet Dispersible)</i> | 1 | |
| <i>Perphenazine-Amitriptyline (Oral Tablet)</i> | 1 | HRM |
| ZURZUVAE (ORAL CAPSULE) | 4 | PA; QL |
| Monoamine Oxidase Inhibitors | | |
| EMSAM (TRANSDERMAL PATCH 24 HOUR) | 4 | QL |
| MARPLAN (ORAL TABLET) | 3 | |
| <i>Phenelzine Sulfate (Oral Tablet)</i> | 1 | |
| <i>Tranylcypromine Sulfate (Oral Tablet)</i> | 1 | |
| SSRI/SNRI (Selective Serotonin Reuptake Inhibitors/Serotonin and Norepinephrine Reuptake Inhibitors) | | |
| <i>Citalopram Hydrobromide (Oral Solution)</i> | 1 | |
| <i>Citalopram Hydrobromide (Oral Tablet)</i> | 1 | |
| <i>Desvenlafaxine Succinate ER (Oral Tablet Extended Release 24 Hour) (Generic Pristiq)</i> | 1 | |
| <i>Escitalopram Oxalate (Oral Solution)</i> | 1 | |
| <i>Escitalopram Oxalate (Oral Tablet)</i> | 1 | |
| FETZIMA (ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | 3 | ST; QL |
| FETZIMA TITRATION (ORAL CAPSULE ER 24 HOUR THERAPY PACK) | 3 | ST; QL |
| <i>Fluoxetine HCl (PMDD) (Oral Tablet)</i> | 1 | |
| <i>Fluoxetine HCl (10MG Oral Capsule Immediate Release, 20MG Oral Capsule Immediate Release, 40MG Oral Capsule Immediate Release)</i> | 1 | |
| <i>Fluoxetine HCl (Oral Capsule Delayed Release)</i> | 1 | |
| <i>Fluoxetine HCl (20MG/5ML Oral Solution)</i> | 1 | |
| <i>Fluoxetine HCl (10MG Oral Tablet, 20MG Oral Tablet)</i> | 1 | |
| <i>Fluvoxamine Maleate ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Fluvoxamine Maleate (Oral Tablet)</i> | 1 | |
| <i>Nefazodone HCl (Oral Tablet)</i> | 1 | |
| <i>Paroxetine HCl (Oral Suspension)</i> | 1 | HRM |
| <i>Paroxetine HCl (Oral Tablet Immediate Release)</i> | 1 | HRM |
| <i>Sertraline HCl (Oral Concentrate)</i> | 1 | |
| <i>Sertraline HCl (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Trazodone HCl (Oral Tablet)</i> | 1 | |
| TRINTELLIX (ORAL TABLET) | 3 | QL |
| VENLAFAXINE BESYLATE ER (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 3 | |
| <i>Venlafaxine HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Venlafaxine HCl ER (150MG Oral Tablet Extended Release 24 Hour, 37.5MG Oral Tablet Extended Release 24 Hour, 75MG Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Venlafaxine HCl (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Vilazodone HCl (Oral Tablet)</i> | 1 | QL |
| Tricyclics | | |
| <i>Amitriptyline HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Amoxapine (Oral Tablet)</i> | 1 | HRM |
| <i>Clomipramine HCl (Oral Capsule)</i> | 1 | HRM |
| <i>Desipramine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Doxepin HCl (Oral Capsule)</i> | 1 | HRM |
| <i>Doxepin HCl (Oral Concentrate)</i> | 1 | HRM |
| <i>Imipramine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Imipramine Pamoate (Oral Capsule)</i> | 1 | HRM |
| <i>Nortriptyline HCl (Oral Capsule)</i> | 1 | HRM |
| <i>Nortriptyline HCl (Oral Solution)</i> | 1 | HRM |
| <i>Protriptyline HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Trimipramine Maleate (Oral Capsule)</i> | 1 | HRM |
| Antiemetics | | |
| Antiemetics, Other | | |
| <i>Compro (Rectal Suppository)</i> | 1 | |
| <i>Meclizine HCl (12.5MG Oral Tablet, 25MG Oral Tablet)</i> | 1 | HRM |
| <i>Metoclopramide HCl (5MG/5ML Oral Solution)</i> | 1 | |
| <i>Metoclopramide HCl (Oral Tablet)</i> | 1 | |
| <i>Perphenazine (Oral Tablet)</i> | 1 | |
| <i>Prochlorperazine Maleate (Oral Tablet)</i> | 1 | |
| <i>Prochlorperazine (Rectal Suppository)</i> | 1 | |
| <i>Promethazine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Promethazine HCl (12.5MG Rectal Suppository)</i> | 1 | HRM; QL |
| <i>Scopolamine (Transdermal Patch 72 Hour)</i> | 1 | HRM |
| <i>Trimethobenzamide HCl (Oral Capsule)</i> | 1 | B/D,PA; QL |
| Emetogenic Therapy Adjuncts | | |
| <i>Aprepitant (Oral Therapy Pack, Oral Capsule)</i> | 1 | PA; QL |
| <i>Dronabinol (Oral Capsule)</i> | 1 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Granisetron HCl (Oral Tablet)</i> | 1 | B/D,PA; QL |
| <i>Ondansetron HCl (Oral Solution)</i> | 1 | B/D,PA; QL |
| <i>Ondansetron HCl (4MG Oral Tablet, 8MG Oral Tablet)</i> | 1 | B/D,PA; QL |
| <i>Ondansetron ODT (4MG Oral Tablet Dispersible, 8MG Oral Tablet Dispersible)</i> | 1 | B/D,PA; QL |
| SANCUSO (TRANSDERMAL PATCH) | 4 | QL |
| Antifungals | | |
| Antifungals | | |
| ABELCET (INTRAVENOUS SUSPENSION) | 3 | B/D,PA |
| <i>Amphotericin B (Intravenous Solution Reconstituted)</i> | 1 | B/D,PA |
| <i>Amphotericin B Liposome (Intravenous Suspension Reconstituted)</i> | 1 | B/D,PA |
| <i>Caspofungin Acetate (50MG Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Clotrimazole (Mouth/Throat Troche)</i> | 1 | |
| <i>Fluconazole in Sodium Chloride (200-0.9MG/100ML-% Intravenous Solution, 400-0.9MG/200ML-% Intravenous Solution)</i> | 1 | |
| <i>Fluconazole (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Fluconazole (Oral Tablet)</i> | 1 | |
| <i>Flucytosine (Oral Capsule)</i> | 1 | PA |
| <i>Griseofulvin Microsize (Oral Suspension)</i> | 1 | |
| <i>Griseofulvin Microsize (Oral Tablet)</i> | 1 | |
| <i>Griseofulvin Ultramicrosize (Oral Tablet)</i> | 1 | |
| <i>Itraconazole (Oral Capsule)</i> | 1 | PA |
| <i>Itraconazole (Oral Solution)</i> | 1 | PA |
| <i>Ketoconazole (Oral Tablet)</i> | 1 | |
| <i>Miconazole 3 (Vaginal Suppository)</i> | 1 | |
| <i>Nystatin (Mouth/Throat Suspension)</i> | 1 | |
| <i>Nystatin (Oral Tablet)</i> | 1 | |
| <i>Posaconazole (Oral Tablet Delayed Release)</i> | 1 | PA; QL |
| <i>Terbinafine HCl (Oral Tablet)</i> | 1 | QL |
| <i>Terconazole (Vaginal Cream)</i> | 1 | |
| <i>Terconazole (Vaginal Suppository)</i> | 1 | |
| <i>Voriconazole (Intravenous Solution Reconstituted)</i> | 1 | PA |
| <i>Voriconazole (Oral Suspension Reconstituted)</i> | 1 | QL |
| <i>Voriconazole (Oral Tablet)</i> | 1 | QL |
| Antigout Agents | | |
| Antigout Agents | | |
| <i>Allopurinol (100MG Oral Tablet, 300MG Oral Tablet)</i> | 1 | |
| <i>Colchicine (0.6MG Oral Capsule) (Brand Equivalent Mitigare)</i> | 1 | |
| <i>Colchicine (0.6MG Oral Tablet) (Generic Colcrys)</i> | 1 | |
| <i>Colchicine-Probenecid (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Febuxostat (Oral Tablet)</i> | 1 | ST |
| <i>Probenecid (Oral Tablet)</i> | 1 | |
| Antimigraine Agents | | |
| Calcitonin Gene-Related Peptide (CGRP) Receptor Antagonists | | |
| AIMOVIG (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 2 | PA; QL |
| EMGALITY (300MG DOSE) (100MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 3 | PA; QL |
| EMGALITY (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 2 | PA; QL |
| EMGALITY (120MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 2 | PA; QL |
| NURTEC ODT (ORAL TABLET DISPERSIBLE) | 4 | PA; QL |
| QULIPTA (ORAL TABLET) | 4 | PA; QL |
| UBRELVY (ORAL TABLET) | 4 | PA; QL |
| Ergot Alkaloids | | |
| <i>Dihydroergotamine Mesylate (Nasal Solution)</i> | 1 | PA; QL |
| <i>Ergotamine-Caffeine (Oral Tablet)</i> | 1 | |
| MIGERGOT (RECTAL SUPPOSITORY) | 4 | |
| Prophylactic | | |
| <i>Timolol Maleate (Oral Tablet)</i> | 1 | |
| Serotonin (5-HT) Receptor Agonist | | |
| <i>Naratriptan HCl (Oral Tablet)</i> | 1 | QL |
| <i>Rizatriptan Benzoate (Oral Tablet)</i> | 1 | QL |
| <i>Rizatriptan Benzoate ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| <i>Sumatriptan (Nasal Solution)</i> | 1 | QL |
| <i>Sumatriptan Succinate (Oral Tablet)</i> | 1 | QL |
| <i>Sumatriptan Succinate (Subcutaneous Solution Auto-Injector)</i> | 1 | QL |
| <i>Sumatriptan Succinate (Subcutaneous Solution)</i> | 1 | QL |
| Antimyasthenic Agents | | |
| Parasympathomimetics | | |
| <i>Pyridostigmine Bromide ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Pyridostigmine Bromide (60MG Oral Tablet Immediate Release)</i> | 1 | |
| Antimycobacterials | | |
| Antimycobacterials, Other | | |
| <i>Dapsone (Oral Tablet)</i> | 1 | |
| <i>Rifabutin (Oral Capsule)</i> | 1 | |
| Antituberculars | | |
| <i>Cycloserine (Oral Capsule)</i> | 1 | |
| <i>Ethambutol HCl (Oral Tablet)</i> | 1 | |
| <i>Isoniazid (Oral Syrup)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Isoniazid (Oral Tablet)</i> | 1 | |
| PRIFTIN (ORAL TABLET) | 3 | |
| <i>Pyrazinamide (Oral Tablet)</i> | 1 | |
| <i>Rifampin (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Rifampin (Oral Capsule)</i> | 1 | |
| SIRTURO (ORAL TABLET) | 4 | PA |
| TRECTOR (ORAL TABLET) | 3 | |
| Antineoplastics | | |
| Alkylating Agents | | |
| <i>Cyclophosphamide (Oral Capsule)</i> | 1 | B/D,PA |
| CYCLOPHOSPHAMIDE (ORAL TABLET) | 2 | B/D,PA |
| GLEOSTINE (100MG ORAL CAPSULE) | 4 | |
| GLEOSTINE (10MG ORAL CAPSULE, 40MG ORAL CAPSULE) | 3 | |
| MATULANE (ORAL CAPSULE) | 4 | |
| VALCHLOR (EXTERNAL GEL) | 4 | PA; QL |
| Antiandrogens | | |
| <i>Abiraterone Acetate (Oral Tablet)</i> | 1 | PA |
| <i>Bicalutamide (Oral Tablet)</i> | 1 | |
| ERLEADA (ORAL TABLET) | 4 | PA |
| <i>Nilutamide (Oral Tablet)</i> | 1 | |
| NUBEQA (ORAL TABLET) | 4 | PA |
| XTANDI (ORAL CAPSULE) | 4 | PA |
| XTANDI (ORAL TABLET) | 4 | PA |
| Antiangiogenic Agents | | |
| <i>Lenalidomide (Oral Capsule)</i> | 1 | PA |
| POMALYST (ORAL CAPSULE) | 4 | PA |
| THALOMID (ORAL CAPSULE) | 4 | PA; QL |
| Antiestrogens/Modifiers | | |
| ORSERDU (ORAL TABLET) | 4 | PA; QL |
| SOLTAMOX (ORAL SOLUTION) | 4 | |
| <i>Tamoxifen Citrate (Oral Tablet)</i> | 1 | |
| <i>Toremifene Citrate (Oral Tablet)</i> | 1 | |
| Antimetabolites | | |
| <i>Hydroxyurea (Oral Capsule)</i> | 1 | |
| <i>Mercaptopurine (Oral Tablet)</i> | 1 | |
| ONUREG (ORAL TABLET) | 4 | PA; QL |
| PURIXAN (ORAL SUSPENSION) | 4 | PA |
| Antineoplastics, Other | | |
| AKEEGA (ORAL TABLET) | 4 | PA; QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| DROXIA (200MG ORAL CAPSULE) | 2 | |
| DROXIA (300MG ORAL CAPSULE, 400MG ORAL CAPSULE) | 3 | |
| INQOVI (ORAL TABLET) | 4 | PA; QL |
| IWILFIN (ORAL TABLET) | 4 | PA; QL |
| LONSURF (ORAL TABLET) | 4 | PA |
| LYSODREN (ORAL TABLET) | 4 | |
| OGSIVEO (ORAL TABLET) | 4 | PA; QL |
| ORGOVYX (ORAL TABLET) | 4 | PA; QL |
| VONJO (ORAL CAPSULE) | 4 | PA; QL |
| ZOLINZA (ORAL CAPSULE) | 4 | PA |
| Aromatase Inhibitors, 3rd Generation | | |
| <i>Anastrozole (Oral Tablet)</i> | 1 | |
| <i>Exemestane (Oral Tablet)</i> | 1 | |
| <i>Letrozole (Oral Tablet)</i> | 1 | |
| Molecular Target Inhibitors | | |
| ALECENSA (ORAL CAPSULE) | 4 | PA |
| ALUNBRIG (ORAL TABLET) | 4 | PA; QL |
| ALUNBRIG (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| AUGTYRO (ORAL CAPSULE) | 4 | PA; QL |
| AYVAKIT (ORAL TABLET) | 4 | PA; QL |
| BALVERSA (ORAL TABLET) | 4 | PA; QL |
| BOSULIF (ORAL CAPSULE) | 4 | PA |
| BOSULIF (ORAL TABLET) | 4 | PA |
| BRAFTOVI (ORAL CAPSULE) | 4 | PA |
| BRUKINSA (ORAL CAPSULE) | 4 | PA; QL |
| CABOMETYX (ORAL TABLET) | 4 | PA |
| CALQUENCE (100MG ORAL CAPSULE) | 4 | PA; QL |
| CALQUENCE (ORAL TABLET) | 4 | PA; QL |
| CAPRELSA (ORAL TABLET) | 4 | PA |
| COMETRIQ (100MG DAILY DOSE) (ORAL KIT) | 4 | PA |
| COMETRIQ (140MG DAILY DOSE) (ORAL KIT) | 4 | PA |
| COMETRIQ (60MG DAILY DOSE) (ORAL KIT) | 4 | PA |
| COPIKTRA (ORAL CAPSULE) | 4 | PA; QL |
| COTELLIC (ORAL TABLET) | 4 | PA |
| DAURISMO (ORAL TABLET) | 4 | PA; QL |
| ERIVEDGE (ORAL CAPSULE) | 4 | PA |
| <i>Erlotinib HCl (Oral Tablet)</i> | 1 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Everolimus (10MG Oral Tablet, 2.5MG Oral Tablet, 5MG Oral Tablet, 7.5MG Oral Tablet)</i> | 1 | PA |
| <i>Everolimus (Oral Tablet Soluble)</i> | 1 | PA |
| FOTIVDA (ORAL CAPSULE) | 4 | PA; QL |
| FRUZAQLA (ORAL CAPSULE) | 4 | PA; QL |
| GAVRETO (ORAL CAPSULE) | 4 | PA; QL |
| <i>Gefitinib (Oral Tablet)</i> | 1 | PA |
| GILOTRIF (ORAL TABLET) | 4 | PA |
| IBRANCE (ORAL CAPSULE) | 4 | PA |
| IBRANCE (ORAL TABLET) | 4 | PA |
| ICLUSIG (ORAL TABLET) | 4 | PA; QL |
| IDHIFA (ORAL TABLET) | 4 | PA; QL |
| <i>Imatinib Mesylate (Oral Tablet)</i> | 1 | PA |
| IMBRUVICA (ORAL CAPSULE) | 4 | PA; QL |
| IMBRUVICA (ORAL SUSPENSION) | 4 | PA; QL |
| IMBRUVICA (140MG ORAL TABLET, 280MG ORAL TABLET, 420MG ORAL TABLET) | 4 | PA; QL |
| INLYTA (ORAL TABLET) | 4 | PA; QL |
| INREBIC (ORAL CAPSULE) | 4 | PA; QL |
| JAKAFI (ORAL TABLET) | 4 | PA |
| JAYPIRCA (ORAL TABLET) | 4 | PA; QL |
| KISQALI (200MG DOSE) (ORAL TABLET) | 4 | PA |
| KISQALI (400MG DOSE) (ORAL TABLET) | 4 | PA |
| KISQALI (600MG DOSE) (ORAL TABLET) | 4 | PA |
| KISQALI FEMARA (200MG DOSE) (200 & 2.5MG ORAL TABLET THERAPY PACK) | 4 | PA |
| KISQALI FEMARA (400MG DOSE) (200 & 2.5MG ORAL TABLET THERAPY PACK) | 4 | PA |
| KISQALI FEMARA (600MG DOSE) (200 & 2.5MG ORAL TABLET THERAPY PACK) | 4 | PA |
| KOSELUGO (ORAL CAPSULE) | 4 | PA; QL |
| KRAZATI (ORAL TABLET) | 4 | PA; QL |
| <i>Lapatinib Ditosylate (Oral Tablet)</i> | 1 | PA |
| LENVIMA 10MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 12MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 14MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 18MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 20MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 24MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 4MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 8MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| LORBRENA (ORAL TABLET) | 4 | PA; QL |
| LUMAKRAS (ORAL TABLET) | 4 | PA; QL |
| LYNPARZA (ORAL TABLET) | 4 | PA |
| LYTGOBI (12MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| LYTGOBI (16MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| LYTGOBI (20MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| MEKINIST (ORAL SOLUTION RECONSTITUTED) | 4 | PA |
| MEKINIST (ORAL TABLET) | 4 | PA |
| MEKTOVI (ORAL TABLET) | 4 | PA |
| NERLYNX (ORAL TABLET) | 4 | PA; QL |
| NINLARO (ORAL CAPSULE) | 4 | PA |
| ODOMZO (ORAL CAPSULE) | 4 | PA |
| OJEMDA (ORAL SUSPENSION RECONSTITUTED) | 4 | PA; QL |
| OJEMDA (ORAL TABLET) | 4 | PA; QL |
| OJJAARA (ORAL TABLET) | 4 | PA; QL |
| <i>Pazopanib HCl (Oral Tablet)</i> | 1 | PA |
| PEMAZYRE (ORAL TABLET) | 4 | PA; QL |
| PIQRAY (200MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| PIQRAY (250MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| PIQRAY (300MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| QINLOCK (ORAL TABLET) | 4 | PA; QL |
| RETEVMO (ORAL CAPSULE) | 4 | PA; QL |
| RETEVMO (ORAL TABLET) | 4 | PA; QL |
| REZLIDHIA (ORAL CAPSULE) | 4 | PA; QL |
| ROZLYTREK (ORAL CAPSULE) | 4 | PA; QL |
| ROZLYTREK (ORAL PACKET) | 4 | PA; QL |
| RUBRACA (ORAL TABLET) | 4 | PA |
| RYDAPT (ORAL CAPSULE) | 4 | PA; QL |
| SCSEMBLIX (ORAL TABLET) | 4 | PA; QL |
| <i>Sorafenib Tosylate (Oral Tablet)</i> | 1 | PA |
| SPRYCEL (ORAL TABLET) | 4 | PA |
| STIVARGA (ORAL TABLET) | 4 | PA |
| <i>Sunitinib Malate (Oral Capsule)</i> | 1 | PA |
| TABRECTA (ORAL TABLET) | 4 | PA; QL |
| TAFINLAR (ORAL CAPSULE) | 4 | PA |
| TAFINLAR (ORAL TABLET SOLUBLE) | 4 | PA |
| TAGRISSE (ORAL TABLET) | 4 | PA |
| TALZENNA (ORAL CAPSULE) | 4 | PA; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| TASIGNA (ORAL CAPSULE) | 4 | PA |
| TAZVERIK (ORAL TABLET) | 4 | PA; QL |
| TEPMETKO (ORAL TABLET) | 4 | PA; QL |
| TIBSOVO (ORAL TABLET) | 4 | PA; QL |
| <i>Torpenz (Oral Tablet)</i> | 1 | PA |
| TRUQAP (ORAL TABLET) | 4 | PA; QL |
| TUKYSA (ORAL TABLET) | 4 | PA; QL |
| TURALIO (125MG ORAL CAPSULE) | 4 | PA; QL |
| VANFLYTA (ORAL TABLET) | 4 | PA; QL |
| VENCLEXTA (100MG ORAL TABLET, 50MG ORAL TABLET) | 4 | PA |
| VENCLEXTA (10MG ORAL TABLET) | 3 | PA |
| VENCLEXTA STARTING PACK (ORAL TABLET THERAPY PACK) | 4 | PA |
| VERZENIO (ORAL TABLET) | 4 | PA |
| VITRAKVI (ORAL CAPSULE) | 4 | PA; QL |
| VITRAKVI (ORAL SOLUTION) | 4 | PA; QL |
| VIZIMPRO (ORAL TABLET) | 4 | PA |
| XALKORI (ORAL CAPSULE) | 4 | PA |
| XALKORI (ORAL CAPSULE SPRINKLE) | 4 | PA |
| XOSPATA (ORAL TABLET) | 4 | PA; QL |
| XPOVIO (100MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (40MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (40MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (60MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (60MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (80MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (80MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| ZEJULA (ORAL TABLET) | 4 | PA |
| ZELBORAF (ORAL TABLET) | 4 | PA |
| ZYDELIG (ORAL TABLET) | 4 | PA |
| ZYKADIA (ORAL TABLET) | 4 | PA |
| Retinoids | | |
| <i>Bexarotene (External Gel)</i> | 1 | PA; QL |
| <i>Bexarotene (Oral Capsule)</i> | 1 | PA |
| PANRETIN (EXTERNAL GEL) | 4 | PA |
| <i>Tretinoin (Oral Capsule)</i> | 1 | |
| Treatment Adjuncts | | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Leucovorin Calcium (Oral Tablet)</i> | 1 | |
| MESNEX (ORAL TABLET) | 3 | |
| Antiparasitics | | |
| Anthelmintics | | |
| <i>Albendazole (Oral Tablet)</i> | 1 | QL |
| <i>Ivermectin (Oral Tablet)</i> | 1 | PA |
| <i>Praziquantel (Oral Tablet)</i> | 1 | |
| Antiprotozoals | | |
| <i>Atovaquone (Oral Suspension)</i> | 1 | QL |
| <i>Atovaquone-Proguanil HCl (Oral Tablet)</i> | 1 | |
| <i>Chloroquine Phosphate (Oral Tablet)</i> | 1 | QL |
| COARTEM (ORAL TABLET) | 3 | |
| <i>Hydroxychloroquine Sulfate (Oral Tablet)</i> | 1 | QL |
| IMPAVIDO (ORAL CAPSULE) | 4 | |
| <i>Mefloquine HCl (Oral Tablet)</i> | 1 | |
| <i>Nitazoxanide (Oral Tablet)</i> | 1 | QL |
| <i>Pentamidine Isethionate (Inhalation Solution Reconstituted)</i> | 1 | B/D,PA; QL |
| <i>Pentamidine Isethionate (Injection Solution Reconstituted)</i> | 1 | |
| <i>Primaquine Phosphate (Oral Tablet)</i> | 1 | |
| <i>Pyrimethamine (Oral Tablet)</i> | 1 | |
| <i>Quinine Sulfate (Oral Capsule)</i> | 1 | PA |
| Antiparkinson Agents | | |
| Anticholinergics | | |
| <i>Benztropine Mesylate (Oral Tablet)</i> | 1 | HRM |
| <i>Trihexyphenidyl HCl (Oral Solution)</i> | 1 | HRM |
| <i>Trihexyphenidyl HCl (Oral Tablet)</i> | 1 | HRM |
| Antiparkinson Agents, Other | | |
| <i>Amantadine HCl (Oral Capsule)</i> | 1 | |
| <i>Amantadine HCl (Oral Solution)</i> | 1 | |
| <i>Amantadine HCl (Oral Tablet)</i> | 1 | |
| <i>Carbidopa-Levodopa-Entacapone (Oral Tablet)</i> | 1 | |
| <i>Entacapone (Oral Tablet)</i> | 1 | |
| <i>Tolcapone (Oral Tablet)</i> | 1 | QL |
| Dopamine Agonists | | |
| <i>Apomorphine HCl (Subcutaneous Solution Cartridge)</i> | 1 | PA; QL |
| NEUPRO (TRANSDERMAL PATCH 24 HOUR) | 3 | |
| <i>Pramipexole Dihydrochloride (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Ropinirole HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Ropinirole HCl (Oral Tablet Immediate Release)</i> | 1 | |
| Dopamine Precursors and/or L-Amino Acid Decarboxylase Inhibitors | | |
| <i>Carbidopa (Oral Tablet)</i> | 1 | |
| <i>Carbidopa-Levodopa ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Carbidopa-Levodopa (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Carbidopa-Levodopa ODT (Oral Tablet Dispersible)</i> | 1 | |
| RYTARY (ORAL CAPSULE EXTENDED RELEASE) | 3 | ST |
| Monoamine Oxidase B (MAO-B) Inhibitors | | |
| <i>Rasagiline Mesylate (Oral Tablet)</i> | 1 | |
| <i>Selegiline HCl (Oral Capsule)</i> | 1 | |
| <i>Selegiline HCl (Oral Tablet)</i> | 1 | |
| Antipsychotics | | |
| 1st Generation/Typical | | |
| <i>Chlorpromazine HCl (Oral Concentrate)</i> | 1 | |
| <i>Chlorpromazine HCl (Oral Tablet)</i> | 1 | |
| <i>Fluphenazine Decanoate (Injection Solution)</i> | 1 | |
| <i>Fluphenazine HCl (Injection Solution)</i> | 1 | |
| <i>Fluphenazine HCl (Oral Concentrate)</i> | 1 | |
| <i>Fluphenazine HCl (Oral Elixir)</i> | 1 | |
| <i>Fluphenazine HCl (Oral Tablet)</i> | 1 | |
| <i>Haloperidol Decanoate (Intramuscular Solution)</i> | 1 | |
| <i>Haloperidol Lactate (Injection Solution)</i> | 1 | |
| <i>Haloperidol Lactate (2MG/ML Oral Concentrate)</i> | 1 | |
| <i>Haloperidol (Oral Tablet)</i> | 1 | |
| <i>Loxapine Succinate (Oral Capsule)</i> | 1 | |
| <i>Molindone HCl (Oral Tablet)</i> | 1 | |
| <i>Pimozide (Oral Tablet)</i> | 1 | |
| <i>Thioridazine HCl (Oral Tablet)</i> | 1 | |
| <i>Thiothixene (Oral Capsule)</i> | 1 | |
| <i>Trifluoperazine HCl (Oral Tablet)</i> | 1 | |
| 2nd Generation/Atypical | | |
| CAPLYTA (ORAL CAPSULE) | 4 | PA; QL |
| FANAPT (10MG ORAL TABLET, 12MG ORAL TABLET, 1MG ORAL TABLET, 2MG ORAL TABLET, 4MG ORAL TABLET, 6MG ORAL TABLET, 8MG ORAL TABLET) | 4 | ST; QL |
| FANAPT TITRATION PACK (ORAL TABLET) | 3 | ST; QL |
| INVEGA HAFYERA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 4 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| INVEGA SUSTENNA (117MG/0.75ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE, 156MG/ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE, 234MG/1.5ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE, 78MG/0.5ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 4 | |
| INVEGA SUSTENNA (39MG/0.25ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 3 | |
| INVEGA TRINZA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 4 | |
| NUPLAZID (ORAL CAPSULE) | 4 | PA; QL |
| NUPLAZID (ORAL TABLET) | 4 | PA; QL |
| <i>Paliperidone ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| REXULTI (ORAL TABLET) | 4 | QL |
| VRAYLAR (1.5MG ORAL CAPSULE, 3MG ORAL CAPSULE, 4.5MG ORAL CAPSULE, 6MG ORAL CAPSULE) | 4 | QL |
| Treatment-Resistant | | |
| <i>Clozapine (100MG Oral Tablet, 200MG Oral Tablet, 25MG Oral Tablet, 50MG Oral Tablet)</i> | 1 | |
| <i>Clozapine ODT (100MG Oral Tablet Dispersible, 12.5MG Oral Tablet Dispersible, 150MG Oral Tablet Dispersible, 200MG Oral Tablet Dispersible, 25MG Oral Tablet Dispersible)</i> | 1 | QL |
| VERSACLOZ (ORAL SUSPENSION) | 4 | |
| Antispasticity Agents | | |
| Antispasticity Agents | | |
| <i>Baclofen (10MG Oral Tablet, 20MG Oral Tablet, 5MG Oral Tablet)</i> | 1 | |
| <i>Dantrolene Sodium (Oral Capsule)</i> | 1 | |
| <i>Tizanidine HCl (Oral Capsule)</i> | 1 | |
| <i>Tizanidine HCl (Oral Tablet)</i> | 1 | |
| Antivirals | | |
| Anti-cytomegalovirus (CMV) Agents | | |
| LIVTENCITY (ORAL TABLET) | 4 | PA; QL |
| PREVYMIS (ORAL TABLET) | 4 | PA; QL |
| <i>Valganciclovir HCl (Oral Solution Reconstituted)</i> | 1 | QL |
| <i>Valganciclovir HCl (Oral Tablet)</i> | 1 | QL |
| ZIRGAN (OPHTHALMIC GEL) | 3 | |
| Anti-hepatitis B (HBV) Agents | | |
| <i>Adefovir Dipivoxil (Oral Tablet)</i> | 1 | |
| BARACLUDE (ORAL SOLUTION) | 3 | |
| <i>Entecavir (Oral Tablet)</i> | 1 | |
| <i>Lamivudine (100MG Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Anti-hepatitis C (HCV) Agents | | |
| MAVYRET (ORAL PACKET) | 4 | PA; QL |
| MAVYRET (ORAL TABLET) | 4 | PA; QL |
| <i>Ribavirin (Oral Capsule)</i> | 1 | |
| <i>Ribavirin (Oral Tablet)</i> | 1 | |
| VOSEVI (ORAL TABLET) | 4 | PA; QL |
| Antitherpetic Agents | | |
| <i>Acyclovir (External Ointment)</i> | 1 | |
| <i>Acyclovir (Oral Capsule)</i> | 1 | |
| <i>Acyclovir (Oral Suspension)</i> | 1 | |
| <i>Acyclovir (Oral Tablet)</i> | 1 | |
| <i>Acyclovir Sodium (Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Famciclovir (Oral Tablet)</i> | 1 | |
| <i>Valacyclovir HCl (Oral Tablet)</i> | 1 | QL |
| Anti-HIV Agents, Integrase Inhibitors (INSTI) | | |
| BIKTARVY (ORAL TABLET) | 4 | QL |
| DOVATO (ORAL TABLET) | 4 | QL |
| GENVOYA (ORAL TABLET) | 4 | QL |
| ISENTRESS HD (ORAL TABLET) | 4 | QL |
| ISENTRESS (ORAL PACKET) | 3 | QL |
| ISENTRESS (ORAL TABLET) | 4 | QL |
| ISENTRESS (100MG ORAL TABLET CHEWABLE) | 3 | QL |
| ISENTRESS (25MG ORAL TABLET CHEWABLE) | 2 | QL |
| JULUCA (ORAL TABLET) | 4 | QL |
| STRIBILD (ORAL TABLET) | 4 | QL |
| TIVICAY (10MG ORAL TABLET, 25MG ORAL TABLET) | 3 | QL |
| TIVICAY (50MG ORAL TABLET) | 4 | QL |
| TIVICAY PD (ORAL TABLET SOLUBLE) | 4 | QL |
| Anti-HIV Agents, Non-nucleoside Reverse Transcriptase Inhibitors (NNRTI) | | |
| COMPLERA (ORAL TABLET) | 4 | QL |
| DELSTRIGO (ORAL TABLET) | 4 | QL |
| EDURANT (ORAL TABLET) | 4 | QL |
| <i>Efavirenz (Oral Tablet)</i> | 1 | QL |
| <i>Efavirenz-Emtricitabine-Tenofovir (Oral Tablet)</i> | 1 | QL |
| <i>Efavirenz-Lamivudine-Tenofovir (Oral Tablet)</i> | 1 | QL |
| <i>Etravirine (Oral Tablet)</i> | 1 | QL |
| INTELENCE (25MG ORAL TABLET) | 3 | QL |
| <i>Nevirapine ER (400MG Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Nevirapine (Oral Suspension)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Nevirapine (Oral Tablet Immediate Release)</i> | 1 | QL |
| PIFELTRO (ORAL TABLET) | 4 | QL |
| Anti-HIV Agents, Nucleoside and Nucleotide Reverse Transcriptase Inhibitors (NRTI) | | |
| <i>Abacavir Sulfate (Oral Solution)</i> | 1 | QL |
| <i>Abacavir Sulfate (Oral Tablet)</i> | 1 | QL |
| <i>Abacavir Sulfate-Lamivudine (Oral Tablet)</i> | 1 | QL |
| CIMDUO (ORAL TABLET) | 4 | QL |
| DESCOVY (ORAL TABLET) | 4 | QL |
| <i>Emtricitabine (Oral Capsule)</i> | 1 | QL |
| <i>Emtricitabine-Tenofovir Disoproxil Fumarate (Oral Tablet)</i> | 1 | QL |
| EMTRIVA (ORAL SOLUTION) | 3 | QL |
| <i>Lamivudine (10MG/ML Oral Solution)</i> | 1 | QL |
| <i>Lamivudine (150MG Oral Tablet, 300MG Oral Tablet)</i> | 1 | QL |
| <i>Lamivudine-Zidovudine (Oral Tablet)</i> | 1 | QL |
| ODEFSEY (ORAL TABLET) | 4 | QL |
| <i>Tenofovir Disoproxil Fumarate (Oral Tablet)</i> | 1 | QL |
| TRIUMEQ (ORAL TABLET) | 4 | QL |
| TRIUMEQ PD (ORAL TABLET SOLUBLE) | 3 | QL |
| VIREAD (ORAL POWDER) | 4 | QL |
| VIREAD (150MG ORAL TABLET, 200MG ORAL TABLET, 250MG ORAL TABLET) | 4 | QL |
| <i>Zidovudine (Oral Capsule)</i> | 1 | QL |
| <i>Zidovudine (Oral Syrup)</i> | 1 | QL |
| <i>Zidovudine (Oral Tablet)</i> | 1 | QL |
| Anti-HIV Agents, Other | | |
| FUZEON (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | QL |
| <i>Maraviroc (Oral Tablet)</i> | 1 | QL |
| RUKOBIA (ORAL TABLET EXTENDED RELEASE 12 HOUR) | 4 | QL |
| SELZENTRY (ORAL SOLUTION) | 4 | QL |
| SELZENTRY (25MG ORAL TABLET) | 2 | QL |
| SELZENTRY (75MG ORAL TABLET) | 4 | QL |
| SUNLENCA (ORAL TABLET THERAPY PACK) | 4 | QL |
| TYBOST (ORAL TABLET) | 2 | QL |
| Anti-HIV Agents, Protease Inhibitors | | |
| APTIVUS (ORAL CAPSULE) | 4 | QL |
| <i>Atazanavir Sulfate (Oral Capsule)</i> | 1 | QL |
| <i>Darunavir (Oral Tablet)</i> | 1 | QL |
| EVOTAZ (ORAL TABLET) | 4 | QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Fosamprenavir Calcium (Oral Tablet)</i> | 1 | QL |
| <i>Lopinavir-Ritonavir (Oral Solution)</i> | 1 | QL |
| <i>Lopinavir-Ritonavir (Oral Tablet)</i> | 1 | QL |
| NORVIR (ORAL PACKET) | 3 | QL |
| PREZCOBIX (ORAL TABLET) | 4 | QL |
| PREZISTA (ORAL SUSPENSION) | 4 | QL |
| PREZISTA (150MG ORAL TABLET) | 4 | QL |
| PREZISTA (75MG ORAL TABLET) | 3 | QL |
| REYATAZ (ORAL PACKET) | 4 | QL |
| <i>Ritonavir (Oral Tablet)</i> | 1 | QL |
| SYMTUZA (ORAL TABLET) | 4 | QL |
| VIRACEPT (ORAL TABLET) | 4 | QL |
| Anti-influenza Agents | | |
| <i>Oseltamivir Phosphate (Oral Capsule)</i> | 1 | |
| <i>Oseltamivir Phosphate (Oral Suspension Reconstituted)</i> | 1 | |
| RELENZA DISKHALER (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 3 | QL |
| <i>Rimantadine HCl (Oral Tablet)</i> | 1 | |
| XOFLUZA (40MG DOSE) (ORAL TABLET THERAPY PACK) | 2 | QL |
| XOFLUZA (80MG DOSE) (ORAL TABLET THERAPY PACK) | 2 | QL |
| Antiviral, Coronavirus Agents | | |
| PAXLOVID (150/100MG) (ORAL TABLET THERAPY PACK) | 4 | QL |
| PAXLOVID (300/100MG) (ORAL TABLET THERAPY PACK) | 4 | QL |
| Anxiolytics | | |
| Anxiolytics, Other | | |
| <i>Buspirone HCl (Oral Tablet)</i> | 1 | |
| <i>Hydroxyzine HCl (Oral Syrup)</i> | 1 | HRM |
| <i>Hydroxyzine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Hydroxyzine Pamoate (Oral Capsule)</i> | 1 | HRM |
| Benzodiazepines | | |
| <i>Alprazolam (Oral Tablet Immediate Release)</i> | 1 | QL |
| <i>Chlordiazepoxide HCl (Oral Capsule)</i> | 1 | |
| <i>Clonazepam (Oral Tablet)</i> | 1 | QL |
| <i>Clonazepam ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| <i>Clorazepate Dipotassium (Oral Tablet)</i> | 1 | QL |
| <i>Diazepam Intensol (Oral Concentrate)</i> | 1 | QL |
| <i>Diazepam (5MG/5ML Oral Solution)</i> | 1 | |
| <i>Diazepam (10MG Oral Tablet, 2MG Oral Tablet, 5MG Oral Tablet)</i> | 1 | QL |
| <i>Lorazepam Intensol (Oral Concentrate)</i> | 1 | QL |
| <i>Lorazepam (Oral Tablet)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Oxazepam (Oral Capsule)</i> | 1 | |
| Bipolar Agents | | |
| Bipolar Agents, Other | | |
| ABILIFY MAINTENA (INTRAMUSCULAR PREFILLED SYRINGE) | 4 | |
| ABILIFY MAINTENA (INTRAMUSCULAR SUSPENSION RECONSTITUTED ER) | 4 | |
| <i>Aripiprazole (Oral Solution)</i> | 1 | QL |
| <i>Aripiprazole (Oral Tablet)</i> | 1 | QL |
| <i>Aripiprazole ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| ARISTADA INITIO (INTRAMUSCULAR PREFILLED SYRINGE) | 4 | |
| ARISTADA (INTRAMUSCULAR PREFILLED SYRINGE) | 4 | |
| <i>Asenapine Maleate (Tablet Sublingual)</i> | 1 | QL |
| <i>Lurasidone HCl (Oral Tablet)</i> | 1 | QL |
| LYBALVI (ORAL TABLET) | 4 | ST; QL |
| <i>Olanzapine (Intramuscular Solution Reconstituted)</i> | 1 | |
| <i>Olanzapine (Oral Tablet)</i> | 1 | QL |
| <i>Olanzapine ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| <i>Olanzapine-Fluoxetine HCl (Oral Capsule)</i> | 1 | |
| PERSERIS (SUBCUTANEOUS PREFILLED SYRINGE) | 4 | |
| <i>Quetiapine Fumarate ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Quetiapine Fumarate (Oral Tablet Immediate Release)</i> | 1 | QL |
| <i>Risperidone Microspheres ER (Intramuscular Suspension Reconstituted ER)</i> | 1 | |
| <i>Risperidone (Oral Solution)</i> | 1 | |
| <i>Risperidone (Oral Tablet)</i> | 1 | |
| <i>Risperidone ODT (Oral Tablet Dispersible)</i> | 1 | |
| SECUADO (TRANSDERMAL PATCH 24 HOUR) | 4 | ST; QL |
| <i>Ziprasidone HCl (Oral Capsule)</i> | 1 | QL |
| <i>Ziprasidone Mesylate (Intramuscular Solution Reconstituted)</i> | 1 | |
| ZYPREXA RELPREVV (210MG INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 3 | |
| Mood Stabilizers | | |
| <i>Divalproex Sodium ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Divalproex Sodium (Oral Capsule Delayed Release Sprinkle)</i> | 1 | |
| <i>Divalproex Sodium (Oral Tablet Delayed Release)</i> | 1 | |
| <i>Lithium Carbonate ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Lithium Carbonate (Oral Capsule)</i> | 1 | |
| <i>Lithium Carbonate (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Lithium (Oral Solution)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Blood Glucose Regulators | | |
| Antidiabetic Agents | | |
| <i>Acarbose (Oral Tablet)</i> | 1 | |
| BYDUREON BCISE (SUBCUTANEOUS AUTO-INJECTOR) | 3 | PA; QL |
| <i>Glimepiride (1MG Oral Tablet, 2MG Oral Tablet, 4MG Oral Tablet)</i> | 1 | HRM; QL |
| <i>Glipizide ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Glipizide (Oral Tablet Immediate Release)</i> | 1 | QL |
| <i>Glipizide-Metformin HCl (Oral Tablet)</i> | 1 | QL |
| <i>Glyburide Micronized (Oral Tablet)</i> | 1 | HRM; QL |
| <i>Glyburide (Oral Tablet)</i> | 1 | HRM; QL |
| <i>Glyburide-Metformin (Oral Tablet)</i> | 1 | HRM; QL |
| GLYXAMBI (ORAL TABLET) | 2 | QL |
| JANUMET (ORAL TABLET IMMEDIATE RELEASE) | 2 | QL |
| JANUMET XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| JANUVIA (ORAL TABLET) | 2 | QL |
| JENTADUETO (2.5-1000MG ORAL TABLET, 2.5-500MG ORAL TABLET) | 2 | QL |
| JENTADUETO XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| LIRAGLUTIDE (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| <i>Metformin HCl ER (Oral Tablet Extended Release 24 Hour) (Generic Glucophage XR)</i> | 1 | QL |
| <i>Metformin HCl (Oral Solution)</i> | 1 | QL |
| <i>Metformin HCl (1000MG Oral Tablet Immediate Release, 500MG Oral Tablet Immediate Release, 850MG Oral Tablet Immediate Release)</i> | 1 | QL |
| MOUNJARO (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| <i>Nateglinide (Oral Tablet)</i> | 1 | QL |
| OZEMPIC (0.25MG/DOSE OR 0.5MG/DOSE) (2MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| OZEMPIC (1MG/DOSE) (4MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| OZEMPIC (2MG/DOSE) (8MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| <i>Pioglitazone HCl (Oral Tablet)</i> | 1 | QL |
| <i>Pioglitazone HCl-Metformin HCl (Oral Tablet)</i> | 1 | QL |
| <i>Repaglinide (Oral Tablet)</i> | 1 | QL |
| RYBELSUS (ORAL TABLET) | 2 | PA; QL |
| <i>Saxagliptin HCl (Oral Tablet)</i> | 1 | QL |
| <i>Saxagliptin-Metformin ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| SOLIQUA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| SYMLINPEN 120 (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | |
| SYMLINPEN 60 (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | |
| SYNJARDY (ORAL TABLET IMMEDIATE RELEASE) | 2 | QL |
| SYNJARDY XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| TRADJENTA (ORAL TABLET) | 2 | QL |
| TRIJARDY XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| TRULICITY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| XIGDUO XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| Glycemic Agents | | |
| BAQSIMI ONE PACK (NASAL POWDER) | 2 | |
| <i>Diazoxide (Oral Suspension)</i> | 1 | |
| <i>Glucagon (Injection Kit) (Lilly)</i> | 1 | |
| GVOKE HYPOPEN 2-PACK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 2 | |
| GVOKE KIT (SUBCUTANEOUS SOLUTION) | 2 | |
| GVOKE PFS (1MG/0.2ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 2 | |
| Insulins | | |
| FIASP FLEXTOUCH (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| FIASP (INJECTION SOLUTION) | 2 | |
| FIASP PENFILL (SUBCUTANEOUS SOLUTION CARTRIDGE) | 2 | |
| HUMALOG (INJECTION SOLUTION) | 2 | |
| HUMALOG JUNIOR KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| HUMALOG KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| HUMALOG MIX 50/50 KWIKPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| HUMALOG MIX 75/25 KWIKPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| HUMALOG MIX 75/25 (SUBCUTANEOUS SUSPENSION) | 2 | |
| HUMALOG (SUBCUTANEOUS SOLUTION CARTRIDGE) | 2 | |
| HUMULIN 70/30 KWIKPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| HUMULIN 70/30 (SUBCUTANEOUS SUSPENSION) | 2 | |
| HUMULIN N KWIKPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| HUMULIN N (SUBCUTANEOUS SUSPENSION) | 2 | |
| HUMULIN R (INJECTION SOLUTION) | 2 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| HUMULIN R U-500 (CONCENTRATED) (SUBCUTANEOUS SOLUTION) | 2 | |
| HUMULIN R U-500 KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| INSULIN ASPART FLEXPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN ASPART (INJECTION SOLUTION) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN ASPART PENFILL (SUBCUTANEOUS SOLUTION CARTRIDGE) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN ASPART PROT & ASPART FLEXPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN ASPART PROT & ASPART (SUBCUTANEOUS SUSPENSION) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN LISPRO (1 UNIT DIAL) (SUBCUTANEOUS SOLUTION PEN-INJECTOR) (BRAND EQUIVALENT HUMALOG) | 2 | |
| INSULIN LISPRO (INJECTION SOLUTION) (BRAND EQUIVALENT HUMALOG) | 2 | |
| INSULIN LISPRO JUNIOR KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) (BRAND EQUIVALENT HUMALOG) | 2 | |
| INSULIN LISPRO PROT & LISPRO (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) (BRAND EQUIVALENT HUMALOG) | 2 | |
| LANTUS SOLOSTAR (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| LANTUS (SUBCUTANEOUS SOLUTION) | 2 | |
| LYUMJEV (INJECTION SOLUTION) | 2 | |
| LYUMJEV KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| NOVOLIN 70/30 FLEXPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| NOVOLIN 70/30 (SUBCUTANEOUS SUSPENSION) | 2 | |
| NOVOLIN N FLEXPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| NOVOLIN N (SUBCUTANEOUS SUSPENSION) | 2 | |
| NOVOLIN R FLEXPEN (INJECTION SOLUTION PEN-INJECTOR) | 2 | |
| NOVOLIN R (INJECTION SOLUTION) | 2 | |
| NOVOLOG FLEXPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| NOVOLOG (INJECTION SOLUTION) | 2 | |
| NOVOLOG MIX 70/30 FLEXPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| NOVOLOG MIX 70/30 (SUBCUTANEOUS SUSPENSION) | 2 | |
| NOVOLOG PENFILL (SUBCUTANEOUS SOLUTION CARTRIDGE) | 2 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| TOUJEO MAX SOLOSTAR (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| TOUJEO SOLOSTAR (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| TRESIBA FLEXTOUCH (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| TRESIBA (SUBCUTANEOUS SOLUTION) | 2 | |
| Blood Products and Modifiers | | |
| Anticoagulants | | |
| <i>Dabigatran Etextilate Mesylate (Oral Capsule)</i> | 1 | QL |
| ELIQUIS (ORAL TABLET) | 2 | QL |
| ELIQUIS STARTER PACK (ORAL TABLET) | 2 | QL |
| <i>Enoxaparin Sodium (Injection Solution Prefilled Syringe)</i> | 1 | QL |
| <i>Fondaparinux Sodium (Subcutaneous Solution)</i> | 1 | |
| <i>Heparin Sodium (10000UNIT/ML Injection Solution, 20000UNIT/ML Injection Solution, 5000UNIT/ML Injection Solution)</i> | 1 | |
| <i>Heparin Sodium (1000UNIT/ML Injection Solution)</i> | 1 | B/D,PA |
| <i>Jantoven (Oral Tablet)</i> | 1 | |
| <i>Warfarin Sodium (Oral Tablet)</i> | 1 | |
| XARELTO (ORAL SUSPENSION RECONSTITUTED) | 2 | QL |
| XARELTO (ORAL TABLET) | 2 | QL |
| XARELTO STARTER PACK (ORAL TABLET THERAPY PACK) | 2 | QL |
| Blood Products and Modifiers, Other | | |
| <i>Anagrelide HCl (Oral Capsule)</i> | 1 | |
| ARANESP (ALBUMIN FREE) (100MCG/ML INJECTION SOLUTION, 200MCG/ML INJECTION SOLUTION) | 4 | PA |
| ARANESP (ALBUMIN FREE) (25MCG/ML INJECTION SOLUTION, 40MCG/ML INJECTION SOLUTION, 60MCG/ML INJECTION SOLUTION) | 3 | PA |
| ARANESP (ALBUMIN FREE) (100MCG/0.5ML INJECTION SOLUTION PREFILLED SYRINGE, 150MCG/0.3ML INJECTION SOLUTION PREFILLED SYRINGE, 200MCG/0.4ML INJECTION SOLUTION PREFILLED SYRINGE, 300MCG/0.6ML INJECTION SOLUTION PREFILLED SYRINGE, 500MCG/ML INJECTION SOLUTION PREFILLED SYRINGE, 60MCG/0.3ML INJECTION SOLUTION PREFILLED SYRINGE) | 4 | PA |
| ARANESP (ALBUMIN FREE) (10MCG/0.4ML INJECTION SOLUTION PREFILLED SYRINGE, 25MCG/0.42ML INJECTION SOLUTION PREFILLED SYRINGE, 40MCG/0.4ML INJECTION SOLUTION PREFILLED SYRINGE) | 3 | PA |
| NEULASTA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| PROCRIT (10000UNIT/ML INJECTION SOLUTION, 2000UNIT/ML INJECTION SOLUTION, 3000UNIT/ML INJECTION SOLUTION, 4000UNIT/ML INJECTION SOLUTION) | 3 | PA |
| PROCRIT (20000UNIT/ML INJECTION SOLUTION, 40000UNIT/ML INJECTION SOLUTION) | 4 | PA |
| PROMACTA (ORAL PACKET) | 4 | PA; QL |
| PROMACTA (ORAL TABLET) | 4 | PA; QL |
| RETACRIT (INJECTION SOLUTION) | 3 | PA |
| UDENYCA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA |
| UDENYCA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| XOLREMDI (ORAL CAPSULE) | 4 | PA; QL |
| ZARXIO (INJECTION SOLUTION PREFILLED SYRINGE) | 4 | |
| Hemostasis Agents | | |
| <i>Tranexamic Acid (Oral Tablet)</i> | 1 | |
| Platelet Modifying Agents | | |
| <i>Aspirin-Dipyridamole ER (Oral Capsule Extended Release 12 Hour)</i> | 1 | QL |
| BRILINTA (ORAL TABLET) | 2 | QL |
| CABLIVI (INJECTION KIT) | 4 | PA; QL |
| <i>Cilostazol (Oral Tablet)</i> | 1 | |
| <i>Clopidogrel Bisulfate (75MG Oral Tablet)</i> | 1 | |
| <i>Dipyridamole (Oral Tablet)</i> | 1 | HRM |
| DOPTELET (ORAL TABLET) | 4 | PA; QL |
| <i>Prasugrel HCl (Oral Tablet)</i> | 1 | |
| Cardiovascular Agents | | |
| Alpha-adrenergic Agonists | | |
| <i>Clonidine HCl (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Clonidine (Transdermal Patch Weekly)</i> | 1 | |
| <i>Droxidopa (Oral Capsule)</i> | 1 | PA; QL |
| <i>Guanfacine HCl (Oral Tablet Immediate Release)</i> | 1 | HRM; QL |
| <i>Midodrine HCl (Oral Tablet)</i> | 1 | |
| Alpha-adrenergic Blocking Agents | | |
| <i>Doxazosin Mesylate (Oral Tablet)</i> | 1 | |
| <i>Prazosin HCl (Oral Capsule)</i> | 1 | |
| Angiotensin II Receptor Antagonists | | |
| <i>Candesartan Cilexetil (Oral Tablet)</i> | 1 | |
| EDARBI (ORAL TABLET) | 3 | QL |
| <i>Irbesartan (Oral Tablet)</i> | 1 | |
| <i>Losartan Potassium (Oral Tablet)</i> | 1 | |
| <i>Olmесartan Medoxomil (Oral Tablet)</i> | 1 | QL |
| <i>Telmisartan (Oral Tablet)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Valsartan (Oral Tablet)</i> | 1 | QL |
| Angiotensin-converting Enzyme (ACE) Inhibitors | | |
| <i>Benazepril HCl (Oral Tablet)</i> | 1 | |
| <i>Captopril (Oral Tablet)</i> | 1 | QL |
| <i>Enalapril Maleate (Oral Tablet)</i> | 1 | QL |
| <i>Fosinopril Sodium (Oral Tablet)</i> | 1 | |
| <i>Lisinopril (Oral Tablet)</i> | 1 | QL |
| <i>Moexipril HCl (Oral Tablet)</i> | 1 | |
| <i>Perindopril Erbumine (Oral Tablet)</i> | 1 | |
| <i>Quinapril HCl (Oral Tablet)</i> | 1 | |
| <i>Ramipril (Oral Capsule)</i> | 1 | |
| <i>Trandolapril (Oral Tablet)</i> | 1 | |
| Antiarrhythmics | | |
| <i>Amiodarone HCl (Oral Tablet)</i> | 1 | |
| <i>Dofetilide (Oral Capsule)</i> | 1 | QL |
| <i>Flecainide Acetate (Oral Tablet)</i> | 1 | |
| <i>Mexiletine HCl (Oral Capsule)</i> | 1 | |
| MULTAQ (ORAL TABLET) | 2 | |
| <i>Propafenone HCl ER (Oral Capsule Extended Release 12 Hour)</i> | 1 | |
| <i>Propafenone HCl (Oral Tablet)</i> | 1 | |
| <i>Quinidine Gluconate ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Quinidine Sulfate (Oral Tablet)</i> | 1 | |
| <i>Sorine (120MG Oral Tablet, 160MG Oral Tablet)</i> | 1 | |
| <i>Sotalol HCl (AF) (Oral Tablet)</i> | 1 | |
| <i>Sotalol HCl (Oral Tablet)</i> | 1 | |
| Beta-adrenergic Blocking Agents | | |
| <i>Acebutolol HCl (Oral Capsule)</i> | 1 | |
| <i>Atenolol (Oral Tablet)</i> | 1 | |
| <i>Betaxolol HCl (Oral Tablet)</i> | 1 | |
| <i>Bisoprolol Fumarate (Oral Tablet)</i> | 1 | |
| <i>Carvedilol (Oral Tablet)</i> | 1 | |
| <i>Labetalol HCl (Oral Tablet)</i> | 1 | |
| <i>Metoprolol Succinate ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Metoprolol Tartrate (Oral Tablet)</i> | 1 | |
| <i>Nadolol (Oral Tablet)</i> | 1 | |
| <i>Nebivolol HCl (Oral Tablet)</i> | 1 | QL |
| <i>Pindolol (Oral Tablet)</i> | 1 | |
| <i>Propranolol HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Propranolol HCl (Oral Solution)</i> | 1 | |
| <i>Propranolol HCl (Oral Tablet)</i> | 1 | |
| Calcium Channel Blocking Agents, Dihydropyridines | | |
| <i>Amlodipine Besylate (Oral Tablet)</i> | 1 | |
| <i>Felodipine ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Isradipine (Oral Capsule)</i> | 1 | |
| <i>Nifedipine ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Nifedipine ER Osmotic Release (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Nimodipine (Oral Capsule)</i> | 1 | |
| Calcium Channel Blocking Agents, Nondihydropyridines | | |
| <i>Cartia XT (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Diltiazem HCl ER Beads (360MG Oral Capsule Extended Release 24 Hour, 420MG Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Diltiazem HCl ER Coated Beads (120MG Oral Capsule Extended Release 24 Hour, 180MG Oral Capsule Extended Release 24 Hour, 240MG Oral Capsule Extended Release 24 Hour, 300MG Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Diltiazem HCl ER (Oral Capsule Extended Release 12 Hour)</i> | 1 | |
| <i>Diltiazem HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Diltiazem HCl (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Dilt-XR (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Matzim LA (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Tiadyt ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Verapamil HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Verapamil HCl ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Verapamil HCl (Oral Tablet Immediate Release)</i> | 1 | |
| Cardiovascular Agents, Other | | |
| <i>Acetazolamide ER (Oral Capsule Extended Release 12 Hour)</i> | 1 | |
| <i>Acetazolamide (Oral Tablet)</i> | 1 | |
| <i>Aliskiren Fumarate (Oral Tablet)</i> | 1 | |
| <i>Amiloride-Hydrochlorothiazide (Oral Tablet)</i> | 1 | |
| <i>Amlodipine-Atorvastatin (Oral Tablet)</i> | 1 | |
| <i>Amlodipine-Benazepril (Oral Capsule)</i> | 1 | |
| <i>Amlodipine-Olmesartan (Oral Tablet)</i> | 1 | QL |
| <i>Amlodipine-Valsartan (Oral Tablet)</i> | 1 | QL |
| <i>Amlodipine-Valsartan-HCTZ (Oral Tablet)</i> | 1 | |
| <i>Atenolol-Chlorthalidone (Oral Tablet)</i> | 1 | |
| <i>Benazepril-Hydrochlorothiazide (Oral Tablet)</i> | 1 | |
| <i>Bisoprolol-Hydrochlorothiazide (Oral Tablet)</i> | 1 | QL |
| <i>Candesartan Cilexetil-HCTZ (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Digoxin (Oral Solution)</i> | 1 | HRM |
| <i>Digoxin (125MCG Oral Tablet, 250MCG Oral Tablet)</i> | 1 | HRM |
| EDARBYCLOR (ORAL TABLET) | 3 | QL |
| <i>Enalapril-Hydrochlorothiazide (Oral Tablet)</i> | 1 | QL |
| ENTRESTO (ORAL CAPSULE SPRINKLE) | 2 | QL |
| ENTRESTO (ORAL TABLET) | 2 | QL |
| <i>Fosinopril Sodium-HCTZ (Oral Tablet)</i> | 1 | |
| <i>Irbesartan-Hydrochlorothiazide (Oral Tablet)</i> | 1 | |
| <i>Ivabradine HCl (Oral Tablet)</i> | 1 | PA; QL |
| <i>Lisinopril-Hydrochlorothiazide (Oral Tablet)</i> | 1 | QL |
| <i>Losartan Potassium-HCTZ (Oral Tablet)</i> | 1 | |
| <i>Metoprolol-Hydrochlorothiazide (Oral Tablet)</i> | 1 | |
| <i>Metyrosine (Oral Capsule)</i> | 1 | |
| <i>Olmesartan Medoxomil-HCTZ (Oral Tablet)</i> | 1 | QL |
| <i>Olmesartan-Amlodipine-HCTZ (Oral Tablet)</i> | 1 | QL |
| <i>Pentoxifylline ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Ranolazine ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | |
| <i>Spiroinolactone-HCTZ (Oral Tablet)</i> | 1 | |
| <i>Telmisartan-Amlodipine (Oral Tablet)</i> | 1 | QL |
| <i>Telmisartan-HCTZ (Oral Tablet)</i> | 1 | QL |
| <i>Triamterene-HCTZ (Oral Capsule)</i> | 1 | |
| <i>Triamterene-HCTZ (Oral Tablet)</i> | 1 | |
| <i>Valsartan-Hydrochlorothiazide (Oral Tablet)</i> | 1 | QL |
| Diuretics, Loop | | |
| <i>Bumetanide (Injection Solution)</i> | 1 | |
| <i>Bumetanide (Oral Tablet)</i> | 1 | |
| <i>Furosemide (Injection Solution)</i> | 1 | B/D,PA |
| <i>Furosemide (Oral Solution)</i> | 1 | |
| <i>Furosemide (Oral Tablet)</i> | 1 | |
| <i>Torsemide (Oral Tablet)</i> | 1 | |
| Diuretics, Potassium-sparing | | |
| <i>Amiloride HCl (Oral Tablet)</i> | 1 | |
| <i>Triamterene (Oral Capsule)</i> | 1 | |
| Diuretics, Thiazide | | |
| <i>Chlorthalidone (Oral Tablet)</i> | 1 | |
| DIURIL (ORAL SUSPENSION) | 3 | |
| <i>Hydrochlorothiazide (Oral Capsule)</i> | 1 | |
| <i>Hydrochlorothiazide (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Indapamide (Oral Tablet)</i> | 1 | |
| <i>Metolazone (Oral Tablet)</i> | 1 | |
| Dyslipidemics, Fibric Acid Derivatives | | |
| <i>Fenofibrate Micronized (130MG Oral Capsule, 134MG Oral Capsule, 200MG Oral Capsule, 43MG Oral Capsule, 67MG Oral Capsule)</i> | 1 | |
| <i>Fenofibrate (145MG Oral Tablet, 160MG Oral Tablet, 48MG Oral Tablet, 54MG Oral Tablet)</i> | 1 | |
| <i>Fenofibric Acid (Oral Capsule Delayed Release)</i> | 1 | |
| <i>Gemfibrozil (Oral Tablet)</i> | 1 | |
| Dyslipidemics, HMG CoA Reductase Inhibitors | | |
| <i>Atorvastatin Calcium (Oral Tablet)</i> | 1 | |
| <i>Fluvastatin Sodium ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Fluvastatin Sodium (Oral Capsule)</i> | 1 | |
| <i>Lovastatin (Oral Tablet)</i> | 1 | |
| <i>Pitavastatin Calcium (Oral Tablet)</i> | 1 | QL |
| <i>Pravastatin Sodium (Oral Tablet)</i> | 1 | |
| <i>Rosuvastatin Calcium (Oral Tablet)</i> | 1 | QL |
| <i>Simvastatin (Oral Tablet)</i> | 1 | QL |
| Dyslipidemics, Other | | |
| <i>Cholestyramine Light (Oral Packet)</i> | 1 | |
| <i>Cholestyramine (Oral Packet)</i> | 1 | |
| <i>Colesevelam HCl (Oral Packet)</i> | 1 | |
| <i>Colesevelam HCl (Oral Tablet)</i> | 1 | |
| <i>Colestipol HCl (Oral Packet)</i> | 1 | |
| <i>Colestipol HCl (Oral Tablet)</i> | 1 | |
| <i>Ezetimibe (Oral Tablet)</i> | 1 | |
| <i>Ezetimibe-Simvastatin (Oral Tablet)</i> | 1 | |
| <i>Icosapent Ethyl (Oral Capsule)</i> | 1 | |
| NEXLETOL (ORAL TABLET) | 2 | PA; QL |
| NEXLIZET (ORAL TABLET) | 2 | PA; QL |
| <i>Niacin (Antihyperlipidemic) (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Niacin ER (Antihyperlipidemic) (Oral Tablet Extended Release)</i> | 1 | |
| <i>Niacor (Oral Tablet)</i> | 1 | |
| <i>Omega-3-Acid Ethyl Esters (Oral Capsule) (Generic Lovaza)</i> | 1 | |
| <i>Prevalite (Oral Packet)</i> | 1 | |
| REPATHA PUSHTRONEX SYSTEM (SUBCUTANEOUS SOLUTION CARTRIDGE) | 2 | PA; QL |
| REPATHA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 2 | PA; QL |
| REPATHA SURECLICK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 2 | PA; QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| VASCEPA (ORAL CAPSULE) | 3 | |
| Mineralocorticoid Receptor Antagonists | | |
| <i>Eplerenone (Oral Tablet)</i> | 1 | |
| KERENDIA (ORAL TABLET) | 3 | PA; QL |
| <i>Spironolactone (Oral Tablet)</i> | 1 | |
| Sodium-Glucose Co-Transporter 2 Inhibitors (SGLT2i) | | |
| FARXIGA (ORAL TABLET) | 2 | QL |
| JARDIANCE (ORAL TABLET) | 2 | QL |
| Vasodilators, Direct-acting Arterial | | |
| <i>Hydralazine HCl (Oral Tablet)</i> | 1 | |
| <i>Minoxidil (Oral Tablet)</i> | 1 | |
| Vasodilators, Direct-acting Arterial/Venous | | |
| <i>Isosorbide Dinitrate (10MG Oral Tablet Immediate Release, 20MG Oral Tablet Immediate Release, 30MG Oral Tablet Immediate Release, 5MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Isosorbide Mononitrate ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Isosorbide Mononitrate (Oral Tablet Immediate Release)</i> | 1 | |
| NITRO-BID (TRANSDERMAL OINTMENT) | 3 | |
| <i>Nitroglycerin (Rectal Ointment)</i> | 1 | QL |
| <i>Nitroglycerin (Tablet Sublingual)</i> | 1 | |
| <i>Nitroglycerin (Transdermal Patch 24 Hour)</i> | 1 | |
| <i>Nitroglycerin (Translingual Solution)</i> | 1 | |
| VERQUVO (ORAL TABLET) | 2 | PA; QL |
| Central Nervous System Agents | | |
| Attention Deficit Hyperactivity Disorder Agents, Amphetamines | | |
| <i>Amphetamine-Dextroamphetamine ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | QL |
| <i>Amphetamine-Dextroamphetamine (Oral Tablet)</i> | 1 | QL |
| <i>Dextroamphetamine Sulfate ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | QL |
| <i>Dextroamphetamine Sulfate (10MG Oral Tablet, 15MG Oral Tablet, 20MG Oral Tablet, 30MG Oral Tablet, 5MG Oral Tablet)</i> | 1 | QL |
| Attention Deficit Hyperactivity Disorder Agents, Non-amphetamines | | |
| <i>Atomoxetine HCl (Oral Capsule)</i> | 1 | QL |
| <i>Clonidine HCl ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | PA |
| <i>Dexmethylphenidate HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Dexmethylphenidate HCl (Oral Tablet)</i> | 1 | QL |
| <i>Guanfacine HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | HRM |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Methylphenidate HCl CD (Oral Capsule Extended Release) (Generic Metadate CD)</i> | 1 | QL |
| <i>Methylphenidate HCl LA (Oral Capsule Extended Release 24 Hour) (Generic Ritalin LA)</i> | 1 | QL |
| <i>Methylphenidate HCl ER Osmotic Release (18MG Oral Tablet Extended Release, 27MG Oral Tablet Extended Release, 36MG Oral Tablet Extended Release, 54MG Oral Tablet Extended Release, 72MG Oral Tablet Extended Release)</i> | 1 | QL |
| <i>Methylphenidate HCl ER (XR) (Oral Capsule Extended Release 24 Hour) (Brand Equivalent Aptensio XR)</i> | 1 | QL |
| <i>Methylphenidate HCl ER (10MG Oral Tablet Extended Release, 20MG Oral Tablet Extended Release)</i> | 1 | QL |
| <i>Methylphenidate HCl ER (18MG Oral Tablet Extended Release 24 Hour, 27MG Oral Tablet Extended Release 24 Hour, 36MG Oral Tablet Extended Release 24 Hour, 54MG Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Methylphenidate HCl (Oral Tablet Immediate Release) (Generic Ritalin)</i> | 1 | QL |
| Central Nervous System, Other | | |
| AUSTEDO (ORAL TABLET) | 4 | PA; QL |
| AUSTEDO XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 4 | PA; QL |
| AUSTEDO XR PATIENT TITRATION (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | 4 | PA; QL |
| NUEDEXTA (ORAL CAPSULE) | 4 | PA; QL |
| <i>Riluzole (Oral Tablet)</i> | 1 | |
| SKYCLARYS (ORAL CAPSULE) | 4 | PA; QL |
| <i>Tetrabenazine (Oral Tablet)</i> | 1 | PA |
| VEOZAH (ORAL TABLET) | 3 | PA; QL |
| Fibromyalgia Agents | | |
| DRIZALMA SPRINKLE (ORAL CAPSULE DELAYED RELEASE SPRINKLE) | 3 | ST; QL |
| <i>Duloxetine HCl (Oral Capsule Delayed Release Particles)</i> | 1 | QL |
| <i>Pregabalin (Oral Capsule)</i> | 1 | QL |
| <i>Pregabalin (Oral Solution)</i> | 1 | QL |
| SAVELLA (ORAL TABLET) | 2 | |
| SAVELLA TITRATION PACK (ORAL TABLET) | 2 | |
| Multiple Sclerosis Agents | | |
| AVONEX PEN (INTRAMUSCULAR AUTO-INJECTOR KIT) | 4 | |
| AVONEX PREFILLED (INTRAMUSCULAR PREFILLED SYRINGE KIT) | 4 | |
| BETASERON (SUBCUTANEOUS KIT) | 4 | |
| <i>Dalfampridine ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | QL |
| <i>Dimethyl Fumarate (Oral Capsule Delayed Release)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Dimethyl Fumarate Starter Pack (Oral Capsule Delayed Release Therapy Pack)</i> | 1 | QL |
| <i>Fingolimod HCl (Oral Capsule)</i> | 1 | QL |
| <i>Glatiramer Acetate (Subcutaneous Solution Prefilled Syringe)</i> | 1 | QL |
| <i>Glatopa (Subcutaneous Solution Prefilled Syringe)</i> | 1 | QL |
| KESIMPTA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | |
| MAYZENT (ORAL TABLET) | 4 | QL |
| MAYZENT STARTER PACK (ORAL TABLET THERAPY PACK) | 3 | QL |
| PLEGRIDY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | QL |
| PLEGRIDY (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | QL |
| REBIF REBIDOSE (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | ST |
| REBIF REBIDOSE TITRATION PACK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | ST |
| REBIF (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | ST |
| REBIF TITRATION PACK (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | ST |
| <i>Teriflunomide (Oral Tablet)</i> | 1 | QL |
| Dental and Oral Agents | | |
| Dental and Oral Agents | | |
| <i>Cevimeline HCl (Oral Capsule)</i> | 1 | |
| <i>Chlorhexidine Gluconate (Mouth Solution)</i> | 1 | |
| <i>Kourzeq (Mouth/Throat Paste)</i> | 1 | |
| <i>Periogard (Mouth Solution)</i> | 1 | |
| <i>Pilocarpine HCl (Oral Tablet)</i> | 1 | |
| <i>Triamcinolone Acetonide (Dental Paste)</i> | 1 | |
| Dermatological Agents | | |
| Acne and Rosacea Agents | | |
| <i>Accutane (10MG Oral Capsule, 20MG Oral Capsule, 40MG Oral Capsule)</i> | 1 | PA |
| <i>Acitretin (Oral Capsule)</i> | 1 | |
| <i>Adapalene (0.3% External Gel)</i> | 1 | |
| <i>Adapalene-Benzoyl Peroxide (0.3-2.5% External Gel)</i> | 1 | ST |
| <i>Amnesteem (Oral Capsule)</i> | 1 | PA |
| <i>Azelaic Acid (External Gel)</i> | 1 | QL |
| <i>Benzoyl Peroxide-Erythromycin (External Gel)</i> | 1 | |
| <i>Claravis (Oral Capsule)</i> | 1 | PA |
| <i>Clindamycin Phosphate-Benzoyl Peroxide (1-5% External Gel, 1.2-5% External Gel)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Isotretinoin (10MG Oral Capsule, 20MG Oral Capsule, 30MG Oral Capsule, 40MG Oral Capsule)</i> | 1 | PA |
| <i>Neuac (External Gel)</i> | 1 | |
| <i>Tazarotene (0.1% External Cream)</i> | 1 | PA; QL |
| <i>Tretinoin (External Cream)</i> | 1 | PA |
| <i>Tretinoin (External Gel)</i> | 1 | PA |
| <i>Zenatane (Oral Capsule)</i> | 1 | PA |
| Dermatitis and Pruritus Agents | | |
| <i>Ala-Cort (External Cream)</i> | 1 | |
| <i>Alclometasone Dipropionate (External Cream)</i> | 1 | |
| <i>Alclometasone Dipropionate (External Ointment)</i> | 1 | |
| <i>Ammonium Lactate (External Cream)</i> | 1 | |
| <i>Ammonium Lactate (External Lotion)</i> | 1 | |
| <i>Betamethasone Dipropionate Aug (External Cream)</i> | 1 | |
| <i>Betamethasone Dipropionate Aug (External Gel)</i> | 1 | |
| <i>Betamethasone Dipropionate Aug (External Lotion)</i> | 1 | |
| <i>Betamethasone Dipropionate Aug (External Ointment)</i> | 1 | |
| <i>Betamethasone Dipropionate (External Cream)</i> | 1 | |
| <i>Betamethasone Dipropionate (External Lotion)</i> | 1 | |
| <i>Betamethasone Dipropionate (External Ointment)</i> | 1 | |
| <i>Betamethasone Valerate (External Cream)</i> | 1 | |
| <i>Betamethasone Valerate (External Lotion)</i> | 1 | |
| <i>Betamethasone Valerate (External Ointment)</i> | 1 | |
| <i>Clobetasol Propionate Emollient Base (External Cream)</i> | 1 | |
| <i>Clobetasol Propionate Emulsion (External Foam)</i> | 1 | QL |
| <i>Clobetasol Propionate (External Cream)</i> | 1 | |
| <i>Clobetasol Propionate (External Gel)</i> | 1 | |
| <i>Clobetasol Propionate (External Lotion)</i> | 1 | QL |
| <i>Clobetasol Propionate (External Ointment)</i> | 1 | |
| <i>Clobetasol Propionate (External Shampoo)</i> | 1 | |
| <i>Clobetasol Propionate (External Solution)</i> | 1 | |
| <i>Clodan (External Shampoo)</i> | 1 | |
| <i>Desonide (External Cream)</i> | 1 | QL |
| <i>Desonide (External Ointment)</i> | 1 | QL |
| <i>Desoximetasone (0.25% External Cream)</i> | 1 | QL |
| <i>Desoximetasone (0.25% External Ointment)</i> | 1 | |
| <i>Fluocinolone Acetonide (External Cream)</i> | 1 | |
| <i>Fluocinolone Acetonide (External Ointment)</i> | 1 | |
| <i>Fluocinolone Acetonide (External Solution)</i> | 1 | |
| <i>Fluocinolone Acetonide Scalp (External Oil)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Fluocinonide Emulsified Base (External Cream)</i> | 1 | QL |
| <i>Fluocinonide (0.05% External Cream)</i> | 1 | QL |
| <i>Fluocinonide (External Gel)</i> | 1 | QL |
| <i>Fluocinonide (External Ointment)</i> | 1 | QL |
| <i>Fluocinonide (External Solution)</i> | 1 | QL |
| <i>Fluticasone Propionate (External Cream)</i> | 1 | |
| <i>Fluticasone Propionate (External Ointment)</i> | 1 | |
| <i>Halobetasol Propionate (External Cream)</i> | 1 | |
| <i>Halobetasol Propionate (External Ointment)</i> | 1 | |
| <i>Hydrocortisone (1% External Cream)</i> | 1 | |
| <i>Hydrocortisone (2.5% External Lotion)</i> | 1 | |
| <i>Hydrocortisone (1% External Ointment, 2.5% External Ointment)</i> | 1 | |
| <i>Hydrocortisone Valerate (External Cream)</i> | 1 | |
| <i>Hydrocortisone Valerate (External Ointment)</i> | 1 | |
| <i>Mometasone Furoate (External Cream)</i> | 1 | |
| <i>Mometasone Furoate (External Ointment)</i> | 1 | |
| <i>Mometasone Furoate (External Solution)</i> | 1 | |
| <i>Pimecrolimus (External Cream)</i> | 1 | ST; QL |
| <i>Selenium Sulfide (External Lotion)</i> | 1 | |
| <i>Tacrolimus (External Ointment)</i> | 1 | ST |
| <i>Triamcinolone Acetonide (External Cream)</i> | 1 | |
| <i>Triamcinolone Acetonide (External Lotion)</i> | 1 | |
| <i>Triamcinolone Acetonide (External Ointment)</i> | 1 | |
| <i>Triderm (External Cream)</i> | 1 | |
| Dermatological Agents, Other | | |
| <i>Calcipotriene (External Cream)</i> | 1 | QL |
| <i>Calcipotriene (External Ointment)</i> | 1 | QL |
| <i>Calcipotriene (External Solution)</i> | 1 | |
| <i>Clotrimazole-Betamethasone (External Cream)</i> | 1 | QL |
| <i>Clotrimazole-Betamethasone (External Lotion)</i> | 1 | |
| <i>Diclofenac Sodium (3% External Gel)</i> | 1 | PA; QL |
| <i>Fluorouracil (External Cream)</i> | 1 | QL |
| <i>Fluorouracil (External Solution)</i> | 1 | |
| <i>Imiquimod (5% External Cream)</i> | 1 | QL |
| <i>Methoxsalen Rapid (Oral Capsule)</i> | 1 | |
| <i>Nystatin-Triamcinolone (External Cream)</i> | 1 | |
| <i>Nystatin-Triamcinolone (External Ointment)</i> | 1 | |
| <i>Podofilox (External Solution)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| REGRANEX (EXTERNAL GEL) | 4 | PA |
| SANTYL (EXTERNAL OINTMENT) | 2 | |
| <i>Silver Sulfadiazine (External Cream)</i> | 1 | |
| SSD (EXTERNAL CREAM) | 1 | |
| Pediculicides/Scabicides | | |
| <i>Malathion (External Lotion)</i> | 1 | |
| <i>Permethrin (External Cream)</i> | 1 | |
| Topical Anti-infectives | | |
| <i>Ciclopirox (External Gel)</i> | 1 | |
| <i>Ciclopirox (External Shampoo)</i> | 1 | |
| <i>Ciclopirox (External Solution)</i> | 1 | |
| <i>Ciclopirox Olamine (External Cream)</i> | 1 | |
| <i>Ciclopirox Olamine (External Suspension)</i> | 1 | |
| <i>Clindacin ETZ (External Swab)</i> | 1 | QL |
| <i>Clindamycin Phosphate (External Gel)</i> | 1 | QL |
| <i>Clindamycin Phosphate (External Lotion)</i> | 1 | QL |
| <i>Clindamycin Phosphate (External Solution)</i> | 1 | QL |
| <i>Clindamycin Phosphate (External Swab)</i> | 1 | QL |
| <i>Clotrimazole (External Cream)</i> | 1 | |
| <i>Clotrimazole (External Solution)</i> | 1 | |
| <i>Econazole Nitrate (External Cream)</i> | 1 | QL |
| <i>Ery (External Pad)</i> | 1 | |
| <i>Erythromycin (External Gel)</i> | 1 | |
| <i>Erythromycin (External Solution)</i> | 1 | |
| <i>Gentamicin Sulfate (External Cream)</i> | 1 | |
| <i>Gentamicin Sulfate (External Ointment)</i> | 1 | |
| <i>Ketoconazole (External Cream)</i> | 1 | QL |
| <i>Ketoconazole (External Shampoo)</i> | 1 | |
| <i>Mupirocin (External Ointment)</i> | 1 | QL |
| <i>Nyamyc (External Powder)</i> | 1 | QL |
| <i>Nystatin (External Cream)</i> | 1 | |
| <i>Nystatin (External Ointment)</i> | 1 | |
| <i>Nystatin (External Powder)</i> | 1 | QL |
| <i>Nystop (External Powder)</i> | 1 | QL |
| <i>Sulfacetamide Sodium (Acne) (External Lotion)</i> | 1 | PA |
| Electrolytes/Minerals/Metals/Vitamins | | |
| Electrolyte/Mineral Replacement | | |
| <i>Carglumic Acid (Oral Tablet Soluble)</i> | 1 | |
| <i>Dextrose (10% Intravenous Solution)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Dextrose (5% Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Dextrose-Sodium Chloride (10-0.2% Intravenous Solution, 10-0.45% Intravenous Solution, 2.5-0.45% Intravenous Solution, 5-0.2% Intravenous Solution, 5-0.45% Intravenous Solution)</i> | 1 | |
| <i>Dextrose-Sodium Chloride (5-0.9% Intravenous Solution)</i> | 1 | B/D,PA |
| INTRALIPID (INTRAVENOUS EMULSION) | 3 | B/D,PA |
| ISOLYTE-P IN D5W (INTRAVENOUS SOLUTION) | 3 | |
| <i>KCl in Dextrose-NaCl (Intravenous Solution)</i> | 1 | |
| <i>KCl-Lactated Ringers-D5W (Intravenous Solution)</i> | 1 | |
| KLOR-CON 10 (ORAL TABLET EXTENDED RELEASE) | 1 | |
| <i>Klor-Con M10 (Oral Tablet Extended Release)</i> | 1 | |
| <i>Klor-Con M15 (Oral Tablet Extended Release)</i> | 1 | |
| <i>Klor-Con M20 (Oral Tablet Extended Release)</i> | 1 | |
| KLOR-CON 8 (ORAL TABLET EXTENDED RELEASE) | 1 | |
| <i>L-Glutamine (Oral Packet)</i> | 1 | PA |
| <i>Magnesium Sulfate (Injection Solution)</i> | 1 | |
| NUTRILIPID (INTRAVENOUS EMULSION) | 3 | B/D,PA |
| PLENAMINE (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| <i>Potassium Chloride Microencapsulated ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Potassium Chloride ER (Oral Capsule Extended Release)</i> | 1 | |
| <i>Potassium Chloride ER (10MEQ Oral Tablet Extended Release, 20MEQ Oral Tablet Extended Release, 8MEQ Oral Tablet Extended Release)</i> | 1 | |
| <i>Potassium Chloride in NaCl (20-0.45MEQ/L-% Intravenous Solution, 20-0.9MEQ/L-% Intravenous Solution, 40-0.9MEQ/L-% Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Potassium Chloride (10MEQ/100ML Intravenous Solution, 20MEQ/100ML Intravenous Solution, 2MEQ/ML (30ML) Intravenous Solution, 2MEQ/ML (20ML) Intravenous Solution, 40MEQ/100ML Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Potassium Chloride (20MEQ/15ML(10%) Oral Solution, 40MEQ/15ML(20%) Oral Solution)</i> | 1 | |
| <i>Potassium Citrate ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Potassium Chloride in Dextrose 5% (20MEQ/L Intravenous Solution)</i> | 1 | B/D,PA |
| PREMASOL (INTRAVENOUS SOLUTION) | 4 | B/D,PA |
| PROSOL (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| <i>Sodium Chloride (0.45% Intravenous Solution)</i> | 1 | |
| <i>Sodium Chloride (0.9% Intravenous Solution, 3% Intravenous Solution, 5% Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Sodium Chloride (Irrigation Solution)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Sodium Fluoride (Oral Tablet)</i> | 1 | |
| TPN ELECTROLYTES (INTRAVENOUS CONCENTRATE) | 3 | |
| TRAVASOL (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| TROPHAMINE (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| Electrolyte/Mineral/Metal Modifiers | | |
| CHEMET (ORAL CAPSULE) | 4 | |
| <i>Deferasirox Granules (Oral Packet)</i> | 1 | PA |
| <i>Deferasirox (Oral Tablet) (Generic Jadenu)</i> | 1 | PA |
| <i>Deferasirox (Oral Tablet Soluble) (Generic Exjade)</i> | 1 | PA |
| <i>Tolvaptan (Oral Tablet)</i> | 1 | QL |
| <i>Trientine HCl (Oral Capsule)</i> | 1 | PA; QL |
| Potassium Binders | | |
| KIONEX (ORAL SUSPENSION) | 3 | |
| LOKELMA (ORAL PACKET) | 2 | QL |
| <i>Sodium Polystyrene Sulfonate (Oral Powder)</i> | 1 | |
| SPS (ORAL SUSPENSION) | 3 | |
| VELTASSA (16.8GM ORAL PACKET, 25.2GM ORAL PACKET, 8.4GM ORAL PACKET) | 3 | QL |
| Vitamins | | |
| <i>Prenatal (27-1MG Oral Tablet)</i> | 1 | |
| Gastrointestinal Agents | | |
| Anti-Constipation Agents | | |
| <i>Enulose (Oral Solution)</i> | 1 | |
| <i>Generlac (Oral Solution)</i> | 1 | |
| <i>Lactulose (10GM/15ML Oral Solution)</i> | 1 | |
| LINZESS (ORAL CAPSULE) | 2 | QL |
| <i>Lubiprostone (Oral Capsule)</i> | 1 | QL |
| MOVANTIK (ORAL TABLET) | 2 | QL |
| TRULANCE (ORAL TABLET) | 2 | |
| Anti-Diarrheal Agents | | |
| <i>Alosetron HCl (Oral Tablet)</i> | 1 | PA |
| <i>Diphenoxylate-Atropine (Oral Liquid)</i> | 1 | HRM |
| <i>Diphenoxylate-Atropine (Oral Tablet)</i> | 1 | HRM |
| <i>Loperamide HCl (Oral Capsule)</i> | 1 | |
| VIBERZI (ORAL TABLET) | 4 | PA; QL |
| XERMELO (ORAL TABLET) | 4 | PA; QL |
| Antispasmodics, Gastrointestinal | | |
| <i>Dicyclomine HCl (Oral Capsule)</i> | 1 | HRM |
| <i>Dicyclomine HCl (Oral Solution)</i> | 1 | HRM |
| <i>Dicyclomine HCl (Oral Tablet)</i> | 1 | HRM |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Glycopyrrolate (Oral Solution) (Generic Cuvposa)</i> | 1 | PA |
| <i>Glycopyrrolate (1MG Oral Tablet, 2MG Oral Tablet)</i> | 1 | PA |
| <i>Methscopolamine Bromide (Oral Tablet)</i> | 1 | HRM |
| Gastrointestinal Agents, Other | | |
| CHENODAL (ORAL TABLET) | 4 | PA |
| CLENPIQ (ORAL SOLUTION) | 2 | |
| GATTEX (SUBCUTANEOUS KIT) | 4 | PA |
| <i>GaviLyte-C (Oral Solution Reconstituted)</i> | 1 | |
| <i>GaviLyte-G (Oral Solution Reconstituted)</i> | 1 | |
| <i>GaviLyte-N with Flavor Pack (Oral Solution Reconstituted)</i> | 1 | |
| MYALEPT (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| <i>Sodium Sulfate-Potassium Sulfate-Magnesium Sulfate (Oral Solution)</i> | 1 | |
| <i>PEG-3350-NaCl-Na Bicarbonate-KCl (Oral Solution) (Generic NuLYTELY)</i> | 1 | |
| <i>PEG-3350-Electrolytes (Oral Solution) (Generic GoLYTELY)</i> | 1 | |
| SUTAB (ORAL TABLET) | 2 | |
| <i>Ursodiol (300MG Oral Capsule)</i> | 1 | |
| <i>Ursodiol (Oral Tablet)</i> | 1 | |
| VOWST (ORAL CAPSULE) | 4 | PA |
| Histamine2 (H2) Receptor Antagonists | | |
| <i>Cimetidine (Oral Tablet)</i> | 1 | |
| <i>Famotidine (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Famotidine (20MG Oral Tablet, 40MG Oral Tablet)</i> | 1 | |
| <i>Nizatidine (Oral Capsule)</i> | 1 | |
| Protectants | | |
| <i>Misoprostol (Oral Tablet)</i> | 1 | |
| <i>Sucralfate (Oral Suspension)</i> | 1 | |
| <i>Sucralfate (Oral Tablet)</i> | 1 | |
| Proton Pump Inhibitors | | |
| <i>Dexlansoprazole (Oral Capsule Delayed Release)</i> | 1 | QL |
| <i>Esomeprazole Magnesium (Oral Capsule Delayed Release) (Generic Nexium)</i> | 1 | QL |
| <i>Lansoprazole (Oral Capsule Delayed Release)</i> | 1 | QL |
| <i>Omeprazole (10MG Oral Capsule Delayed Release)</i> | 1 | QL |
| <i>Omeprazole (20MG Oral Capsule Delayed Release, 40MG Oral Capsule Delayed Release)</i> | 1 | |
| <i>Pantoprazole Sodium (Oral Tablet Delayed Release)</i> | 1 | QL |
| <i>Rabeprazole Sodium (Oral Tablet Delayed Release)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment | | |
| Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment | | |
| ARALAST NP (1000MG INTRAVENOUS SOLUTION RECONSTITUTED) | 4 | PA |
| <i>Betaine (Oral Powder)</i> | 1 | |
| CHOLBAM (ORAL CAPSULE) | 4 | PA |
| CREON (ORAL CAPSULE DELAYED RELEASE PARTICLES) | 2 | |
| <i>Cromolyn Sodium (Oral Concentrate)</i> | 1 | |
| CYSTAGON (ORAL CAPSULE) | 3 | |
| <i>Levocarnitine (Oral Solution)</i> | 1 | |
| <i>Levocarnitine (Oral Tablet)</i> | 1 | |
| <i>Miglustat (Oral Capsule)</i> | 1 | PA |
| <i>Nitisinone (Oral Capsule)</i> | 1 | |
| ORFADIN (ORAL SUSPENSION) | 4 | |
| PROLASTIN-C (INTRAVENOUS SOLUTION) | 4 | PA |
| PYRUKYND (ORAL TABLET) | 4 | PA; QL |
| PYRUKYND TAPER PACK (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| RAVICTI (ORAL LIQUID) | 4 | |
| REVCOVI (INTRAMUSCULAR SOLUTION) | 4 | PA |
| <i>Sapropterin Dihydrochloride (Oral Packet)</i> | 1 | |
| <i>Sapropterin Dihydrochloride (Oral Tablet)</i> | 1 | |
| <i>Sodium Phenylbutyrate (Oral Powder)</i> | 1 | |
| <i>Sodium Phenylbutyrate (Oral Tablet)</i> | 1 | |
| SUCRAID (ORAL SOLUTION) | 4 | |
| TEGSEDI (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| VYNDAQEL (ORAL CAPSULE) | 4 | PA; QL |
| WELIREG (ORAL TABLET) | 4 | PA; QL |
| <i>Yargesa (Oral Capsule)</i> | 1 | PA |
| ZENPEP (ORAL CAPSULE DELAYED RELEASE PARTICLES) | 2 | |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>Fesoterodine Fumarate ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Flavoxate HCl (Oral Tablet)</i> | 1 | |
| GEMTESA (ORAL TABLET) | 3 | |
| <i>Oxybutynin Chloride ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Oxybutynin Chloride (Oral Solution)</i> | 1 | |
| <i>Oxybutynin Chloride (5MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Solifenacin Succinate (Oral Tablet)</i> | 1 | QL |
| <i>Tolterodine Tartrate ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Tolterodine Tartrate (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Trospium Chloride ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Trospium Chloride (Oral Tablet)</i> | 1 | |
| Benign Prostatic Hypertrophy Agents | | |
| <i>Alfuzosin HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Dutasteride (Oral Capsule)</i> | 1 | |
| <i>Dutasteride-Tamsulosin HCl (Oral Capsule)</i> | 1 | |
| <i>Finasteride (5MG Oral Tablet) (Generic Proscar)</i> | 1 | |
| <i>Silodosin (Oral Capsule)</i> | 1 | QL |
| <i>Tadalafil (2.5MG Oral Tablet, 5MG Oral Tablet)</i> | 1 | PA; QL |
| <i>Tamsulosin HCl (Oral Capsule)</i> | 1 | |
| <i>Terazosin HCl (Oral Capsule)</i> | 1 | |
| Genitourinary Agents, Other | | |
| <i>Bethanechol Chloride (Oral Tablet)</i> | 1 | |
| <i>Penicillamine (Oral Tablet)</i> | 1 | |
| <i>Tiopronin (Oral Tablet)</i> | 1 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| <i>Dexamethasone (Oral Solution)</i> | 1 | |
| <i>Dexamethasone (Oral Tablet)</i> | 1 | |
| <i>Fludrocortisone Acetate (Oral Tablet)</i> | 1 | |
| <i>Hydrocortisone (Oral Tablet)</i> | 1 | |
| <i>Methylprednisolone (Oral Tablet)</i> | 1 | |
| <i>Methylprednisolone (Oral Tablet Therapy Pack)</i> | 1 | |
| <i>Prednisolone (Oral Solution)</i> | 1 | |
| <i>Prednisolone Sodium Phosphate (25MG/5ML Oral Solution, 6.7MG/5ML Oral Solution)</i> | 1 | |
| <i>Prednisone Intensol (Oral Concentrate)</i> | 1 | |
| <i>Prednisone (5MG/5ML Oral Solution)</i> | 1 | |
| <i>Prednisone (Oral Tablet)</i> | 1 | |
| <i>Prednisone (Oral Tablet Therapy Pack)</i> | 1 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| <i>Desmopressin Acetate (Oral Tablet)</i> | 1 | |
| <i>Desmopressin Acetate Spray (Nasal Solution)</i> | 1 | |
| EGRIFTA SV (2MG SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| GENOTROPIN MINIQUICK (0.2MG SUBCUTANEOUS PREFILLED SYRINGE) | 3 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| GENOTROPIN MINIQUICK (0.4MG SUBCUTANEOUS PREFILLED SYRINGE, 0.6MG SUBCUTANEOUS PREFILLED SYRINGE, 0.8MG SUBCUTANEOUS PREFILLED SYRINGE, 1.2MG SUBCUTANEOUS PREFILLED SYRINGE, 1.4MG SUBCUTANEOUS PREFILLED SYRINGE, 1.6MG SUBCUTANEOUS PREFILLED SYRINGE, 1.8MG SUBCUTANEOUS PREFILLED SYRINGE, 1MG SUBCUTANEOUS PREFILLED SYRINGE, 2MG SUBCUTANEOUS PREFILLED SYRINGE) | 4 | PA |
| GENOTROPIN (12MG SUBCUTANEOUS CARTRIDGE) | 4 | PA |
| GENOTROPIN (5MG SUBCUTANEOUS CARTRIDGE) | 3 | PA |
| INCRELEX (SUBCUTANEOUS SOLUTION) | 4 | PA |
| OMNITROPE (10MG/1.5ML SUBCUTANEOUS SOLUTION CARTRIDGE) | 4 | PA |
| OMNITROPE (5MG/1.5ML SUBCUTANEOUS SOLUTION CARTRIDGE) | 3 | PA |
| OMNITROPE (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers) | | |
| Androgens | | |
| <i>Danazol (Oral Capsule)</i> | 1 | |
| <i>Testosterone Cypionate (Intramuscular Solution)</i> | 1 | |
| <i>Testosterone Enanthate (Intramuscular Solution)</i> | 1 | |
| <i>Testosterone Pump (2% Transdermal Gel, 1% Transdermal Gel, 1.62% Transdermal Gel), Testosterone (20.25MG/1.25GM 1.62% Transdermal Gel, 25MG/2.5GM 1% Transdermal Gel, 40.5MG/2.5GM 1.62% Transdermal Gel, 50MG/5GM 1% Transdermal Gel)</i> | 1 | |
| <i>Testosterone (Transdermal Solution)</i> | 1 | |
| Estrogens | | |
| <i>Altavera (Oral Tablet)</i> | 1 | |
| <i>Alyacen 1/35 (Oral Tablet)</i> | 1 | |
| <i>Amethia (Oral Tablet)</i> | 1 | |
| <i>Apri (Oral Tablet)</i> | 1 | |
| <i>Ashlyna (Oral Tablet)</i> | 1 | |
| <i>Aubra EQ (Oral Tablet)</i> | 1 | |
| <i>Aviane (Oral Tablet)</i> | 1 | |
| <i>Azurette (Oral Tablet)</i> | 1 | |
| <i>Balziva (Oral Tablet)</i> | 1 | |
| <i>Blisovi 24 Fe (Oral Tablet)</i> | 1 | |
| <i>Blisovi Fe 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Briellyn (Oral Tablet)</i> | 1 | |
| CAMRESE LO (ORAL TABLET) | 1 | |
| CLIMARA PRO (TRANSDERMAL PATCH WEEKLY) | 3 | HRM |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Cryselle-28 (Oral Tablet)</i> | 1 | |
| <i>Cyred EQ (Oral Tablet)</i> | 1 | |
| <i>Desogestrel-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Dolishale (Oral Tablet)</i> | 1 | |
| <i>Dotti (Transdermal Patch Twice Weekly)</i> | 1 | HRM; QL |
| <i>Drospirenone-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| DUAVEE (ORAL TABLET) | 3 | HRM |
| ELESTRIN (TRANSDERMAL GEL) | 3 | HRM |
| <i>EluRyng (Vaginal Ring)</i> | 1 | |
| <i>EnilloRing (Vaginal Ring)</i> | 1 | |
| <i>Enpresse-28 (Oral Tablet)</i> | 1 | |
| <i>Enskyce (Oral Tablet)</i> | 1 | |
| <i>Estarylla (Oral Tablet)</i> | 1 | |
| <i>Estradiol (Oral Tablet)</i> | 1 | HRM |
| <i>Estradiol (Transdermal Patch Twice Weekly)</i> | 1 | HRM; QL |
| <i>Estradiol (Transdermal Patch Weekly)</i> | 1 | HRM; QL |
| <i>Estradiol (Vaginal Cream)</i> | 1 | |
| <i>Estradiol (Vaginal Tablet)</i> | 1 | |
| <i>Estradiol Valerate (Intramuscular Oil)</i> | 1 | |
| <i>Estradiol-Norethindrone Acetate (Oral Tablet)</i> | 1 | HRM |
| ESTRING (VAGINAL RING) | 3 | |
| <i>Ethinodiol Diacetate-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Etonogestrel-Ethinyl Estradiol (Vaginal Ring)</i> | 1 | |
| <i>Falmina (Oral Tablet)</i> | 1 | |
| <i>Finzala (Oral Tablet Chewable)</i> | 1 | |
| <i>Fyavolv (1-5MG-MCG Oral Tablet)</i> | 1 | HRM |
| <i>Hailey 24 Fe (Oral Tablet)</i> | 1 | |
| <i>Haloette (Vaginal Ring)</i> | 1 | |
| <i>Iclevia (Oral Tablet)</i> | 1 | |
| <i>Introvale (Oral Tablet)</i> | 1 | |
| <i>Isibloom (Oral Tablet)</i> | 1 | |
| <i>Jasmiel (Oral Tablet)</i> | 1 | |
| <i>Jinteli (Oral Tablet)</i> | 1 | HRM |
| <i>Juleber (Oral Tablet)</i> | 1 | |
| <i>Junel 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Junel 1/20 (Oral Tablet)</i> | 1 | |
| <i>Junel Fe 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Junel Fe 1/20 (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Junel Fe 24 (Oral Tablet)</i> | 1 | |
| <i>Kariva (Oral Tablet)</i> | 1 | |
| <i>Kelnor 1/35 (Oral Tablet)</i> | 1 | |
| <i>Kelnor 1/50 (Oral Tablet)</i> | 1 | |
| <i>Kurvelo (Oral Tablet)</i> | 1 | |
| <i>LARIN 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>LARIN 1/20 (Oral Tablet)</i> | 1 | |
| <i>LARIN Fe 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>LARIN Fe 1/20 (Oral Tablet)</i> | 1 | |
| <i>Lessina (Oral Tablet)</i> | 1 | |
| <i>Levonest (Oral Tablet)</i> | 1 | |
| <i>Levonorgestrel-Ethinyl Estradiol & Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Levonorgestrel-Ethinyl Estradiol 91-Day (Oral Tablet)</i> | 1 | |
| <i>Levonorgestrel-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Levonorgestrel-Ethinyl Estradiol Triphasic (Oral Tablet)</i> | 1 | |
| LEVORA 0.15/30 (28) (ORAL TABLET) | 1 | |
| <i>Loryna (Oral Tablet)</i> | 1 | |
| <i>Low-Ogestrel (Oral Tablet)</i> | 1 | |
| <i>Lutera (Oral Tablet)</i> | 1 | |
| <i>Lyllana (Transdermal Patch Twice Weekly)</i> | 1 | HRM; QL |
| <i>Marlissa (Oral Tablet)</i> | 1 | |
| MENEST (ORAL TABLET) | 3 | HRM |
| <i>Mibelas 24 Fe (Oral Tablet Chewable)</i> | 1 | |
| <i>Microgestin 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Microgestin 1/20 (Oral Tablet)</i> | 1 | |
| <i>Microgestin 24 Fe (Oral Tablet)</i> | 1 | |
| <i>Microgestin Fe 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Microgestin Fe 1/20 (Oral Tablet)</i> | 1 | |
| <i>Mili (Oral Tablet)</i> | 1 | |
| <i>Necon 0.5/35 (28) (Oral Tablet)</i> | 1 | |
| <i>Nikki (Oral Tablet)</i> | 1 | |
| <i>Norelgestromin-Ethinyl Estradiol (Transdermal Patch Weekly)</i> | 1 | |
| <i>Norethindrone Acetate-Ethinyl Estradiol-Fe (1-20MG-MCG Oral Tablet)</i> | 1 | |
| <i>Norethindrone Acetate-Ethinyl Estradiol-Fe (1-20MG-MCG Oral Tablet Chewable)</i> | 1 | |
| <i>Norethindrone Acetate-Ethinyl Estradiol (1-20MG-MCG Oral Tablet)</i> | 1 | |
| <i>Norethindrone Acetate-Ethinyl Estradiol (1-5MG-MCG Oral Tablet)</i> | 1 | HRM |
| <i>Norgestimate-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Norgestimate-Ethinyl Estradiol Triphasic (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Nortrel 0.5/35 (28) (Oral Tablet)</i> | 1 | |
| <i>Nortrel 1/35 (21) (Oral Tablet)</i> | 1 | |
| <i>Nortrel 1/35 (28) (Oral Tablet)</i> | 1 | |
| <i>Nylia 1/35 (Oral Tablet)</i> | 1 | |
| <i>Nymyo (Oral Tablet)</i> | 1 | |
| <i>Ocella (Oral Tablet)</i> | 1 | |
| <i>Pimtreea (Oral Tablet)</i> | 1 | |
| <i>Portia-28 (Oral Tablet)</i> | 1 | |
| PREMARIN (ORAL TABLET) | 3 | HRM; QL |
| PREMARIN (VAGINAL CREAM) | 2 | |
| <i>Reclipsen (Oral Tablet)</i> | 1 | |
| RIVELSA (ORAL TABLET) | 1 | |
| <i>Setlakin (Oral Tablet)</i> | 1 | |
| <i>Sprintec 28 (Oral Tablet)</i> | 1 | |
| <i>Sronyx (Oral Tablet)</i> | 1 | |
| <i>Syeda (Oral Tablet)</i> | 1 | |
| <i>Tarina 24 Fe (Oral Tablet)</i> | 1 | |
| <i>Tarina Fe 1/20 EQ (Oral Tablet)</i> | 1 | |
| <i>Tri-Estarylla (Oral Tablet)</i> | 1 | |
| <i>Tri-Lo-Estarylla (Oral Tablet)</i> | 1 | |
| <i>Tri-Lo-Sprintec (Oral Tablet)</i> | 1 | |
| <i>Tri-Mili (Oral Tablet)</i> | 1 | |
| <i>Tri-Nymyo (Oral Tablet)</i> | 1 | |
| <i>Tri-Sprintec (Oral Tablet)</i> | 1 | |
| <i>Trivora (28) (Oral Tablet)</i> | 1 | |
| <i>Tri-VyLibra Lo (Oral Tablet)</i> | 1 | |
| <i>Tri-VyLibra (Oral Tablet)</i> | 1 | |
| <i>Turqoz (Oral Tablet)</i> | 1 | |
| <i>Vestura (Oral Tablet)</i> | 1 | |
| <i>Vienva (Oral Tablet)</i> | 1 | |
| <i>Vyfemla (Oral Tablet)</i> | 1 | |
| <i>VyLibra (Oral Tablet)</i> | 1 | |
| <i>Xulane (Transdermal Patch Weekly)</i> | 1 | |
| <i>Yuvaferm (Vaginal Tablet)</i> | 1 | |
| <i>Zafemy (Transdermal Patch Weekly)</i> | 1 | |
| <i>Zovia 1/35 (28) (Oral Tablet)</i> | 1 | |
| Progestins | | |
| <i>Camila (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| CRINONE (VAGINAL GEL) | 3 | PA |
| <i>Deblitane (Oral Tablet)</i> | 1 | |
| DEPO-SUBQ PROVERA 104 (SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE) | 2 | |
| <i>Errin (Oral Tablet)</i> | 1 | |
| <i>Heather (Oral Tablet)</i> | 1 | |
| <i>Incassia (Oral Tablet)</i> | 1 | |
| LILETTA (52MG) (INTRAUTERINE DEVICE) | 2 | |
| <i>Lyleq (Oral Tablet)</i> | 1 | |
| <i>Lyza (Oral Tablet)</i> | 1 | |
| <i>Medroxyprogesterone Acetate (Intramuscular Suspension)</i> | 1 | |
| <i>Medroxyprogesterone Acetate (Intramuscular Suspension Prefilled Syringe)</i> | 1 | |
| <i>Medroxyprogesterone Acetate (Oral Tablet)</i> | 1 | |
| <i>Megestrol Acetate (40MG/ML Oral Suspension, 625MG/5ML Oral Suspension)</i> | 1 | HRM |
| <i>Megestrol Acetate (Oral Tablet)</i> | 1 | HRM |
| NEXPLANON (SUBCUTANEOUS IMPLANT) | 2 | |
| <i>Nora-BE (Oral Tablet)</i> | 1 | |
| <i>Norethindrone Acetate (5MG Oral Tablet)</i> | 1 | |
| <i>Norethindrone (0.35MG Oral Tablet)</i> | 1 | |
| <i>Progesterone (Oral Capsule)</i> | 1 | |
| <i>Sharobel (Oral Tablet)</i> | 1 | |
| Selective Estrogen Receptor Modifying Agents | | |
| OSPHENA (ORAL TABLET) | 2 | PA; QL |
| <i>Raloxifene HCl (Oral Tablet)</i> | 1 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| EUTHYROX (ORAL TABLET) | 1 | |
| <i>Levothyroxine Sodium (Oral Tablet)</i> | 1 | |
| LEVOXYL (ORAL TABLET) | 1 | |
| <i>Liothyronine Sodium (Oral Tablet)</i> | 1 | |
| SYNTHROID (ORAL TABLET) | 2 | |
| UNITHROID (ORAL TABLET) | 1 | |
| Hormonal Agents, Suppressant (Adrenal or Pituitary) | | |
| Hormonal Agents, Suppressant (Adrenal or Pituitary) | | |
| <i>Bromocriptine Mesylate (Oral Capsule)</i> | 1 | |
| <i>Bromocriptine Mesylate (Oral Tablet)</i> | 1 | |
| <i>Cabergoline (Oral Tablet)</i> | 1 | |
| ELIGARD (SUBCUTANEOUS KIT) | 3 | PA; QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| FIRMAGON (240MG DOSE) (120MG/VIAL SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA; QL |
| FIRMAGON (80MG SUBCUTANEOUS SOLUTION RECONSTITUTED) | 3 | PA; QL |
| ISTURISA (ORAL TABLET) | 4 | PA |
| <i>Leuprolide Acetate (Subcutaneous Injection Kit)</i> | 1 | PA; QL |
| LUPRON DEPOT (1-MONTH) (INTRAMUSCULAR KIT) | 3 | PA; QL |
| LUPRON DEPOT (3-MONTH) (INTRAMUSCULAR KIT) | 3 | PA; QL |
| LUPRON DEPOT (4-MONTH) (INTRAMUSCULAR KIT) | 3 | PA; QL |
| LUPRON DEPOT (6-MONTH) (INTRAMUSCULAR KIT) | 3 | PA; QL |
| LUPRON DEPOT-PED (1-MONTH) (7.5MG INTRAMUSCULAR KIT) | 4 | PA; QL |
| LUPRON DEPOT-PED (3-MONTH) (11.25MG INTRAMUSCULAR KIT) | 4 | PA; QL |
| LUPRON DEPOT-PED (6-MONTH) (INTRAMUSCULAR KIT) | 4 | PA; QL |
| <i>Mifepristone (300MG Oral Tablet)</i> | 1 | PA; QL |
| <i>Octreotide Acetate (Injection Solution)</i> | 1 | PA |
| SIGNIFOR (SUBCUTANEOUS SOLUTION) | 4 | PA |
| SOMAVERT (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA; QL |
| Hormonal Agents, Suppressant (Thyroid) | | |
| Antithyroid Agents | | |
| <i>Methimazole (Oral Tablet)</i> | 1 | |
| <i>Propylthiouracil (Oral Tablet)</i> | 1 | |
| Immunological Agents | | |
| Angioedema Agents | | |
| BERINERT (INTRAVENOUS KIT) | 4 | PA |
| HAEGARDA (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| <i>Icatibant Acetate (Subcutaneous Solution Prefilled Syringe)</i> | 1 | PA; QL |
| Immunoglobulins | | |
| BIVIGAM (5GM/50ML INTRAVENOUS SOLUTION) | 4 | PA |
| GAMMAGARD (2.5GM/25ML INJECTION SOLUTION) | 4 | PA |
| GAMMAGARD S/D LESS IGA (INTRAVENOUS SOLUTION RECONSTITUTED) | 4 | PA |
| GAMMAKED (1GM/10ML INJECTION SOLUTION) | 4 | PA |
| GAMMAPLEX (10GM/100ML INTRAVENOUS SOLUTION, 10GM/200ML INTRAVENOUS SOLUTION, 20GM/200ML INTRAVENOUS SOLUTION, 5GM/50ML INTRAVENOUS SOLUTION) | 4 | PA |
| GAMUNEX-C (1GM/10ML INJECTION SOLUTION) | 4 | PA |
| OCTAGAM (1GM/20ML INTRAVENOUS SOLUTION, 2GM/20ML INTRAVENOUS SOLUTION) | 4 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| PANZYGA (INTRAVENOUS SOLUTION) | 4 | PA |
| PRIVIGEN (20GM/200ML INTRAVENOUS SOLUTION) | 4 | PA |
| Immunological Agents, Other | | |
| ARCALYST (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| BENLYSTA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA |
| BENLYSTA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| COSENTYX (300MG DOSE) (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| COSENTYX SENSOREADY (300MG) (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| COSENTYX (75MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| COSENTYX UNOREADY (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| DUPIXENT (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA; QL |
| DUPIXENT (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| ENTYVIO (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA; QL |
| ORENCIA CLICKJECT (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| ORENCIA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| OTEZLA (ORAL TABLET) | 4 | PA; QL |
| OTEZLA (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| RINVOQ (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 4 | PA; QL |
| SKYRIZI PEN (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| SKYRIZI (SUBCUTANEOUS SOLUTION CARTRIDGE) | 4 | PA; QL |
| SKYRIZI (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| SOTYKTU (ORAL TABLET) | 4 | PA; QL |
| STELARA (SUBCUTANEOUS SOLUTION) | 4 | PA; QL |
| STELARA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| TREMFYA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA; QL |
| TREMFYA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| TYENNE (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| TYENNE (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| XELJANZ (ORAL SOLUTION) | 4 | PA; QL |
| XELJANZ (ORAL TABLET IMMEDIATE RELEASE) | 4 | PA; QL |
| XELJANZ XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 4 | PA; QL |
| XOLAIR (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA |
| XOLAIR (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| XOLAIR (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| Immunostimulants | | |
| ACTIMMUNE (SUBCUTANEOUS SOLUTION) | 4 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| BESREMI (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| PEGASYS (SUBCUTANEOUS SOLUTION) | 4 | PA |
| PEGASYS (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| Immunosuppressants | | |
| ADALIMUMAB-AATY (1 PEN) (80MG/0.8ML SUBCUTANEOUS AUTO-INJECTOR KIT) | 4 | PA |
| ADALIMUMAB-AATY (2 PEN) (SUBCUTANEOUS AUTO-INJECTOR KIT) | 4 | PA |
| ADALIMUMAB-AATY (2 SYRINGE) (SUBCUTANEOUS PREFILLED SYRINGE KIT) | 4 | PA |
| ADALIMUMAB-ADB (2 PEN) (SUBCUTANEOUS AUTO-INJECTOR KIT) (BOEHRINGER INGELHEIM) | 4 | PA; QL |
| ADALIMUMAB-ADB (2 SYRINGE) (SUBCUTANEOUS PREFILLED SYRINGE KIT) (BOEHRINGER INGELHEIM) | 4 | PA; QL |
| ADALIMUMAB-ADB (CROHN'S DISEASE/ULCERATIVE COLITIS/HIDRADENITIS SUPPURATIVA STARTER) (SUBCUTANEOUS AUTO-INJECTOR KIT) (BOEHRINGER INGELHEIM) | 4 | PA |
| ADALIMUMAB-ADB (PSORIASIS/UVEITIS STARTER) (SUBCUTANEOUS AUTO-INJECTOR KIT) (BOEHRINGER INGELHEIM) | 4 | PA |
| <i>Azathioprine (50MG Oral Tablet)</i> | 1 | B/D,PA |
| <i>Cyclosporine Modified (Oral Capsule)</i> | 1 | B/D,PA |
| <i>Cyclosporine Modified (Oral Solution)</i> | 1 | B/D,PA |
| <i>Cyclosporine (100MG Oral Capsule, 25MG Oral Capsule)</i> | 1 | B/D,PA |
| ENBREL MINI (SUBCUTANEOUS SOLUTION CARTRIDGE) | 4 | PA; QL |
| ENBREL (SUBCUTANEOUS SOLUTION) | 4 | PA; QL |
| ENBREL (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| ENBREL SURECLICK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| ENVARUS XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 3 | B/D,PA |
| <i>Everolimus (0.25MG Oral Tablet, 0.5MG Oral Tablet, 0.75MG Oral Tablet, 1MG Oral Tablet)</i> | 1 | B/D,PA |
| <i>Gengraf (Oral Capsule)</i> | 1 | B/D,PA |
| <i>Gengraf (Oral Solution)</i> | 1 | B/D,PA |
| HUMIRA (2 PEN) (SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | 4 | PA; QL |
| HUMIRA (2 SYRINGE) (SUBCUTANEOUS PREFILLED SYRINGE KIT) (ABBVIE) | 4 | PA; QL |
| HUMIRA PEN CROHN'S DISEASE/ULCERATIVE COLITIS/HIDRADENITIS SUPPURATIVA STARTER (SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | 4 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| HUMIRA PEN-PEDIATRIC ULCERATIVE COLITIS STARTER (80MG/0.8ML SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | 4 | PA |
| HUMIRA PEN PSORIASIS/UVEITIS STARTER (40MG/0.4ML & 80MG/0.8ML SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | 4 | PA; QL |
| JYLAMVO (ORAL SOLUTION) | 4 | PA |
| <i>Leflunomide (Oral Tablet)</i> | 1 | |
| <i>Methotrexate Sodium (50MG/2ML Injection Solution Prefilled Syringe)</i> | 1 | |
| <i>Methotrexate Sodium (50MG/2ML Injection Solution)</i> | 1 | |
| <i>Methotrexate Sodium (Oral Tablet)</i> | 1 | |
| <i>Mycophenolate Mofetil (Oral Capsule)</i> | 1 | B/D,PA |
| <i>Mycophenolate Mofetil (Oral Suspension Reconstituted)</i> | 1 | B/D,PA |
| <i>Mycophenolate Mofetil (Oral Tablet)</i> | 1 | B/D,PA |
| <i>Mycophenolate Sodium (Oral Tablet Delayed Release)</i> | 1 | B/D,PA |
| MYHIBBIN (ORAL SUSPENSION) | 4 | B/D,PA |
| PROGRAF (ORAL PACKET) | 3 | B/D,PA |
| RASUVO (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 3 | PA |
| REZUROCK (ORAL TABLET) | 4 | PA; QL |
| <i>Sirolimus (Oral Solution)</i> | 1 | B/D,PA |
| <i>Sirolimus (Oral Tablet)</i> | 1 | B/D,PA |
| <i>Tacrolimus (Oral Capsule)</i> | 1 | B/D,PA |
| TREXALL (ORAL TABLET) | 3 | |
| XATMEP (ORAL SOLUTION) | 3 | PA |
| Vaccines | | |
| ABRYSVO (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 2 | PA; QL |
| ACTHIB (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 2 | QL |
| ADACEL (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| AREXVY (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | PA; QL |
| BCG VACCINE (INJECTION SOLUTION RECONSTITUTED) | 2 | QL |
| BEXSERO (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | PA; QL |
| BOOSTRIX (5-2.5-18.5LF-MCG/0.5 INTRAMUSCULAR SUSPENSION) | 2 | QL |
| BOOSTRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| DAPTACEL (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| DIPHThERIA-TETANUS TOXOIDS DT (25-5LFU/0.5ML INTRAMUSCULAR SUSPENSION) | 2 | QL |
| ENGERIX-B (INJECTION SUSPENSION) | 2 | B/D,PA; QL |
| ENGERIX-B (INJECTION SUSPENSION PREFILLED SYRINGE) | 2 | B/D,PA; QL |
| GARDASIL 9 (INTRAMUSCULAR SUSPENSION) | 2 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| GARDASIL 9 (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| HAVRIX (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| HEPLISAV-B (INTRAMUSCULAR SOLUTION PREFILLED SYRINGE) | 2 | B/D,PA; QL |
| HIBERIX (INJECTION SOLUTION RECONSTITUTED) | 2 | QL |
| IMOVAX RABIES (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | B/D,PA; QL |
| INFANRIX (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| IPOL (INJECTION) | 2 | QL |
| IXCHIQ (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 2 | QL |
| IXIARO (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| JYNNEOS (SUBCUTANEOUS SUSPENSION) | 2 | QL |
| KINRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| MENACTRA (INTRAMUSCULAR SOLUTION) | 2 | PA; QL |
| MENQUADFI (INTRAMUSCULAR SOLUTION) | 2 | PA; QL |
| MENVEO (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 2 | PA; QL |
| M-M-R II (INJECTION SOLUTION RECONSTITUTED) | 2 | QL |
| MRESVIA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | PA; QL |
| PEDIARIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| PEDVAX HIB (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| PENBRAYA (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | PA; QL |
| PENTACEL (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | QL |
| PREHEVBRIO (INTRAMUSCULAR SUSPENSION) | 2 | B/D,PA; QL |
| PRIORIX (SUBCUTANEOUS SUSPENSION RECONSTITUTED) | 2 | QL |
| PROQUAD (SUBCUTANEOUS SUSPENSION RECONSTITUTED) | 2 | QL |
| QUADRACEL (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| QUADRACEL (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| RABAVERT (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | B/D,PA; QL |
| RECOMBIVAX HB (INJECTION SUSPENSION) | 2 | B/D,PA; QL |
| RECOMBIVAX HB (INJECTION SUSPENSION PREFILLED SYRINGE) | 2 | B/D,PA; QL |
| ROTARIX (ORAL SUSPENSION) | 2 | QL |
| ROTARIX (ORAL SUSPENSION RECONSTITUTED) | 2 | QL |
| ROTATEQ (ORAL SOLUTION) | 2 | QL |
| SHINGRIX (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | PA; QL |
| TDVAX (INTRAMUSCULAR SUSPENSION) | 2 | QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| TENIVAC (INTRAMUSCULAR INJECTABLE) | 2 | QL |
| TICOVAC (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| TRUMENBA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | PA; QL |
| TWINRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| TYPHIM VI (INTRAMUSCULAR SOLUTION) | 2 | QL |
| TYPHIM VI (INTRAMUSCULAR SOLUTION PREFILLED SYRINGE) | 2 | QL |
| VAQTA (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| VARIVAX (SUBCUTANEOUS INJECTABLE) | 2 | QL |
| VAXCHORA (ORAL SUSPENSION RECONSTITUTED) | 2 | PA; QL |
| YF-VAX (SUBCUTANEOUS INJECTABLE) | 2 | QL |
| Inflammatory Bowel Disease Agents | | |
| Aminosalicylates | | |
| <i>Balsalazide Disodium (Oral Capsule)</i> | 1 | |
| <i>Mesalamine ER (0.375GM Oral Capsule Extended Release 24 Hour) (Generic Apriso)</i> | 1 | QL |
| <i>Mesalamine (1.2GM Oral Tablet Delayed Release) (Generic Lialda)</i> | 1 | QL |
| <i>Mesalamine (Rectal Enema)</i> | 1 | |
| <i>Mesalamine (Rectal Suppository)</i> | 1 | QL |
| <i>Sulfasalazine (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Sulfasalazine (Oral Tablet Delayed Release)</i> | 1 | |
| Glucocorticoids | | |
| <i>Budesonide ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | ST |
| <i>Budesonide (Oral Capsule Delayed Release Particles)</i> | 1 | |
| <i>Hydrocortisone (Perianal) (2.5% External Cream)</i> | 1 | |
| <i>Hydrocortisone (Rectal Enema)</i> | 1 | |
| <i>Procto-Med HC (External Cream)</i> | 1 | |
| Metabolic Bone Disease Agents | | |
| Metabolic Bone Disease Agents | | |
| <i>Alendronate Sodium (Oral Solution)</i> | 1 | |
| <i>Alendronate Sodium (10MG Oral Tablet)</i> | 1 | |
| <i>Alendronate Sodium (35MG Oral Tablet, 70MG Oral Tablet)</i> | 1 | QL |
| <i>Calcitonin Salmon (Nasal Solution)</i> | 1 | QL |
| <i>Calcitriol (Oral Capsule)</i> | 1 | B/D,PA |
| <i>Calcitriol (Oral Solution)</i> | 1 | B/D,PA |
| <i>Cinacalcet HCl (Oral Tablet)</i> | 1 | B/D,PA; QL |
| <i>Doxercalciferol (Oral Capsule)</i> | 1 | B/D,PA |
| <i>Ibandronate Sodium (Oral Tablet)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Paricalcitol (Oral Capsule)</i> | 1 | B/D,PA |
| PROLIA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 3 | QL |
| RAYALDEE (ORAL CAPSULE EXTENDED RELEASE) | 4 | QL |
| <i>Risedronate Sodium (150MG Oral Tablet Immediate Release, 35MG (12 PACK) Oral Tablet Immediate Release, 35MG (4 PACK) Oral Tablet Immediate Release)</i> | 1 | QL |
| <i>Risedronate Sodium (30MG Oral Tablet Immediate Release, 5MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Risedronate Sodium (Oral Tablet Delayed Release)</i> | 1 | QL |
| TERIPARATIDE (RECOMBINANT) (620MCG/2.48ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA |
| TYMLOS (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA |
| XGEVA (SUBCUTANEOUS SOLUTION) | 4 | PA |
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| ALCOHOL PREP PADS | 1 | |
| GAUZE (NON-MEDICATED 2X2 PAD) | 2 | |
| INSULIN SYRINGES, NEEDLES | 1 | |
| Ophthalmic Agents | | |
| Ophthalmic Agents, Other | | |
| <i>Atropine Sulfate (1% Ophthalmic Solution)</i> | 1 | |
| <i>Neomycin-Polymyxin-Bacitracin-Hydrocortisone (Ophthalmic Ointment)</i> | 1 | |
| <i>Brimonidine Tartrate-Timolol (Ophthalmic Solution)</i> | 1 | |
| <i>Cyclosporine (0.05% Ophthalmic Emulsion)</i> | 1 | QL |
| CYSTARAN (OPHTHALMIC SOLUTION) | 4 | |
| <i>Dorzolamide HCl-Timolol Maleate (Ophthalmic Solution)</i> | 1 | |
| <i>Dorzolamide HCl-Timolol Maleate Preservative Free (Ophthalmic Solution)</i> | 1 | |
| <i>Neomycin-Polymyxin-Dexamethasone (Ophthalmic Ointment)</i> | 1 | |
| <i>Neomycin-Polymyxin-Dexamethasone (3.5-10000-0.1 Ophthalmic Suspension)</i> | 1 | |
| <i>Neomycin-Polymyxin-HC (Ophthalmic Suspension)</i> | 1 | |
| <i>Neo-Polycin HC (Ophthalmic Ointment)</i> | 1 | |
| RESTASIS MULTIDOSE (OPHTHALMIC EMULSION) | 2 | QL |
| RESTASIS SINGLE-USE VIALS (OPHTHALMIC EMULSION) | 2 | QL |
| ROCKLATAN (OPHTHALMIC SOLUTION) | 2 | ST |
| <i>Sulfacetamide-Prednisolone (Ophthalmic Solution)</i> | 1 | |
| TOBRADEX (OPHTHALMIC OINTMENT) | 3 | |
| <i>Tobramycin-Dexamethasone (Ophthalmic Suspension)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| TYRVAYA (NASAL SOLUTION) | 3 | QL |
| XIIDRA (OPHTHALMIC SOLUTION) | 3 | QL |
| ZYLET (OPHTHALMIC SUSPENSION) | 3 | |
| Ophthalmic Anti-allergy Agents | | |
| <i>Azelastine HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Cromolyn Sodium (Ophthalmic Solution)</i> | 1 | |
| <i>Epinastine HCl (Ophthalmic Solution)</i> | 1 | |
| Ophthalmic Anti-Infectives | | |
| <i>Bacitracin (Ophthalmic Ointment)</i> | 1 | QL |
| <i>Bacitracin-Polymyxin B (Ophthalmic Ointment)</i> | 1 | |
| <i>Ciprofloxacin HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Erythromycin (Ophthalmic Ointment)</i> | 1 | |
| <i>Gatifloxacin (Ophthalmic Solution)</i> | 1 | |
| <i>Gentamicin Sulfate (Ophthalmic Solution)</i> | 1 | |
| <i>Levofloxacin (0.5% Ophthalmic Solution)</i> | 1 | |
| <i>Moxifloxacin HCl (Ophthalmic Solution) (Generic Vigamox)</i> | 1 | |
| <i>Neomycin-Bacitracin-Polymyxin (5-400-10000 Ophthalmic Ointment)</i> | 1 | |
| <i>Neomycin-Polymyxin-Gramicidin (Ophthalmic Solution)</i> | 1 | |
| <i>Neo-Polycin (Ophthalmic Ointment)</i> | 1 | |
| <i>Ofloxacin (Ophthalmic Solution)</i> | 1 | |
| <i>Polycin (Ophthalmic Ointment)</i> | 1 | |
| <i>Polymyxin B-Trimethoprim (Ophthalmic Solution)</i> | 1 | |
| <i>Sulfacetamide Sodium (Ophthalmic Ointment)</i> | 1 | |
| <i>Sulfacetamide Sodium (Ophthalmic Solution)</i> | 1 | |
| <i>Tobramycin (Ophthalmic Solution)</i> | 1 | |
| <i>Trifluridine (Ophthalmic Solution)</i> | 1 | |
| XDEMVI (OPHTHALMIC SOLUTION) | 4 | QL |
| Ophthalmic Anti-inflammatories | | |
| <i>Bromfenac Sodium (Once-Daily) (Ophthalmic Solution)</i> | 1 | |
| <i>Bromfenac Sodium (0.07% Ophthalmic Solution)</i> | 1 | |
| <i>Dexamethasone Sodium Phosphate (Ophthalmic Solution)</i> | 1 | |
| <i>Diclofenac Sodium (Ophthalmic Solution)</i> | 1 | |
| <i>Difluprednate (Ophthalmic Emulsion)</i> | 1 | |
| <i>Fluorometholone (Ophthalmic Suspension)</i> | 1 | |
| <i>Flurbiprofen Sodium (Ophthalmic Solution)</i> | 1 | |
| <i>Ketorolac Tromethamine (Ophthalmic Solution)</i> | 1 | |
| <i>Loteprednol Etabonate (Ophthalmic Gel)</i> | 1 | |
| <i>Loteprednol Etabonate (0.5% Ophthalmic Suspension)</i> | 1 | |
| <i>Prednisolone Acetate (Ophthalmic Suspension)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Prednisolone Sodium Phosphate (1% Ophthalmic Solution)</i> | 1 | |
| Ophthalmic Beta-Adrenergic Blocking Agents | | |
| <i>Betaxolol HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Carteolol HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Levobunolol HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Timolol Maleate Ophthalmic Gel Forming (Ophthalmic Solution) (Generic Timoptic-XE)</i> | 1 | |
| <i>Timolol Maleate (Ophthalmic Solution) (Generic Timoptic)</i> | 1 | |
| <i>Timolol Maleate PF (Ophthalmic Solution) (Generic Timoptic Ocadose)</i> | 1 | |
| Ophthalmic Intraocular Pressure Lowering Agents, Other | | |
| <i>Apraclonidine HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Brimonidine Tartrate (Ophthalmic Solution)</i> | 1 | |
| <i>Brinzolamide (Ophthalmic Suspension)</i> | 1 | |
| <i>Dorzolamide HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Methazolamide (Oral Tablet)</i> | 1 | |
| <i>Pilocarpine HCl (Ophthalmic Solution)</i> | 1 | |
| RHOPRESSA (OPHTHALMIC SOLUTION) | 2 | ST |
| Ophthalmic Prostaglandin and Prostanamide Analogs | | |
| <i>Latanoprost (Ophthalmic Solution)</i> | 1 | |
| LUMIGAN (OPHTHALMIC SOLUTION) | 2 | |
| <i>Travoprost (BAK Free) (Ophthalmic Solution)</i> | 1 | |
| VYZULTA (OPHTHALMIC SOLUTION) | 3 | |
| Otic Agents | | |
| Otic Agents | | |
| <i>Acetic Acid (Otic Solution)</i> | 1 | |
| <i>Ciprofloxacin-Dexamethasone (Otic Suspension)</i> | 1 | |
| <i>Flac (Otic Oil)</i> | 1 | |
| <i>Fluocinolone Acetonide (Otic Oil)</i> | 1 | |
| <i>Hydrocortisone-Acetic Acid (Otic Solution)</i> | 1 | |
| <i>Neomycin-Polymyxin-HC (1% Otic Solution)</i> | 1 | |
| <i>Neomycin-Polymyxin-HC (Otic Suspension)</i> | 1 | |
| <i>Ofloxacin (Otic Solution)</i> | 1 | |
| Respiratory Tract/Pulmonary Agents | | |
| Antihistamines | | |
| <i>Azelastine HCl (0.1% Nasal Solution)</i> | 1 | |
| <i>Cetirizine HCl (5MG/5ML Oral Solution)</i> | 1 | |
| <i>Cyproheptadine HCl (Oral Syrup)</i> | 1 | HRM |
| <i>Cyproheptadine HCl (Oral Tablet)</i> | 1 | HRM |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Desloratadine (Oral Tablet)</i> | 1 | |
| <i>Levocetirizine Dihydrochloride (Oral Tablet)</i> | 1 | |
| Anti-inflammatories, Inhaled Corticosteroids | | |
| ARNUITY ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| <i>Budesonide (Inhalation Suspension)</i> | 1 | B/D,PA |
| <i>Flunisolide (Nasal Solution)</i> | 1 | |
| <i>Fluticasone Propionate (Nasal Suspension)</i> | 1 | |
| <i>Mometasone Furoate (Nasal Suspension)</i> | 1 | |
| QVAR REDHALER (INHALATION AEROSOL BREATH ACTIVATED) | 2 | QL |
| Antileukotrienes | | |
| <i>Montelukast Sodium (Oral Packet)</i> | 1 | QL |
| <i>Montelukast Sodium (Oral Tablet)</i> | 1 | QL |
| <i>Montelukast Sodium (Oral Tablet Chewable)</i> | 1 | QL |
| <i>Zafirlukast (Oral Tablet)</i> | 1 | |
| Bronchodilators, Anticholinergic | | |
| ATROVENT HFA (INHALATION AEROSOL SOLUTION) | 3 | |
| INCRUSE ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| <i>Ipratropium Bromide (Inhalation Solution)</i> | 1 | B/D,PA |
| <i>Ipratropium Bromide (Nasal Solution)</i> | 1 | |
| SPIRIVA RESPIMAT (INHALATION AEROSOL SOLUTION) | 2 | QL |
| <i>Tiotropium Bromide Monohydrate (Inhalation Capsule)</i> | 1 | QL |
| Bronchodilators, Sympathomimetic | | |
| <i>Albuterol Sulfate HFA (108 (90 Base)MCG/ACT Inhalation Aerosol Solution) (Generic Proair), Albuterol Sulfate HFA (108 (90 Base)MCG/ACT Inhalation Aerosol Solution) (Generic Proventil)</i> | 1 | |
| <i>Albuterol Sulfate (Inhalation Nebulization Solution)</i> | 1 | B/D,PA |
| <i>Albuterol Sulfate (Oral Syrup)</i> | 1 | |
| <i>Albuterol Sulfate (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Arformoterol Tartrate (Inhalation Nebulization Solution)</i> | 1 | B/D,PA; QL |
| <i>Epinephrine (Injection Solution Auto-Injector)</i> | 1 | QL |
| <i>Formoterol Fumarate (Inhalation Nebulization Solution)</i> | 1 | B/D,PA; QL |
| <i>Levalbuterol HCl (Inhalation Nebulization Solution)</i> | 1 | B/D,PA |
| SEREVENT DISKUS (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| STRIVERDI RESPIMAT (INHALATION AEROSOL SOLUTION) | 2 | QL |
| <i>Terbutaline Sulfate (Oral Tablet)</i> | 1 | |
| Cystic Fibrosis Agents | | |
| CAYSTON (INHALATION SOLUTION RECONSTITUTED) | 4 | PA |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| KALYDECO (ORAL PACKET) | 4 | PA |
| KALYDECO (ORAL TABLET) | 4 | PA |
| ORKAMBI (ORAL PACKET) | 4 | PA; QL |
| ORKAMBI (ORAL TABLET) | 4 | PA; QL |
| PULMOZYME (INHALATION SOLUTION) | 4 | B/D,PA; QL |
| SYMDEKO (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| <i>Tobramycin (Inhalation Nebulization Solution)</i> | 1 | B/D,PA; QL |
| TRIKAFTA (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| TRIKAFTA (ORAL GRANULE THERAPY PACK) | 4 | PA; QL |
| Mast Cell Stabilizers | | |
| <i>Cromolyn Sodium (Inhalation Nebulization Solution)</i> | 1 | B/D,PA |
| Phosphodiesterase Inhibitors, Airways Disease | | |
| <i>Roflumilast (Oral Tablet)</i> | 1 | PA |
| <i>Theophylline ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | |
| <i>Theophylline ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Theophylline (Oral Solution)</i> | 1 | |
| Pulmonary Antihypertensives | | |
| ADEMPAS (ORAL TABLET) | 4 | PA |
| <i>Ambrisentan (Oral Tablet)</i> | 1 | PA; QL |
| <i>Bosentan (Oral Tablet)</i> | 1 | PA; QL |
| OPSUMIT (ORAL TABLET) | 4 | PA |
| ORENITRAM MONTH 1 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | 4 | PA; QL |
| ORENITRAM MONTH 2 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | 4 | PA; QL |
| ORENITRAM MONTH 3 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | 4 | PA; QL |
| ORENITRAM (0.125MG ORAL TABLET EXTENDED RELEASE) | 3 | PA |
| ORENITRAM (0.25MG ORAL TABLET EXTENDED RELEASE, 1MG ORAL TABLET EXTENDED RELEASE, 2.5MG ORAL TABLET EXTENDED RELEASE, 5MG ORAL TABLET EXTENDED RELEASE) | 4 | PA |
| <i>Sildenafil Citrate (20MG Oral Tablet) (Generic Revatio)</i> | 1 | PA; QL |
| <i>Tadalafil (PAH) (20MG Oral Tablet) (Generic Adcirca)</i> | 1 | PA; QL |
| UPTRAVI (ORAL TABLET) | 4 | PA |
| UPTRAVI TITRATION (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| Pulmonary Fibrosis Agents | | |
| OFEV (ORAL CAPSULE) | 4 | PA; QL |
| <i>Pirfenidone (Oral Capsule)</i> | 1 | PA; QL |
| <i>Pirfenidone (Oral Tablet)</i> | 1 | PA; QL |
| Respiratory Tract Agents, Other | | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Acetylcysteine (Inhalation Solution)</i> | 1 | B/D,PA |
| ANORO ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| BEVESPI AEROSPHERE (INHALATION AEROSOL) | 3 | |
| BREO ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| <i>Breyna (Inhalation Aerosol)</i> | 1 | QL |
| BREZTRI AEROSPHERE (INHALATION AEROSOL) | 2 | QL |
| BRONCHITOL (INHALATION CAPSULE) | 4 | PA; QL |
| <i>Budesonide-Formoterol Fumarate (Inhalation Aerosol)</i> | 1 | QL |
| COMBIVENT RESPIMAT (INHALATION AEROSOL SOLUTION) | 2 | QL |
| DULERA (INHALATION AEROSOL) | 2 | QL |
| FASENRA PEN (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA |
| FASENRA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| <i>Fluticasone-Salmeterol (100-50MCG/ACT Inhalation Aerosol Powder Breath Activated, 250-50MCG/ACT Inhalation Aerosol Powder Breath Activated, 500-50MCG/ACT Inhalation Aerosol Powder Breath Activated) (Generic Advair)</i> | 1 | QL |
| <i>Ipratropium-Albuterol (Inhalation Solution)</i> | 1 | B/D,PA |
| STIOLTO RESPIMAT (INHALATION AEROSOL SOLUTION) | 2 | QL |
| SYMBICORT (INHALATION AEROSOL) | 3 | QL |
| TRELEGY ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| <i>Wixela Inhub (Inhalation Aerosol Powder Breath Activated) (Generic Advair)</i> | 1 | QL |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| <i>Carisoprodol (350MG Oral Tablet)</i> | 1 | HRM; QL |
| <i>Chlorzoxazone (500MG Oral Tablet)</i> | 1 | HRM |
| <i>Cyclobenzaprine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Methocarbamol (500MG Oral Tablet, 750MG Oral Tablet)</i> | 1 | HRM |
| Sleep Disorder Agents | | |
| Sleep Promoting Agents | | |
| BELSOMRA (ORAL TABLET) | 2 | QL |
| DAYVIGO (ORAL TABLET) | 2 | QL |
| <i>Doxepin HCl (Oral Tablet)</i> | 1 | QL |
| QUVIVIQ (ORAL TABLET) | 3 | QL |
| <i>Ramelteon (Oral Tablet)</i> | 1 | QL |
| <i>Tasimelteon (Oral Capsule)</i> | 1 | PA; QL |
| <i>Temazepam (Oral Capsule)</i> | 1 | HRM; QL |
| <i>Zaleplon (Oral Capsule)</i> | 1 | HRM; QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Zolpidem Tartrate (Oral Tablet Immediate Release)</i> | 1 | HRM; QL |
| Wakefulness Promoting Agents | | |
| <i>Armodafinil (Oral Tablet)</i> | 1 | PA; QL |
| LUMRYZ (ORAL PACKET) | 4 | PA; QL |
| <i>Modafinil (Oral Tablet)</i> | 1 | PA; QL |
| SUNOSI (ORAL TABLET) | 3 | PA; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

Covered drugs with a quantity limit (QL)

This list shows drugs that have a quantity limit. Some drugs come in several strengths. Each strength may have a different quantity limit. If quantity limits for a drug vary by strength, the different strengths are listed on separate lines. These limits may be in place to ensure your safety.

Your plan will cover only a certain amount of these drugs or will only cover these drugs for a certain number of days. For more information about quantity limits, talk with your doctor, prescriber or pharmacist. You can also contact us by calling Customer Service toll-free at **1-877-298-2341**, TTY **711**, 8 a.m.-8 p.m. local time, Monday-Friday.

Drugs are listed in alphabetical order in the chart below.

| Drug name | Quantity limit |
|--|--|
| <i>Abacavir Sulfate (Oral Solution)</i> | Maximum of 32 ml per day |
| <i>Abacavir Sulfate (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Abacavir Sulfate-Lamivudine (Oral Tablet)</i> | Maximum of 1 tablet per day |
| ABRYSVO (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 1 vaccination dose (0.5 ml) per day |
| <i>Acetaminophen-Caffeine-Dihydrocodeine (Oral Capsule)</i> | Maximum of 10 capsules per day |
| <i>Acetaminophen-Codeine (120-12MG/5ML Oral Solution)</i> | Maximum of 150 ml per day |
| <i>Acetaminophen-Codeine (300-15MG Oral Tablet, 300-30MG Oral Tablet, 300-60MG Oral Tablet)</i> | Maximum of 13 tablets per day |
| ACTHIB (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| ADACEL (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| ADALIMUMAB-ADBIM (2 PEN) (SUBCUTANEOUS AUTO-INJECTOR KIT) (BOEHRINGER INGELHEIM) | Maximum of 4 pens per 28 days |
| ADALIMUMAB-ADBIM (2 SYRINGE) (10MG/0.2ML SUBCUTANEOUS PREFILLED SYRINGE KIT, 20MG/0.4ML SUBCUTANEOUS PREFILLED SYRINGE KIT) (BOEHRINGER INGELHEIM) | Maximum of 2 syringes per 28 days |
| ADALIMUMAB-ADBIM (2 SYRINGE) (40MG/0.4ML SUBCUTANEOUS PREFILLED SYRINGE KIT, 40MG/0.8ML SUBCUTANEOUS PREFILLED SYRINGE KIT) (BOEHRINGER INGELHEIM) | Maximum of 4 syringes per 28 days |
| AIMOVIG (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 1 pen (1 ml) per 28 days |
| AKEEGA (ORAL TABLET) | Maximum of 2 tablets per day |
| <i>Albendazole (Oral Tablet)</i> | Maximum of 16 tablets per day |
| <i>Alendronate Sodium (35MG Oral Tablet)</i> | Maximum of 8 tablets per 28 days |
| <i>Alendronate Sodium (70MG Oral Tablet)</i> | Maximum of 4 tablets per 28 days |
| <i>Alprazolam (0.25MG Oral Tablet Immediate Release, 0.5MG Oral Tablet Immediate Release, 1MG Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per day |
| <i>Alprazolam (2MG Oral Tablet Immediate Release)</i> | Maximum of 5 tablets per day |

| Drug name | Quantity limit |
|---|--|
| ALUNBRIG (180MG ORAL TABLET, 90MG ORAL TABLET) | Maximum of 1 tablet per day |
| ALUNBRIG (30MG ORAL TABLET) | Maximum of 4 tablets per day |
| ALUNBRIG (ORAL TABLET THERAPY PACK) | Maximum of 2 packs (60 tablets) per year |
| <i>Ambrisentan (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Amlodipine-Olmesartan (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Amlodipine-Valsartan (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Amphetamine-Dextroamphetamine ER (Oral Capsule Extended Release 24 Hour)</i> | Maximum of 2 capsules per day |
| <i>Amphetamine-Dextroamphetamine (10MG Oral Tablet, 12.5MG Oral Tablet, 15MG Oral Tablet, 30MG Oral Tablet, 5MG Oral Tablet, 7.5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Amphetamine-Dextroamphetamine (20MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| ANORO ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (60 blisters) per 30 days |
| <i>Apomorphine HCl (Subcutaneous Solution Cartridge)</i> | Maximum of 2 ml per day |
| <i>Aprepitant (125MG Oral Capsule)</i> | Maximum of 2 capsules per 28 days |
| <i>Aprepitant (40MG Oral Capsule, 80MG Oral Capsule)</i> | Maximum of 4 capsules per 28 days |
| <i>Aprepitant (80 & 125MG Oral Capsule Therapy Pack)</i> | Maximum of 6 capsules (2 packs) per 28 days |
| APTIOM (200MG ORAL TABLET, 400MG ORAL TABLET) | Maximum of 1 tablet per day |
| APTIOM (600MG ORAL TABLET, 800MG ORAL TABLET) | Maximum of 2 tablets per day |
| APTIVUS (ORAL CAPSULE) | Maximum of 4 capsules per day |
| AREXVY (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (0.5 ml) per day |
| <i>Arformoterol Tartrate (Inhalation Nebulization Solution)</i> | Maximum of 2 vials (4 ml) per day |
| <i>Aripiprazole (1MG/ML Oral Solution)</i> | Maximum of 25 ml per day |
| <i>Aripiprazole (10MG Oral Tablet, 15MG Oral Tablet, 20MG Oral Tablet, 2MG Oral Tablet, 30MG Oral Tablet, 5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Aripiprazole ODT (10MG Oral Tablet Dispersible, 15MG Oral Tablet Dispersible)</i> | Maximum of 2 tablets per day |
| <i>Armodafinil (150MG Oral Tablet, 200MG Oral Tablet, 250MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Armodafinil (50MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| ARNUITY ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (30 blisters) per 30 days |
| <i>Asenapine Maleate (Tablet Sublingual)</i> | Maximum of 2 tablets per day |
| <i>Aspirin-Dipyridamole ER (Oral Capsule Extended Release 12 Hour)</i> | Maximum of 2 capsules per day |
| <i>Atazanavir Sulfate (150MG Oral Capsule, 300MG Oral Capsule)</i> | Maximum of 1 capsule per day |

| Drug name | Quantity limit |
|--|--|
| <i>Atazanavir Sulfate (200MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Atomoxetine HCl (100MG Oral Capsule, 60MG Oral Capsule, 80MG Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Atomoxetine HCl (10MG Oral Capsule, 18MG Oral Capsule, 25MG Oral Capsule, 40MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Atovaquone (Oral Suspension)</i> | Maximum of 14 ml per day |
| AUGTYRO (ORAL CAPSULE) | Maximum of 8 capsules per day |
| AUSTEDO (ORAL TABLET) | Maximum of 4 tablets per day |
| AUSTEDO XR (12MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 3 tablets per day |
| AUSTEDO XR (18MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 30MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 36MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 42MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 48MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| AUSTEDO XR (24MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| AUSTEDO XR (6MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 7 tablets per day |
| AUSTEDO XR PATIENT TITRATION (12 & 18 & 24 & 30MG ORAL TABLET EXTENDED RELEASE THERAPY PACK) | Maximum of 2 kits (56 tablets) per year |
| AUSTEDO XR PATIENT TITRATION (6 & 12 & 24MG ORAL TABLET EXTENDED RELEASE THERAPY PACK) | Maximum of 2 packs (84 tablets) per year |
| AYVAKIT (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Azelaic Acid (External Gel)</i> | Maximum of 50 grams per 30 days |
| <i>Bacitracin (Ophthalmic Ointment)</i> | Maximum of 2 tubes (7 grams) per 28 days |
| BALVERSA (3MG ORAL TABLET) | Maximum of 3 tablets per day |
| BALVERSA (4MG ORAL TABLET) | Maximum of 2 tablets per day |
| BALVERSA (5MG ORAL TABLET) | Maximum of 1 tablet per day |
| BCG VACCINE (INJECTION SOLUTION RECONSTITUTED) | 1 vaccination dose (1 vial) per day |
| BELSOMRA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Bexarotene (External Gel)</i> | Maximum of 60 grams per 30 days |
| BEXSERO (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| BIKTARVY (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Bisoprolol-Hydrochlorothiazide (Oral Tablet)</i> | Maximum of 2 tablets per day |
| BOOSTRIX (5-2.5-18.5LF-MCG/0.5 INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| BOOSTRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| <i>Bosentan (Oral Tablet)</i> | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|---|--|
| BREO ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (60 blisters) per 30 days |
| <i>Breyna (Inhalation Aerosol)</i> | Maximum of 1 inhaler (10.3 grams) per 30 days |
| BREZTRI AEROSPHERE (120 INHALATION AEROSOL) | Maximum of 1 inhaler (10.7 grams) per 30 days |
| BRILINTA (ORAL TABLET) | Maximum of 2 tablets per day |
| BRONCHITOL (INHALATION CAPSULE) | Maximum of 20 capsules per day |
| BRUKINSA (ORAL CAPSULE) | Maximum of 4 capsules per day |
| <i>Budesonide-Formoterol Fumarate (Inhalation Aerosol)</i> | Maximum of 1 inhaler (10.2 grams) per 30 days |
| <i>Buprenorphine HCl (Tablet Sublingual)</i> | Maximum of 3 tablets per day |
| <i>Buprenorphine HCl-Naloxone HCl (12-3MG Sublingual Film)</i> | Maximum of 2 films per day |
| <i>Buprenorphine HCl-Naloxone HCl (2-0.5MG Sublingual Film, 4-1MG Sublingual Film, 8-2MG Sublingual Film)</i> | Maximum of 3 films per day |
| <i>Buprenorphine HCl-Naloxone HCl (Tablet Sublingual)</i> | Maximum of 3 tablets per day |
| <i>Buprenorphine (Transdermal Patch Weekly)</i> | Maximum of 4 patches per 28 days |
| <i>Butalbital-Acetaminophen-Caffeine (50-325-40MG Oral Capsule)</i> | Maximum of 6 capsules per day |
| <i>Butalbital-Acetaminophen-Caffeine (50-325-40MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Butorphanol Tartrate (Nasal Solution)</i> | Maximum of 2 bottles (5 ml) per 30 days |
| BYDUREON BCISE (SUBCUTANEOUS AUTO-INJECTOR) | Maximum of 4 pens (3.4 ml) per 28 days |
| CABLIVI (INJECTION KIT) | Maximum of 1 kit per day |
| <i>Calcipotriene (External Cream)</i> | Maximum of 120 grams per 30 days |
| <i>Calcipotriene (External Ointment)</i> | Maximum of 120 grams per 30 days |
| <i>Calcitonin Salmon (Nasal Solution)</i> | Maximum of 1 bottle (3.7 ml) per 28 days |
| CALQUENCE (100MG ORAL CAPSULE) | Maximum of 2 capsules per day |
| CALQUENCE (ORAL TABLET) | Maximum of 2 tablets per day |
| CAPLYTA (ORAL CAPSULE) | Maximum of 1 capsule per day |
| <i>Captopril (100MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Captopril (12.5MG Oral Tablet, 25MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Captopril (50MG Oral Tablet)</i> | Maximum of 9 tablets per day |
| <i>Carisoprodol (350MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Celecoxib (Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Chloroquine Phosphate (Oral Tablet)</i> | Maximum of 2 tablets per day |
| CIMDUO (ORAL TABLET) | Maximum of 1 tablet per day |

| Drug name | Quantity limit |
|---|--|
| <i>Cinacalcet HCl (30MG Oral Tablet, 60MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Cinacalcet HCl (90MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Clindacin ETZ (External Swab)</i> | Maximum of 69 pads per 30 days |
| <i>Clindamycin Phosphate (External Gel)</i> | Maximum of 75 ml (or grams) per 30 days |
| <i>Clindamycin Phosphate (External Lotion)</i> | Maximum of 60 ml per 30 days |
| <i>Clindamycin Phosphate (External Solution)</i> | Maximum of 60 ml per 30 days |
| <i>Clindamycin Phosphate (External Swab)</i> | Maximum of 69 pads per 30 days |
| <i>Clobazam (2.5MG/ML Oral Suspension)</i> | Maximum of 16 ml per day |
| <i>Clobazam (10MG Oral Tablet, 20MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Clobetasol Propionate Emulsion (External Foam)</i> | Maximum of 100 grams per 30 days |
| <i>Clobetasol Propionate (External Lotion)</i> | Maximum of 118 ml per 30 days |
| <i>Clonazepam (0.5MG Oral Tablet, 1MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Clonazepam (2MG Oral Tablet)</i> | Maximum of 10 tablets per day |
| <i>Clonazepam ODT (0.125MG Oral Tablet Dispersible, 0.25MG Oral Tablet Dispersible, 0.5MG Oral Tablet Dispersible, 1MG Oral Tablet Dispersible)</i> | Maximum of 4 tablets per day |
| <i>Clonazepam ODT (2MG Oral Tablet Dispersible)</i> | Maximum of 10 tablets per day |
| <i>Clorazepate Dipotassium (15MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Clorazepate Dipotassium (3.75MG Oral Tablet)</i> | Maximum of 24 tablets per day |
| <i>Clorazepate Dipotassium (7.5MG Oral Tablet)</i> | Maximum of 12 tablets per day |
| <i>Clotrimazole-Betamethasone (External Cream)</i> | Maximum of 90 grams per 30 days |
| <i>Clozapine ODT (100MG Oral Tablet Dispersible)</i> | Maximum of 9 tablets per day |
| <i>Clozapine ODT (12.5MG Oral Tablet Dispersible)</i> | Maximum of 2 tablets per day |
| <i>Clozapine ODT (150MG Oral Tablet Dispersible)</i> | Maximum of 6 tablets per day |
| <i>Clozapine ODT (200MG Oral Tablet Dispersible)</i> | Maximum of 4 tablets per day |
| <i>Clozapine ODT (25MG Oral Tablet Dispersible)</i> | Maximum of 3 tablets per day |
| <i>Codeine Sulfate (Oral Tablet)</i> | Maximum of 6 tablets per day |
| COMBIVENT RESPIMAT (INHALATION AEROSOL SOLUTION) | Maximum of 1 inhaler (4 grams) per 20 days |
| COMPLERA (ORAL TABLET) | Maximum of 1 tablet per day |
| COPIKTRA (ORAL CAPSULE) | Maximum of 2 capsules per day |
| COSENTYX (300MG DOSE) (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 10 syringes (10 ml) per 30 days |
| COSENTYX SENSOREADY (300MG) (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 10 pens (10 ml) per 30 days |
| COSENTYX (75MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 20 syringes (10 ml) per 30 days |
| COSENTYX UNOREADY (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 5 pens (10 ml) per 30 days |

| Drug name | Quantity limit |
|--|-------------------------------------|
| <i>Cyclosporine (0.05% Ophthalmic Emulsion)</i> | Maximum of 2 vials per day |
| <i>Dabigatran Etexilate Mesylate (Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Dalfampridine ER (Oral Tablet Extended Release 12 Hour)</i> | Maximum of 2 tablets per day |
| DAPTACEL (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| <i>Darunavir (600MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Darunavir (800MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| DAURISMO (100MG ORAL TABLET) | Maximum of 1 tablet per day |
| DAURISMO (25MG ORAL TABLET) | Maximum of 2 tablets per day |
| DAYVIGO (ORAL TABLET) | Maximum of 1 tablet per day |
| DELSTRIGO (ORAL TABLET) | Maximum of 1 tablet per day |
| DESCOVY (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Desonide (External Cream)</i> | Maximum of 60 grams per 30 days |
| <i>Desonide (External Ointment)</i> | Maximum of 120 grams per 30 days |
| <i>Desoximetasone (0.25% External Cream)</i> | Maximum of 100 grams per 30 days |
| <i>Dexlansoprazole (Oral Capsule Delayed Release)</i> | Maximum of 1 capsule per day |
| <i>Dexmethylphenidate HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Dextroamphetamine Sulfate ER (10MG Oral Capsule Extended Release 24 Hour)</i> | Maximum of 6 capsules per day |
| <i>Dextroamphetamine Sulfate ER (15MG Oral Capsule Extended Release 24 Hour)</i> | Maximum of 4 capsules per day |
| <i>Dextroamphetamine Sulfate ER (5MG Oral Capsule Extended Release 24 Hour)</i> | Maximum of 3 capsules per day |
| <i>Dextroamphetamine Sulfate (10MG Oral Tablet, 5MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Dextroamphetamine Sulfate (15MG Oral Tablet, 20MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Dextroamphetamine Sulfate (30MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| DIACOMIT (250MG ORAL CAPSULE) | Maximum of 12 capsules per day |
| DIACOMIT (500MG ORAL CAPSULE) | Maximum of 6 capsules per day |
| DIACOMIT (250MG ORAL PACKET) | Maximum of 12 packets per day |
| DIACOMIT (500MG ORAL PACKET) | Maximum of 6 packets per day |
| <i>Diazepam Intensol (Oral Concentrate)</i> | Maximum of 8 ml per day |
| <i>Diazepam (10MG Oral Tablet, 2MG Oral Tablet, 5MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Diazepam (10MG Rectal Gel, 2.5MG Rectal Gel, 20MG Rectal Gel)</i> | Maximum of 5 packages per 30 days |
| <i>Diclofenac Sodium (3% External Gel)</i> | Maximum of 100 grams per 30 days |

| Drug name | Quantity limit |
|--|---|
| <i>Dihydroergotamine Mesylate (Nasal Solution)</i> | Maximum of 16 vials (16 ml) per 28 days |
| <i>Dimethyl Fumarate (120MG Oral Capsule Delayed Release)</i> | Maximum of 2 capsules per day |
| <i>Dimethyl Fumarate (240MG Oral Capsule Delayed Release)</i> | Maximum of 2 capsules per day |
| <i>Dimethyl Fumarate Starter Pack (Oral Capsule Delayed Release Therapy Pack)</i> | Maximum of 2 packs (120 capsules) per year |
| DIPHTHERIA-TETANUS TOXOIDS DT (25-5LFU/0.5ML INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| <i>Dofetilide (125MCG Oral Capsule)</i> | Maximum of 6 capsules per day |
| <i>Dofetilide (250MCG Oral Capsule, 500MCG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Donepezil HCl (10MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Donepezil HCl (5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Donepezil HCl ODT (10MG Oral Tablet Dispersible)</i> | Maximum of 2 tablets per day |
| <i>Donepezil HCl ODT (5MG Oral Tablet Dispersible)</i> | Maximum of 1 tablet per day |
| DOPTELET (ORAL TABLET) | Maximum of 3 tablets per day |
| <i>Dotti (Transdermal Patch Twice Weekly)</i> | Maximum of 8 patches per 28 days |
| DOVATO (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Doxepin HCl (Oral Tablet)</i> | Maximum of 1 tablet per day |
| DRIZALMA SPRINKLE (20MG ORAL CAPSULE DELAYED RELEASE SPRINKLE, 40MG ORAL CAPSULE DELAYED RELEASE SPRINKLE, 60MG ORAL CAPSULE DELAYED RELEASE SPRINKLE) | Maximum of 2 capsules per day |
| DRIZALMA SPRINKLE (30MG ORAL CAPSULE DELAYED RELEASE SPRINKLE) | Maximum of 3 capsules per day |
| <i>Droxidopa (100MG Oral Capsule)</i> | Maximum of 3 capsules per day |
| <i>Droxidopa (200MG Oral Capsule, 300MG Oral Capsule)</i> | Maximum of 6 capsules per day |
| DULERA (120 INHALATION AEROSOL) | Maximum of 1 inhaler (13 grams) per 30 days |
| <i>Duloxetine HCl (20MG Oral Capsule Delayed Release Particles)</i> | Maximum of 4 capsules per day |
| <i>Duloxetine HCl (30MG Oral Capsule Delayed Release Particles)</i> | Maximum of 3 capsules per day |
| <i>Duloxetine HCl (40MG Oral Capsule Delayed Release Particles, 60MG Oral Capsule Delayed Release Particles)</i> | Maximum of 2 capsules per day |
| DUPIXENT (200MG/1.14ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 4 pens (4.56 ml) per 28 days |
| DUPIXENT (300MG/2ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 4 pens (8 ml) per 28 days |
| DUPIXENT (100MG/0.67ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 2 syringes (1.34 ml) per 28 days |
| DUPIXENT (200MG/1.14ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (4.56 ml) per 28 days |

| Drug name | Quantity limit |
|--|--|
| DUPIXENT (300MG/2ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (8 ml) per 28 days |
| <i>Econazole Nitrate (External Cream)</i> | Maximum of 90 grams per 30 days |
| EDARBI (ORAL TABLET) | Maximum of 1 tablet per day |
| EDARBYCLOR (ORAL TABLET) | Maximum of 1 tablet per day |
| EDURANT (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Efavirenz (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Efavirenz-Emtricitabine-Tenofovir (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Efavirenz-Lamivudine-Tenofovir (Oral Tablet)</i> | Maximum of 1 tablet per day |
| ELIGARD (22.5MG SUBCUTANEOUS KIT) | Maximum of 1 kit per 84 days |
| ELIGARD (30MG SUBCUTANEOUS KIT) | Maximum of 1 kit per 112 days |
| ELIGARD (45MG SUBCUTANEOUS KIT) | Maximum of 1 kit per 168 days |
| ELIGARD (7.5MG SUBCUTANEOUS KIT) | Maximum of 1 kit per 28 days |
| ELIQUIS (ORAL TABLET) | Maximum of 2 tablets per day |
| ELIQUIS STARTER PACK (ORAL TABLET) | Maximum of 2 packs (148 tablets) per year |
| EMGALITY (300MG DOSE) (100MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 3 syringes or pens (3 ml) per 28 days |
| EMGALITY (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 2 syringes or pens (2 ml) per 28 days |
| EMGALITY (120MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 2 syringes or pens (2 ml) per 28 days |
| EMSAM (TRANSDERMAL PATCH 24 HOUR) | Maximum of 1 patch per day |
| <i>Emtricitabine (Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Emtricitabine-Tenofovir Disoproxil Fumarate (Oral Tablet)</i> | Maximum of 1 tablet per day |
| EMTRIVA (ORAL SOLUTION) | Maximum of 5 bottles (850 ml) per 30 days |
| <i>Enalapril Maleate (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Enalapril-Hydrochlorothiazide (10-25MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Enalapril-Hydrochlorothiazide (5-12.5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| ENBREL MINI (SUBCUTANEOUS SOLUTION CARTRIDGE) | Maximum of 8 cartridges per 28 days |
| ENBREL (SUBCUTANEOUS SOLUTION) | Maximum of 8 vials (4 ml) per 28 days |
| ENBREL (25MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 8 syringes (4 ml) per 28 days |
| ENBREL (50MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 8 syringes (8 ml) per 28 days |
| ENBREL SURECLICK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 8 pens per 28 days |
| <i>Endocet (Oral Tablet)</i> | Maximum of 12 tablets per day |
| ENGERIX-B (INJECTION SUSPENSION) | 1 vaccination dose (1 ml) per day |

| Drug name | Quantity limit |
|---|---|
| ENGERIX-B (10MCG/0.5ML INJECTION SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| ENGERIX-B (20MCG/ML INJECTION SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (1 ml) per day |
| <i>Enoxaparin Sodium (100MG/ML Injection Solution Prefilled Syringe, 150MG/ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (2 ml) per day |
| <i>Enoxaparin Sodium (120MG/0.8ML Injection Solution Prefilled Syringe, 80MG/0.8ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (1.6 ml) per day |
| <i>Enoxaparin Sodium (30MG/0.3ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (0.6 ml) per day |
| <i>Enoxaparin Sodium (40MG/0.4ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (0.8 ml) per day |
| <i>Enoxaparin Sodium (60MG/0.6ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (1.2 ml) per day |
| ENTRESTO (ORAL CAPSULE SPRINKLE) | Maximum of 8 capsules per day |
| ENTRESTO (ORAL TABLET) | Maximum of 2 tablets per day |
| ENTYVIO (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 2 pens (1.36 ml) per 28 days |
| <i>Epinephrine (Injection Solution Auto-Injector)</i> | Maximum of 4 pens (2 boxes) per 30 days |
| <i>Esomeprazole Magnesium (20MG Oral Capsule Delayed Release) (Generic Nexium)</i> | Maximum of 3 capsules per day |
| <i>Esomeprazole Magnesium (40MG Oral Capsule Delayed Release) (Generic Nexium)</i> | Maximum of 2 capsules per day |
| <i>Estradiol (Transdermal Patch Twice Weekly)</i> | Maximum of 8 patches per 28 days |
| <i>Estradiol (Transdermal Patch Weekly)</i> | Maximum of 4 patches per 28 days |
| <i>Etravirine (Oral Tablet)</i> | Maximum of 2 tablets per day |
| EVOTAZ (ORAL TABLET) | Maximum of 1 tablet per day |
| FANAPT (10MG ORAL TABLET, 12MG ORAL TABLET, 1MG ORAL TABLET, 2MG ORAL TABLET, 4MG ORAL TABLET, 6MG ORAL TABLET, 8MG ORAL TABLET) | Maximum of 2 tablets per day |
| FANAPT TITRATION PACK (ORAL TABLET) | Maximum of 2 packs per year |
| FARXIGA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Fentanyl Citrate (Buccal Lozenge On A Handle)</i> | Maximum of 4 lozenges per day |
| <i>Fentanyl (100MCG/HR Transdermal Patch 72 Hour, 12MCG/HR Transdermal Patch 72 Hour, 25MCG/HR Transdermal Patch 72 Hour, 50MCG/HR Transdermal Patch 72 Hour, 75MCG/HR Transdermal Patch 72 Hour, 87.5MCG/HR Transdermal Patch 72 Hour)</i> | Maximum of 15 patches per 30 days |
| <i>Fesoterodine Fumarate ER (Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| FETZIMA (ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | Maximum of 1 capsule per day |

| Drug name | Quantity limit |
|---|--|
| FETZIMA TITRATION (ORAL CAPSULE ER 24 HOUR THERAPY PACK) | Maximum of 2 packs (56 capsules) per year |
| <i>Fingolimod HCl (Oral Capsule)</i> | Maximum of 1 capsule per day |
| FINTEPLA (ORAL SOLUTION) | Maximum of 12 ml per day |
| FIRMAGON (240MG DOSE) (120MG/VIAL SUBCUTANEOUS SOLUTION RECONSTITUTED) | Maximum of 2 kits (4 vials) per 365 days |
| FIRMAGON (80MG SUBCUTANEOUS SOLUTION RECONSTITUTED) | Maximum of 1 kit per 28 days |
| <i>Fluocinonide Emulsified Base (External Cream)</i> | Maximum of 60 grams per 30 days |
| <i>Fluocinonide (0.05% External Cream)</i> | Maximum of 60 grams per 30 days |
| <i>Fluocinonide (External Gel)</i> | Maximum of 60 grams per 30 days |
| <i>Fluocinonide (External Ointment)</i> | Maximum of 60 grams per 30 days |
| <i>Fluocinonide (External Solution)</i> | Maximum of 60 ml per 30 days |
| <i>Fluorouracil (External Cream)</i> | Maximum of 40 grams per 30 days |
| <i>Fluticasone-Salmeterol (100-50MCG/ACT Inhalation Aerosol Powder Breath Activated, 250-50MCG/ACT Inhalation Aerosol Powder Breath Activated, 500-50MCG/ACT Inhalation Aerosol Powder Breath Activated) (Generic Advair)</i> | Maximum of 1 inhaler (60 blisters) per 30 days |
| <i>Formoterol Fumarate (Inhalation Nebulization Solution)</i> | Maximum of 2 vials (4 ml) per day |
| <i>Fosamprenavir Calcium (Oral Tablet)</i> | Maximum of 4 tablets per day |
| FOTIVDA (ORAL CAPSULE) | Maximum of 21 capsules per 28 days |
| FRUZAQLA (1MG ORAL CAPSULE) | Maximum of 84 capsules per 28 days |
| FRUZAQLA (5MG ORAL CAPSULE) | Maximum of 21 capsules per 28 days |
| FUZEON (SUBCUTANEOUS SOLUTION RECONSTITUTED) | Maximum of 2 vials per day |
| FYCOMPA (ORAL SUSPENSION) | Maximum of 24 ml per day |
| FYCOMPA (ORAL TABLET) | Maximum of 1 tablet per day |
| GARDASIL 9 (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| GARDASIL 9 (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| GAVRETO (ORAL CAPSULE) | Maximum of 4 capsules per day |
| GENVOYA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Glatiramer Acetate (20MG/ML Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 1 syringe (1 ml) per day |
| <i>Glatiramer Acetate (40MG/ML Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 12 syringes (12 ml) per 28 days |
| <i>Glatopa (20MG/ML Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 1 syringe (1 ml) per day |
| <i>Glatopa (40MG/ML Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 12 syringes (12 ml) per 28 days |

| Drug name | Quantity limit |
|--|--|
| <i>Glimepiride (1MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glimepiride (2MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Glimepiride (4MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Glipizide ER (10MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Glipizide ER (2.5MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 8 tablets per day |
| <i>Glipizide ER (5MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 4 tablets per day |
| <i>Glipizide (10MG Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per day |
| <i>Glipizide (2.5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Glipizide (5MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Glipizide-Metformin HCl (2.5-250MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glipizide-Metformin HCl (2.5-500MG Oral Tablet, 5-500MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Glyburide Micronized (1.5MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glyburide Micronized (3MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Glyburide Micronized (6MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Glyburide (1.25MG Oral Tablet)</i> | Maximum of 16 tablets per day |
| <i>Glyburide (2.5MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glyburide (5MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Glyburide-Metformin (1.25-250MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glyburide-Metformin (2.5-500MG Oral Tablet, 5-500MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| GLYXAMBI (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Granisetron HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Guanfacine HCl (Oral Tablet Immediate Release)</i> | Maximum of 2 tablets per day |
| HAVRIX (1440EL U/ML INTRAMUSCULAR SUSPENSION) | Maximum of 2 vaccines per lifetime |
| HAVRIX (720EL U/0.5ML INTRAMUSCULAR SUSPENSION) | Maximum of 2 vaccines per lifetime |
| HEPLISAV-B (INTRAMUSCULAR SOLUTION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| HIBERIX (INJECTION SOLUTION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| HUMIRA (2 PEN) (40MG/0.4ML SUBCUTANEOUS PEN-INJECTOR KIT, 40MG/0.8ML SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | Maximum of 2 kits (4 pens) per 28 days |
| HUMIRA (2 PEN) (80MG/0.8ML SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | Maximum of 1 kit (2 pens) per 28 days |
| HUMIRA (2 SYRINGE) (10MG/0.1ML SUBCUTANEOUS PREFILLED SYRINGE KIT, 20MG/0.2ML SUBCUTANEOUS PREFILLED SYRINGE KIT) (ABBVIE) | Maximum of 1 kit (2 syringes) per 28 days |
| HUMIRA (2 SYRINGE) (40MG/0.4ML SUBCUTANEOUS PREFILLED SYRINGE KIT, 40MG/0.8ML SUBCUTANEOUS PREFILLED SYRINGE KIT) (ABBVIE) | Maximum of 2 kits (4 syringes) per 28 days |

| Drug name | Quantity limit |
|---|--|
| HUMIRA PEN PSORIASIS/UVEITIS STARTER (40MG/0.4ML & 80MG/0.8ML SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | Maximum of 2 kits per year |
| <i>Hydrocodone-Acetaminophen (7.5-325MG/15ML Oral Solution)</i> | Maximum of 180 ml per day |
| <i>Hydrocodone-Acetaminophen (10-300MG Oral Tablet, 5-300MG Oral Tablet, 7.5-300MG Oral Tablet)</i> | Maximum of 13 tablets per day |
| <i>Hydrocodone-Acetaminophen (10-325MG Oral Tablet, 5-325MG Oral Tablet, 7.5-325MG Oral Tablet)</i> | Maximum of 12 tablets per day |
| <i>Hydrocodone-Ibuprofen (Oral Tablet)</i> | Maximum of 5 tablets per day |
| <i>Hydromorphone HCl ER (Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Hydromorphone HCl (1MG/ML Oral Liquid)</i> | Maximum of 50 ml per day |
| <i>Hydromorphone HCl (2MG Oral Tablet Immediate Release, 4MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Hydromorphone HCl (8MG Oral Tablet Immediate Release)</i> | Maximum of 6 tablets per day |
| <i>Hydroxychloroquine Sulfate (100MG Oral Tablet, 300MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Hydroxychloroquine Sulfate (200MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Hydroxychloroquine Sulfate (400MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Ibandronate Sodium (Oral Tablet)</i> | Maximum of 1 tablet per 28 days |
| <i>Icatibant Acetate (Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 12 syringes (36 ml) per 30 days |
| ICLUSIG (ORAL TABLET) | Maximum of 1 tablet per day |
| IDHIFA (ORAL TABLET) | Maximum of 1 tablet per day |
| IMBRUVICA (140MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| IMBRUVICA (70MG ORAL CAPSULE) | Maximum of 1 capsule per day |
| IMBRUVICA (ORAL SUSPENSION) | Maximum of 8 ml per day |
| IMBRUVICA (140MG ORAL TABLET, 280MG ORAL TABLET, 420MG ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Imiquimod (5% External Cream)</i> | Maximum of 24 packets per 30 days |
| IMOVAX RABIES (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| INCRUSE ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (30 blisters) per 30 days |
| INFANRIX (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| INLYTA (ORAL TABLET) | Maximum of 4 tablets per day |
| INQOVI (ORAL TABLET) | Maximum of 1 pack (5 tablets) per 28 days |
| INREBIC (ORAL CAPSULE) | Maximum of 4 capsules per day |
| INTELENCE (25MG ORAL TABLET) | Maximum of 4 tablets per day |

| Drug name | Quantity limit |
|---|--|
| IPOL (INJECTION) | 1 vaccination dose (0.5 ml) per day |
| ISENTRESS HD (ORAL TABLET) | Maximum of 2 tablets per day |
| ISENTRESS (ORAL PACKET) | Maximum of 2 packets per day |
| ISENTRESS (ORAL TABLET) | Maximum of 2 tablets per day |
| ISENTRESS (ORAL TABLET CHEWABLE) | Maximum of 6 tablets per day |
| <i>Ivabradine HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |
| IWILFIN (ORAL TABLET) | Maximum of 8 tablets per day |
| IXCHIQ (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| IXIARO (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| JANUMET (ORAL TABLET IMMEDIATE RELEASE) | Maximum of 2 tablets per day |
| JANUMET XR (100-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 50-500MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| JANUMET XR (50-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| JANUVIA (ORAL TABLET) | Maximum of 1 tablet per day |
| JARDIANCE (ORAL TABLET) | Maximum of 1 tablet per day |
| JAYPIRCA (100MG ORAL TABLET) | Maximum of 3 tablets per day |
| JAYPIRCA (50MG ORAL TABLET) | Maximum of 1 tablet per day |
| JENTADUETO (2.5-1000MG ORAL TABLET, 2.5-500MG ORAL TABLET) | Maximum of 2 tablets per day |
| JENTADUETO XR (2.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| JENTADUETO XR (5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| JULUCA (ORAL TABLET) | Maximum of 1 tablet per day |
| JYNNEOS (SUBCUTANEOUS SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| KERENDIA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Ketoconazole (External Cream)</i> | Maximum of 90 grams per 30 days |
| KINRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| KOSELUGO (10MG ORAL CAPSULE) | Maximum of 8 capsules per day |
| KOSELUGO (25MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| KRAZATI (ORAL TABLET) | Maximum of 6 tablets per day |
| <i>Lacosamide (10MG/ML Oral Solution)</i> | Maximum of 40 ml per day |
| <i>Lacosamide (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Lamivudine (10MG/ML Oral Solution)</i> | Maximum of 32 ml per day |
| <i>Lamivudine (150MG Oral Tablet)</i> | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|---|---|
| <i>Lamivudine (300MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Lamivudine-Zidovudine (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Lansoprazole (Oral Capsule Delayed Release)</i> | Maximum of 2 capsules per day |
| <i>Leuprolide Acetate (Subcutaneous Injection Kit)</i> | Maximum of 2 kits per 28 days |
| LIBERVANT (BUCCAL FILM) | Maximum of 10 films per 30 days |
| <i>Lidocaine (5% External Patch)</i> | Maximum of 3 patches per day |
| <i>Linezolid (Oral Suspension Reconstituted)</i> | Maximum of 60 ml per day |
| <i>Linezolid (Oral Tablet)</i> | Maximum of 2 tablets per day |
| LINZESS (ORAL CAPSULE) | Maximum of 1 capsule per day |
| LIRAGLUTIDE (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 3 pens (9 ml) per 30 days |
| <i>Lisinopril (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Lisinopril-Hydrochlorothiazide (10-12.5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Lisinopril-Hydrochlorothiazide (20-12.5MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Lisinopril-Hydrochlorothiazide (20-25MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| LIVTENCITY (ORAL TABLET) | Maximum of 12 tablets per day |
| LOKELMA (ORAL PACKET) | Maximum of 3 packets per day |
| <i>Lopinavir-Ritonavir (Oral Solution)</i> | Maximum of 3 bottles (480 ml) per 30 days |
| <i>Lopinavir-Ritonavir (100-25MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Lopinavir-Ritonavir (200-50MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Lorazepam Intensol (Oral Concentrate)</i> | Maximum of 5 ml per day |
| <i>Lorazepam (0.5MG Oral Tablet, 1MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Lorazepam (2MG Oral Tablet)</i> | Maximum of 5 tablets per day |
| LORBRENA (100MG ORAL TABLET) | Maximum of 1 tablet per day |
| LORBRENA (25MG ORAL TABLET) | Maximum of 3 tablets per day |
| <i>Lubiprostone (Oral Capsule)</i> | Maximum of 2 capsules per day |
| LUMAKRAS (120MG ORAL TABLET) | Maximum of 8 tablets per day |
| LUMAKRAS (320MG ORAL TABLET) | Maximum of 3 tablets per day |
| LUMRYZ (ORAL PACKET) | Maximum of 1 packet per day |
| LUPRON DEPOT (1-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 28 days |
| LUPRON DEPOT (3-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 84 days |
| LUPRON DEPOT (4-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 112 days |
| LUPRON DEPOT (6-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 168 days |
| LUPRON DEPOT-PED (1-MONTH) (7.5MG INTRAMUSCULAR KIT) | Maximum of 1 kit per 28 days |
| LUPRON DEPOT-PED (3-MONTH) (11.25MG INTRAMUSCULAR KIT) | Maximum of 1 kit per 84 days |
| LUPRON DEPOT-PED (6-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 168 days |

| Drug name | Quantity limit |
|---|--|
| <i>Lurasidone HCl (120MG Oral Tablet, 20MG Oral Tablet, 40MG Oral Tablet, 60MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Lurasidone HCl (80MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| LYBALVI (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Lyllana (Transdermal Patch Twice Weekly)</i> | Maximum of 8 patches per 28 days |
| LYTGOBI (12MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 4 packs (84 tablets) per 28 days |
| LYTGOBI (16MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 4 packs (112 tablets) per 28 days |
| LYTGOBI (20MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 4 packs (140 tablets) per 28 days |
| <i>Maraviroc (150MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Maraviroc (300MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| MAVYRET (ORAL PACKET) | Maximum of 5 cartons (140 packets) per 28 days |
| MAVYRET (ORAL TABLET) | Maximum of 3 tablets per day |
| MAYZENT (0.25MG ORAL TABLET) | Maximum of 4 tablets per day |
| MAYZENT (1MG ORAL TABLET, 2MG ORAL TABLET) | Maximum of 1 tablet per day |
| MAYZENT STARTER PACK (12 X 0.25MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs (24 tablets) per year |
| MAYZENT STARTER PACK (7 X 0.25MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs (14 tablets) per year |
| <i>Memantine HCl ER (Oral Capsule Extended Release 24 Hour)</i> | Maximum of 1 capsule per day |
| <i>Memantine HCl (Oral Solution)</i> | Maximum of 10 ml per day |
| <i>Memantine HCl (10MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Memantine HCl Titration Pak (Oral Tablet)</i> | Maximum of 2 packs per year |
| <i>Memantine HCl (5MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| MENACTRA (INTRAMUSCULAR SOLUTION) | 1 vaccination dose (0.5 ml) per day |
| MENQUADFI (INTRAMUSCULAR SOLUTION) | 1 vaccination dose (0.5 ml) per day |
| MENVEO (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| <i>Mesalamine ER (0.375GM Oral Capsule Extended Release 24 Hour) (Generic Apriso)</i> | Maximum of 4 capsules per day |
| <i>Mesalamine (1.2GM Oral Tablet Delayed Release) (Generic Lialda)</i> | Maximum of 4 tablets per day |
| <i>Mesalamine (Rectal Suppository)</i> | Maximum of 1 suppository per day |
| <i>Metformin HCl ER (500MG Oral Tablet Extended Release 24 Hour) (Generic Glucophage XR)</i> | Maximum of 4 tablets per day |
| <i>Metformin HCl ER (750MG Oral Tablet Extended Release 24 Hour) (Generic Glucophage XR)</i> | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|---|---|
| <i>Metformin HCl (Oral Solution)</i> | Maximum of 25.5 ml per day |
| <i>Metformin HCl (1000MG Oral Tablet Immediate Release)</i> | Maximum of 2.5 tablets per day |
| <i>Metformin HCl (500MG Oral Tablet Immediate Release)</i> | Maximum of 5 tablets per day |
| <i>Metformin HCl (850MG Oral Tablet Immediate Release)</i> | Maximum of 3 tablets per day |
| <i>Methadone HCl (10MG/5ML Oral Solution)</i> | Maximum of 60 ml per day |
| <i>Methadone HCl (5MG/5ML Oral Solution)</i> | Maximum of 120 ml per day |
| <i>Methadone HCl (10MG Oral Tablet)</i> | Maximum of 12 tablets per day |
| <i>Methadone HCl (5MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Methylphenidate HCl CD (Oral Capsule Extended Release) (Generic Metadate CD)</i> | Maximum of 1 capsule per day |
| <i>Methylphenidate HCl LA (Oral Capsule Extended Release 24 Hour) (Generic Ritalin LA)</i> | Maximum of 1 capsule per day |
| <i>Methylphenidate HCl ER Osmotic Release (18MG Oral Tablet Extended Release) (Generic Concerta)</i> | Maximum of 3 tablets per day |
| <i>Methylphenidate HCl ER Osmotic Release (27MG Oral Tablet Extended Release, 36MG Oral Tablet Extended Release) (Generic Concerta)</i> | Maximum of 2 tablets per day |
| <i>Methylphenidate HCl ER Osmotic Release (54MG Oral Tablet Extended Release, 72MG Oral Tablet Extended Release) (Generic Concerta)</i> | Maximum of 1 tablet per day |
| <i>Methylphenidate HCl ER (XR) (Oral Capsule Extended Release 24 Hour) (Brand Equivalent Aptensio XR)</i> | Maximum of 1 capsule per day |
| <i>Methylphenidate HCl ER (10MG Oral Tablet Extended Release)</i> | Maximum of 4 tablets per day |
| <i>Methylphenidate HCl ER (20MG Oral Tablet Extended Release)</i> | Maximum of 3 tablets per day |
| <i>Methylphenidate HCl ER (18MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 3 tablets per day |
| <i>Methylphenidate HCl ER (27MG Oral Tablet Extended Release 24 Hour, 36MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Methylphenidate HCl ER (54MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Methylphenidate HCl (Oral Tablet Immediate Release) (Generic Ritalin)</i> | Maximum of 3 tablets per day |
| <i>Mifepristone (300MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>M-M-R II (INJECTION SOLUTION RECONSTITUTED)</i> | 1 vaccination dose (1 injection) per day |
| <i>Modafinil (100MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Modafinil (200MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Montelukast Sodium (Oral Packet)</i> | Maximum of 1 packet per day |
| <i>Montelukast Sodium (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Montelukast Sodium (Oral Tablet Chewable)</i> | Maximum of 1 tablet per day |
| <i>Morphine Sulfate (Concentrate) (20MG/ML Oral Solution)</i> | Maximum of 10 ml per day |

| Drug name | Quantity limit |
|--|--|
| <i>Morphine Sulfate ER (100MG Oral Tablet Extended Release, 15MG Oral Tablet Extended Release) (Generic MS Contin)</i> | Maximum of 3 tablets per day |
| <i>Morphine Sulfate ER (200MG Oral Tablet Extended Release) (Generic MS Contin)</i> | Maximum of 2 tablets per day |
| <i>Morphine Sulfate ER (30MG Oral Tablet Extended Release, 60MG Oral Tablet Extended Release) (Generic MS Contin)</i> | Maximum of 4 tablets per day |
| <i>Morphine Sulfate (10MG/5ML Oral Solution)</i> | Maximum of 100 ml per day |
| <i>Morphine Sulfate (20MG/5ML Oral Solution)</i> | Maximum of 50 ml per day |
| <i>Morphine Sulfate (15MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Morphine Sulfate (30MG Oral Tablet Immediate Release)</i> | Maximum of 6 tablets per day |
| MOUNJARO (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 4 pens (2 ml) per 28 days |
| MOVANTIK (ORAL TABLET) | Maximum of 1 tablet per day |
| MRESVIA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| <i>Mupirocin (External Ointment)</i> | Maximum of 110 grams per 30 days |
| NAMZARIC (ORAL CAPSULE ER 24 HOUR THERAPY PACK) | Maximum of 1 capsule per day |
| NAMZARIC (ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | Maximum of 1 capsule per day |
| <i>Naratriptan HCl (Oral Tablet)</i> | Maximum of 12 tablets per 30 days |
| <i>Nateglinide (120MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Nateglinide (60MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| NAYZILAM (NASAL SOLUTION) | Maximum of 10 blister packs (20 spray devices) per 30 days |
| <i>Nebivolol HCl (10MG Oral Tablet, 2.5MG Oral Tablet, 5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Nebivolol HCl (20MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| NERLYNX (ORAL TABLET) | Maximum of 6 tablets per day |
| <i>Nevirapine ER (400MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Nevirapine (Oral Suspension)</i> | Maximum of 40 ml per day |
| <i>Nevirapine (Oral Tablet Immediate Release)</i> | Maximum of 2 tablets per day |
| NEXLETOL (ORAL TABLET) | Maximum of 1 tablet per day |
| NEXLIZET (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Nitazoxanide (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Nitroglycerin (Rectal Ointment)</i> | Maximum of 30 grams per 30 days |
| NORVIR (ORAL PACKET) | Maximum of 12 packets per day |
| NUEDEXTA (ORAL CAPSULE) | Maximum of 2 capsules per day |
| NUPLAZID (ORAL CAPSULE) | Maximum of 1 capsule per day |
| NUPLAZID (ORAL TABLET) | Maximum of 1 tablet per day |

| Drug name | Quantity limit |
|---|--|
| NURTEC ODT (ORAL TABLET DISPERSIBLE) | Maximum of 18 tablets per 30 days |
| <i>Nyamyc (External Powder)</i> | Maximum of 120 grams per 30 days |
| <i>Nystatin (External Powder)</i> | Maximum of 120 grams per 30 days |
| <i>Nystop (External Powder)</i> | Maximum of 120 grams per 30 days |
| ODEFSEY (ORAL TABLET) | Maximum of 1 tablet per day |
| OFEV (ORAL CAPSULE) | Maximum of 2 capsules per day |
| OGSIVEO (100MG ORAL TABLET, 150MG ORAL TABLET) | Maximum of 2 tablets per day |
| OGSIVEO (50MG ORAL TABLET) | Maximum of 6 tablets per day |
| OJEMDA (ORAL SUSPENSION RECONSTITUTED) | Maximum of 96 ml per 28 days |
| OJEMDA (ORAL TABLET) | Maximum of 24 tablets per 28 days |
| OJJAARA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Olanzapine (10MG Oral Tablet, 2.5MG Oral Tablet, 5MG Oral Tablet, 7.5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Olanzapine (15MG Oral Tablet, 20MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Olanzapine ODT (10MG Oral Tablet Dispersible, 5MG Oral Tablet Dispersible)</i> | Maximum of 2 tablets per day |
| <i>Olanzapine ODT (15MG Oral Tablet Dispersible, 20MG Oral Tablet Dispersible)</i> | Maximum of 1 tablet per day |
| <i>Olmesartan Medoxomil (20MG Oral Tablet, 40MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Olmesartan Medoxomil (5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Olmesartan Medoxomil-HCTZ (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Olmesartan-Amlodipine-HCTZ (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Omeprazole (10MG Oral Capsule Delayed Release)</i> | Maximum of 3 capsules per day |
| <i>Ondansetron HCl (Oral Solution)</i> | Maximum of 30 ml per day |
| <i>Ondansetron HCl (4MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Ondansetron HCl (8MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Ondansetron ODT (4MG Oral Tablet Dispersible)</i> | Maximum of 6 tablets per day |
| <i>Ondansetron ODT (8MG Oral Tablet Dispersible)</i> | Maximum of 3 tablets per day |
| ONUREG (ORAL TABLET) | Maximum of 14 tablets per 28 days |
| ORENCIA CLICKJECT (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 4 pens (4 ml) per 28 days |
| ORENCIA (125MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (4 ml) per 28 days |
| ORENCIA (50MG/0.4ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (1.6 ml) per 28 days |
| ORENCIA (87.5MG/0.7ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (2.8 ml) per 28 days |

| Drug name | Quantity limit |
|---|---|
| ORENITRAM MONTH 1 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | Maximum of 2 packs (336 tablets) per year |
| ORENITRAM MONTH 2 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | Maximum of 2 packs (672 tablets) per year |
| ORENITRAM MONTH 3 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | Maximum of 2 packs (504 tablets) per year |
| ORGOVYX (ORAL TABLET) | Maximum of 30 tablets per 28 days |
| ORKAMBI (ORAL PACKET) | Maximum of 56 packets per 28 days |
| ORKAMBI (ORAL TABLET) | Maximum of 4 tablets per day |
| ORSERDU (345MG ORAL TABLET) | Maximum of 1 tablet per day |
| ORSERDU (86MG ORAL TABLET) | Maximum of 3 tablets per day |
| OSPHENA (ORAL TABLET) | Maximum of 1 tablet per day |
| OTEZLA (ORAL TABLET) | Maximum of 2 tablets per day |
| OTEZLA (ORAL TABLET THERAPY PACK) | Maximum of 2 kits per year |
| <i>Oxycodone HCl (Oral Capsule)</i> | Maximum of 12 capsules per day |
| <i>Oxycodone HCl (Oral Concentrate)</i> | Maximum of 6 ml per day |
| <i>Oxycodone HCl (Oral Solution)</i> | Maximum of 130 ml per day |
| <i>Oxycodone HCl (10MG Oral Tablet Immediate Release, 5MG Oral Tablet Immediate Release)</i> | Maximum of 12 tablets per day |
| <i>Oxycodone HCl (15MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Oxycodone HCl (20MG Oral Tablet Immediate Release, 30MG Oral Tablet Immediate Release)</i> | Maximum of 6 tablets per day |
| <i>Oxycodone-Acetaminophen (10-325MG Oral Tablet, 2.5-325MG Oral Tablet, 5-325MG Oral Tablet, 7.5-325MG Oral Tablet)</i> | Maximum of 12 tablets per day |
| <i>Oxymorphone HCl ER (10MG Oral Tablet Extended Release 12 Hour, 15MG Oral Tablet Extended Release 12 Hour, 20MG Oral Tablet Extended Release 12 Hour, 5MG Oral Tablet Extended Release 12 Hour, 7.5MG Oral Tablet Extended Release 12 Hour)</i> | Maximum of 2 tablets per day |
| <i>Oxymorphone HCl ER (30MG Oral Tablet Extended Release 12 Hour)</i> | Maximum of 4 tablets per day |
| <i>Oxymorphone HCl ER (40MG Oral Tablet Extended Release 12 Hour)</i> | Maximum of 3 tablets per day |
| <i>Oxymorphone HCl (Oral Tablet Immediate Release)</i> | Maximum of 6 tablets per day |
| OZEMPIC (0.25MG/DOSE OR 0.5MG/DOSE) (2MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 1 pen (3 ml) per 28 days |
| OZEMPIC (1MG/DOSE) (4MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 1 pen (3 ml) per 28 days |
| OZEMPIC (2MG/DOSE) (8MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 1 pen (3 ml) per 28 days |

| Drug name | Quantity limit |
|---|--|
| <i>Paliperidone ER (1.5MG Oral Tablet Extended Release 24 Hour, 3MG Oral Tablet Extended Release 24 Hour, 9MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Paliperidone ER (6MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Pantoprazole Sodium (20MG Oral Tablet Delayed Release)</i> | Maximum of 3 tablets per day |
| <i>Pantoprazole Sodium (40MG Oral Tablet Delayed Release)</i> | Maximum of 2 tablets per day |
| PAXLOVID (150/100MG) (ORAL TABLET THERAPY PACK) | Maximum of 4 tablets per day and 20 tablets per prescription |
| PAXLOVID (300/100MG) (ORAL TABLET THERAPY PACK) | Maximum of 6 tablets per day and 30 tablets per prescription |
| PEDIARIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| PEDVAX HIB (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| PEMAZYRE (ORAL TABLET) | Maximum of 14 tablets per 21 days |
| PENBRAYA (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| PENTACEL (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| <i>Pentamidine Isethionate (Inhalation Solution Reconstituted)</i> | Maximum of 1 vial (300 mg) per 28 days |
| PIFELTRO (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Pimecrolimus (External Cream)</i> | Maximum of 100 grams per 30 days |
| <i>Pioglitazone HCl (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Pioglitazone HCl-Metformin HCl (Oral Tablet)</i> | Maximum of 3 tablets per day |
| PIQRAY (200MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 1 tablet per day |
| PIQRAY (250MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 2 tablets per day |
| PIQRAY (300MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 2 tablets per day |
| <i>Pirfenidone (Oral Capsule)</i> | Maximum of 9 capsules per day |
| <i>Pirfenidone (267MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Pirfenidone (534MG Oral Tablet, 801MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Pitavastatin Calcium (Oral Tablet)</i> | Maximum of 1 tablet per day |
| PLEGRIDY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 2 pens (1 ml) per 28 days |
| PLEGRIDY (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 2 pens (1 ml) per 28 days |
| <i>Posaconazole (Oral Tablet Delayed Release)</i> | Maximum of 6 tablets per day |
| <i>Pregabalin (100MG Oral Capsule, 25MG Oral Capsule, 50MG Oral Capsule, 75MG Oral Capsule)</i> | Maximum of 4 capsules per day |

| Drug name | Quantity limit |
|---|--|
| <i>Pregabalin (150MG Oral Capsule, 200MG Oral Capsule)</i> | Maximum of 3 capsules per day |
| <i>Pregabalin (225MG Oral Capsule, 300MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Pregabalin (Oral Solution)</i> | Maximum of 30 ml per day |
| PREHEVBRIO (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (1 ml) per day |
| PREMARIN (ORAL TABLET) | Maximum of 1 tablet per day |
| PREVYMIS (ORAL TABLET) | Maximum of 1 tablet per day |
| PREZCOBIX (ORAL TABLET) | Maximum of 1 tablet per day |
| PREZISTA (ORAL SUSPENSION) | Maximum of 2 bottles (400 ml) per 30 days |
| PREZISTA (150MG ORAL TABLET) | Maximum of 6 tablets per day |
| PREZISTA (75MG ORAL TABLET) | Maximum of 10 tablets per day |
| PRIORIX (SUBCUTANEOUS SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| PROLIA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 1 syringe (1 ml) per 180 days |
| PROMACTA (ORAL PACKET) | Maximum of 6 packets per day |
| PROMACTA (12.5MG ORAL TABLET, 25MG ORAL TABLET) | Maximum of 1 tablet per day |
| PROMACTA (50MG ORAL TABLET, 75MG ORAL TABLET) | Maximum of 2 tablets per day |
| <i>Promethazine HCl (12.5MG Rectal Suppository)</i> | Maximum of 6 suppositories per day |
| PROQUAD (SUBCUTANEOUS SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| PULMOZYME (INHALATION SOLUTION) | Maximum of 2 ampules (5 ml) per day |
| PYRUKYND (20MG ORAL TABLET, 5MG ORAL TABLET) | Maximum of 1 pack (56 tablets) per 28 days |
| PYRUKYND (50MG ORAL TABLET) | Maximum of 2 packs (112 tablets) per 28 days |
| PYRUKYND TAPER PACK (5MG ORAL TABLET THERAPY PACK) | Maximum of 1 pack (7 tablets) per 7 days |
| PYRUKYND TAPER PACK (7 X 20MG & 7 X 5MG ORAL TABLET THERAPY PACK, 7 X 50MG & 7 X 20MG ORAL TABLET THERAPY PACK) | Maximum of 1 pack (14 tablets) per 14 days |
| QINLOCK (ORAL TABLET) | Maximum of 3 tablets per day |
| QUADRACEL (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| QUADRACEL (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| <i>Quetiapine Fumarate ER (150MG Oral Tablet Extended Release 24 Hour, 200MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Quetiapine Fumarate ER (300MG Oral Tablet Extended Release 24 Hour, 400MG Oral Tablet Extended Release 24 Hour, 50MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|--|---|
| <i>Quetiapine Fumarate (100MG Oral Tablet Immediate Release, 150MG Oral Tablet Immediate Release, 200MG Oral Tablet Immediate Release, 50MG Oral Tablet Immediate Release)</i> | Maximum of 3 tablets per day |
| <i>Quetiapine Fumarate (25MG Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per day |
| <i>Quetiapine Fumarate (300MG Oral Tablet Immediate Release, 400MG Oral Tablet Immediate Release)</i> | Maximum of 2 tablets per day |
| QULIPTA (ORAL TABLET) | Maximum of 1 tablet per day |
| QUVIVIQ (ORAL TABLET) | Maximum of 1 tablet per day |
| QVAR REDIHALER (INHALATION AEROSOL BREATH ACTIVATED) | Maximum of 2 inhalers (21.2 grams) per 30 days |
| RABAVERT (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| <i>Ramelteon (Oral Tablet)</i> | Maximum of 1 tablet per day |
| RAYALDEE (ORAL CAPSULE EXTENDED RELEASE) | Maximum of 2 capsules per day |
| RECOMBIVAX HB (10MCG/ML INJECTION SUSPENSION, 40MCG/ML INJECTION SUSPENSION) | 1 vaccination dose (1 ml) per day |
| RECOMBIVAX HB (5MCG/0.5ML INJECTION SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| RECOMBIVAX HB (10MCG/ML INJECTION SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (1 ml) per day |
| RECOMBIVAX HB (5MCG/0.5ML INJECTION SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| RELENZA DISKHALER (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 3 inhalers (60 blisters) per 30 days |
| <i>Repaglinide (0.5MG Oral Tablet)</i> | Maximum of 32 tablets per day |
| <i>Repaglinide (1MG Oral Tablet)</i> | Maximum of 16 tablets per day |
| <i>Repaglinide (2MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| REPATHA PUSHTRONEX SYSTEM (SUBCUTANEOUS SOLUTION CARTRIDGE) | Maximum of 2 cartridges (7 ml) per 28 days |
| REPATHA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 3 syringes (3 ml) per 28 days |
| REPATHA SURECLICK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 3 pens (3 ml) per 28 days |
| RESTASIS MULTIDOSE (OPHTHALMIC EMULSION) | Maximum of 1 bottle (5.5 ml) per 25 days |
| RESTASIS SINGLE-USE VIALS (OPHTHALMIC EMULSION) | Maximum of 2 vials per day |
| RETEVMO (40MG ORAL CAPSULE) | Maximum of 6 capsules per day |
| RETEVMO (80MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| RETEVMO (120MG ORAL TABLET, 160MG ORAL TABLET, 80MG ORAL TABLET) | Maximum of 2 tablets per day |
| RETEVMO (40MG ORAL TABLET) | Maximum of 3 tablets per day |
| REXULTI (ORAL TABLET) | Maximum of 1 tablet per day |
| REYATAZ (ORAL PACKET) | Maximum of 6 packets per day |

| Drug name | Quantity limit |
|---|--|
| REZLIDHIA (ORAL CAPSULE) | Maximum of 2 capsules per day |
| REZUROCK (ORAL TABLET) | Maximum of 2 tablets per day |
| RINVOQ (ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| <i>Risedronate Sodium (150MG Oral Tablet Immediate Release)</i> | Maximum of 1 tablet per 30 days |
| <i>Risedronate Sodium (35MG Oral Tablet Immediate Release, 35MG (12 PACK) Oral Tablet Immediate Release, 35MG (4 PACK) Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per 28 days |
| <i>Risedronate Sodium (Oral Tablet Delayed Release)</i> | Maximum of 4 tablets per 28 days |
| <i>Ritonavir (Oral Tablet)</i> | Maximum of 12 tablets per day |
| <i>Rivastigmine (Transdermal Patch 24 Hour)</i> | Maximum of 1 patch per day |
| <i>Rizatriptan Benzoate (Oral Tablet)</i> | Maximum of 12 tablets per 30 days |
| <i>Rizatriptan Benzoate ODT (Oral Tablet Dispersible)</i> | Maximum of 12 tablets per 30 days |
| <i>Rosuvastatin Calcium (Oral Tablet)</i> | Maximum of 1 tablet per day |
| ROTARIX (ORAL SUSPENSION) | 1 vaccination dose (1.5 ml) per day |
| ROTARIX (ORAL SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 ml) per day |
| ROTATEQ (ORAL SOLUTION) | 1 vaccination dose (2 ml) per day |
| ROZLYTREK (100MG ORAL CAPSULE) | Maximum of 5 capsules per day |
| ROZLYTREK (200MG ORAL CAPSULE) | Maximum of 3 capsules per day |
| ROZLYTREK (ORAL PACKET) | Maximum of 12 packs per day |
| RUKOBIA (ORAL TABLET EXTENDED RELEASE 12 HOUR) | Maximum of 2 tablets per day |
| RYBELSUS (ORAL TABLET) | Maximum of 1 tablet per day |
| RYDAPT (ORAL CAPSULE) | Maximum of 8 capsules per day |
| SANCUSO (TRANSDERMAL PATCH) | Maximum of 4 patches per 28 days |
| <i>Saxagliptin HCl (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Saxagliptin-Metformin ER (2.5-1000MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Saxagliptin-Metformin ER (5-1000MG Oral Tablet Extended Release 24 Hour, 5-500MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| SCEMBLIX (100MG ORAL TABLET) | Maximum of 4 tablets per day |
| SCEMBLIX (20MG ORAL TABLET) | Maximum of 2 tablets per day |
| SCEMBLIX (40MG ORAL TABLET) | Maximum of 10 tablets per day |
| SECUADO (TRANSDERMAL PATCH 24 HOUR) | Maximum of 1 patch per day |
| SELZENTRY (ORAL SOLUTION) | Maximum of 8 bottles (1840 ml) per 30 days |
| SELZENTRY (25MG ORAL TABLET) | Maximum of 16 tablets per day |
| SELZENTRY (75MG ORAL TABLET) | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|--|---|
| SEREVENT DISKUS (60 INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (60 inhalations) per 30 days |
| SHINGRIX (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| <i>Sildenafil Citrate (20MG Oral Tablet) (Generic Revatio)</i> | Maximum of 3 tablets per day |
| <i>Silodosin (Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Simvastatin (Oral Tablet)</i> | Maximum of 1 tablet per day |
| SKYCLARYS (ORAL CAPSULE) | Maximum of 3 capsules per day |
| SKYRIZI PEN (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 1 pen (1 ml) per 28 days |
| SKYRIZI (180MG/1.2ML SUBCUTANEOUS SOLUTION CARTRIDGE) | Maximum of 1 cartridge (1.2 ml) per 56 days |
| SKYRIZI (360MG/2.4ML SUBCUTANEOUS SOLUTION CARTRIDGE) | Maximum of 1 cartridge (2.4 ml) per 56 days |
| SKYRIZI (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 1 syringe (1 ml) per 28 days |
| <i>Solifenacin Succinate (Oral Tablet)</i> | Maximum of 1 tablet per day |
| SOLIQUA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 5 pens (15 ml) per 24 days |
| SOMAVERT (SUBCUTANEOUS SOLUTION RECONSTITUTED) | Maximum of 1 vial per day |
| SOTYKTU (ORAL TABLET) | Maximum of 1 tablet per day |
| SPIRIVA RESPIMAT (INHALATION AEROSOL SOLUTION) | Maximum of 1 inhaler (4 grams) per 30 days |
| SPRITAM (1000MG ORAL TABLET DISINTEGRATING SOLUBLE) | Maximum of 3 tablets per day |
| SPRITAM (250MG ORAL TABLET DISINTEGRATING SOLUBLE, 500MG ORAL TABLET DISINTEGRATING SOLUBLE) | Maximum of 2 tablets per day |
| SPRITAM (750MG ORAL TABLET DISINTEGRATING SOLUBLE) | Maximum of 4 tablets per day |
| STELARA (SUBCUTANEOUS SOLUTION) | Maximum of 6 vials (3 ml) per 84 days |
| STELARA (45MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 6 syringes (3 ml) per 84 days |
| STELARA (90MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 3 syringes (3 ml) per 84 days |
| STIOLTO RESPIMAT (INHALATION AEROSOL SOLUTION) | Maximum of 1 inhaler (4 grams) per 30 days |
| STRIBILD (ORAL TABLET) | Maximum of 1 tablet per day |
| STRIVERDI RESPIMAT (INHALATION AEROSOL SOLUTION) | Maximum of 1 inhaler (4 grams) per 30 days |
| <i>Sumatriptan (Nasal Solution)</i> | Maximum of 12 devices per 30 days |

| Drug name | Quantity limit |
|---|---|
| <i>Sumatriptan Succinate (Oral Tablet)</i> | Maximum of 12 tablets per 30 days |
| <i>Sumatriptan Succinate (Subcutaneous Solution)</i> | Maximum of 12 injections (6 ml) per 30 days |
| <i>Sumatriptan Succinate (Subcutaneous Solution Auto-Injector)</i> | Maximum of 12 injections (6 ml) per 30 days |
| SUNLENCA (4 X 300MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs (8 tablets) per year |
| SUNLENCA (5 X 300MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs (10 tablets) per year |
| SUNOSI (ORAL TABLET) | Maximum of 1 tablet per day |
| SYMBICORT (120 INHALATION AEROSOL) | Maximum of 1 inhaler (10.2 grams) per 30 days |
| SYMDEKO (ORAL TABLET THERAPY PACK) | Maximum of 1 pack (56 tablets) per 28 days |
| SYMPAZAN (ORAL FILM) | Maximum of 2 films per day |
| SYMTUZA (ORAL TABLET) | Maximum of 1 tablet per day |
| SYNJARDY (ORAL TABLET IMMEDIATE RELEASE) | Maximum of 2 tablets per day |
| SYNJARDY XR (10-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 12.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| SYNJARDY XR (25-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| TABRECTA (ORAL TABLET) | Maximum of 4 tablets per day |
| <i>Tadalafil (PAH) (20MG Oral Tablet) (Generic Adcirca)</i> | Maximum of 2 tablets per day |
| <i>Tadalafil (2.5MG Oral Tablet, 5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| TALZENNA (0.1MG ORAL CAPSULE, 0.35MG ORAL CAPSULE, 0.5MG ORAL CAPSULE, 0.75MG ORAL CAPSULE, 1MG ORAL CAPSULE) | Maximum of 1 capsule per day |
| TALZENNA (0.25MG ORAL CAPSULE) | Maximum of 3 capsules per day |
| <i>Tasimelteon (Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Tazarotene (0.1% External Cream)</i> | Maximum of 60 grams per 30 days |
| TAZVERIK (ORAL TABLET) | Maximum of 8 tablets per day |
| TDVAX (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| <i>Telmisartan (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Telmisartan-Amlodipine (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Telmisartan-HCTZ (40-12.5MG Oral Tablet, 80-25MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Telmisartan-HCTZ (80-12.5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Temazepam (Oral Capsule)</i> | Maximum of 1 capsule per day |

| Drug name | Quantity limit |
|--|--|
| TENIVAC (INTRAMUSCULAR INJECTABLE) | 1 vaccination dose (0.5 ml) per day |
| <i>Tenofovir Disoproxil Fumarate (Oral Tablet)</i> | Maximum of 1 tablet per day |
| TEPMETKO (ORAL TABLET) | Maximum of 2 tablets per day |
| <i>Terbinafine HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Teriflunomide (Oral Tablet)</i> | Maximum of 1 tablet per day |
| THALOMID (100MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| THALOMID (150MG ORAL CAPSULE, 200MG ORAL CAPSULE) | Maximum of 2 capsules per day |
| THALOMID (50MG ORAL CAPSULE) | Maximum of 3 capsules per day |
| TIBSOVO (ORAL TABLET) | Maximum of 2 tablets per day |
| TICOVAC (1.2MCG/0.25ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.25 ml) per day |
| TICOVAC (2.4MCG/0.5ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| <i>Tiotropium Bromide Monohydrate (Inhalation Capsule)</i> | Maximum of 1 capsule per day |
| TIVICAY (10MG ORAL TABLET, 25MG ORAL TABLET) | Maximum of 1 tablet per day |
| TIVICAY (50MG ORAL TABLET) | Maximum of 2 tablets per day |
| TIVICAY PD (ORAL TABLET SOLUBLE) | Maximum of 6 tablets per day |
| <i>Tobramycin (300MG/4ML Inhalation Nebulization Solution)</i> | Maximum of 2 ampules (8 ml) per day |
| <i>Tobramycin (300MG/5ML Inhalation Nebulization Solution)</i> | Maximum of 2 ampules (10 ml) per day |
| <i>Tolcapone (Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Tolvaptan (Oral Tablet)</i> | Maximum of 2 tablets per day |
| TRADJENTA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Tramadol HCl (ER Biphasic) (Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Tramadol HCl ER (Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Tramadol HCl (100MG Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per day |
| <i>Tramadol HCl (50MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Tramadol-Acetaminophen (Oral Tablet)</i> | Maximum of 8 tablets per day |
| TRELEGY ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (60 blisters) per 30 days |
| TREMIFYA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 2 pens (2 ml) per 56 days |
| TREMIFYA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 2 syringes (2 ml) per 56 days |
| <i>Trientine HCl (250MG Oral Capsule)</i> | Maximum of 8 capsules per day |
| <i>Trientine HCl (500MG Oral Capsule)</i> | Maximum of 4 capsules per day |

| Drug name | Quantity limit |
|---|--|
| TRIJARDY XR (10-5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 25-5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| TRIJARDY XR (12.5-2.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 5-2.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| TRIKAFTA (ORAL TABLET THERAPY PACK) | Maximum of 1 pack (84 tablets) per 28 days |
| TRIKAFTA (ORAL GRANULE THERAPY PACK) | Maximum of 1 carton (56 packets) per 28 days |
| <i>Trimethobenzamide HCl (Oral Capsule)</i> | Maximum of 4 capsules per day |
| TRINTELLIX (ORAL TABLET) | Maximum of 1 tablet per day |
| TRIUMEQ (ORAL TABLET) | Maximum of 1 tablet per day |
| TRIUMEQ PD (ORAL TABLET SOLUBLE) | Maximum of 6 tablets per day |
| TRULICITY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 4 pens (2 ml) per 28 days |
| TRUMENBA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| TRUQAP (ORAL TABLET) | Maximum of 64 tablets per 28 days |
| TUKYSA (150MG ORAL TABLET) | Maximum of 4 tablets per day |
| TUKYSA (50MG ORAL TABLET) | Maximum of 12 tablets per day |
| TURALIO (125MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| TWINRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (1 ml) per day |
| TYBOST (ORAL TABLET) | Maximum of 1 tablet per day |
| TYENNE (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 4 pens (3.6 ml) per 28 days |
| TYENNE (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (3.6 ml) per 28 days |
| TYPHIM VI (INTRAMUSCULAR SOLUTION) | 1 vaccination dose (0.5 ml) per day |
| TYPHIM VI (INTRAMUSCULAR SOLUTION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| TYRVAYA (NASAL SOLUTION) | Maximum of 2 bottles (8.4 ml) per 30 days |
| UBRELVY (ORAL TABLET) | Maximum of 16 tablets per 30 days |
| UPTRAVI TITRATION (ORAL TABLET THERAPY PACK) | Maximum of 2 packs (400 tablets) per year |
| <i>Valacyclovir HCl (1GM Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Valacyclovir HCl (500MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| VALCHLOR (EXTERNAL GEL) | Maximum of 60 grams per 30 days |
| <i>Valganciclovir HCl (Oral Solution Reconstituted)</i> | Maximum of 36 ml per day |

| Drug name | Quantity limit |
|--|--|
| <i>Valganciclovir HCl (Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Valsartan (160MG Oral Tablet, 40MG Oral Tablet, 80MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Valsartan (320MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Valsartan-Hydrochlorothiazide (Oral Tablet)</i> | Maximum of 1 tablet per day |
| VALTOCO 10MG DOSE (NASAL LIQUID) | Maximum of 10 blister packs (10 spray devices) per 30 days |
| VALTOCO 15MG DOSE (NASAL LIQUID THERAPY PACK) | Maximum of 10 blister packs (20 spray devices) per 30 days |
| VALTOCO 20MG DOSE (NASAL LIQUID THERAPY PACK) | Maximum of 10 blister packs (20 spray devices) per 30 days |
| VALTOCO 5MG DOSE (NASAL LIQUID) | Maximum of 10 blister packs (10 spray devices) per 30 days |
| <i>Vancomycin HCl (125MG Oral Capsule)</i> | Maximum of 4 capsules per day |
| <i>Vancomycin HCl (250MG Oral Capsule)</i> | Maximum of 8 capsules per day |
| VANFLYTA (ORAL TABLET) | Maximum of 2 tablets per day |
| VAQTA (25UNIT/0.5ML INTRAMUSCULAR SUSPENSION) | Maximum of 2 vaccines per lifetime |
| VAQTA (50UNIT/ML INTRAMUSCULAR SUSPENSION) | Maximum of 2 vaccines per lifetime |
| VARIVAX (SUBCUTANEOUS INJECTABLE) | 1 vaccination dose (1 injection) per day |
| VAXCHORA (ORAL SUSPENSION RECONSTITUTED) | 1 vaccination dose (100 ml) per day |
| VELTASSA (16.8GM ORAL PACKET, 25.2GM ORAL PACKET, 8.4GM ORAL PACKET) | Maximum of 1 packet per day |
| VEOZAH (ORAL TABLET) | Maximum of 1 tablet per day |
| VERQUVO (ORAL TABLET) | Maximum of 1 tablet per day |
| VIBERZI (ORAL TABLET) | Maximum of 2 tablets per day |
| <i>Vigabatrin (Oral Packet)</i> | Maximum of 6 packets per day |
| <i>Vigabatrin (Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Vigadrone (Oral Packet)</i> | Maximum of 6 packets per day |
| <i>Vigadrone (Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Vigpoder (Oral Packet)</i> | Maximum of 6 packets per day |
| <i>Vilazodone HCl (Oral Tablet)</i> | Maximum of 1 tablet per day |
| VIRACEPT (250MG ORAL TABLET) | Maximum of 10 tablets per day |
| VIRACEPT (625MG ORAL TABLET) | Maximum of 4 tablets per day |
| VIREAD (ORAL POWDER) | Maximum of 4 bottles (240 grams) per 30 days |
| VIREAD (150MG ORAL TABLET, 200MG ORAL TABLET, 250MG ORAL TABLET) | Maximum of 1 tablet per day |
| VITRAKVI (100MG ORAL CAPSULE) | Maximum of 4 capsules per day |

| Drug name | Quantity limit |
|--|--|
| VITRAKVI (25MG ORAL CAPSULE) | Maximum of 6 capsules per day |
| VITRAKVI (ORAL SOLUTION) | Maximum of 20 ml per day |
| VONJO (ORAL CAPSULE) | Maximum of 4 capsules per day |
| <i>Voriconazole (Oral Suspension Reconstituted)</i> | Maximum of 20 ml per day |
| <i>Voriconazole (200MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Voriconazole (50MG Oral Tablet)</i> | Maximum of 16 tablets per day |
| VOSEVI (ORAL TABLET) | Maximum of 1 tablet per day |
| VRAYLAR (1.5MG ORAL CAPSULE, 3MG ORAL CAPSULE, 4.5MG ORAL CAPSULE, 6MG ORAL CAPSULE) | Maximum of 1 capsule per day |
| VYNDAQEL (ORAL CAPSULE) | Maximum of 4 capsules per day |
| WELIREG (ORAL TABLET) | Maximum of 3 tablets per day |
| <i>Wixela Inhub (Inhalation Aerosol Powder Breath Activated) (Generic Advair)</i> | Maximum of 1 inhaler (60 blisters) per 30 days |
| XARELTO (ORAL SUSPENSION RECONSTITUTED) | Maximum of 20 ml per day |
| XARELTO (10MG ORAL TABLET, 20MG ORAL TABLET) | Maximum of 1 tablet per day |
| XARELTO (15MG ORAL TABLET, 2.5MG ORAL TABLET) | Maximum of 2 tablets per day |
| XARELTO STARTER PACK (ORAL TABLET THERAPY PACK) | Maximum of 2 packs per year |
| XCOPRI (250MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 1 pack (56 tablets) per 28 days |
| XCOPRI (350MG DAILY DOSE) (150MG & 200MG ORAL TABLET THERAPY PACK) | Maximum of 1 pack (56 tablets) per 28 days |
| XCOPRI (100MG ORAL TABLET, 25MG ORAL TABLET, 50MG ORAL TABLET) | Maximum of 1 tablet per day |
| XCOPRI (150MG ORAL TABLET, 200MG ORAL TABLET) | Maximum of 2 tablets per day |
| XCOPRI (14 X 12.5MG & 14 X 25MG ORAL TABLET THERAPY PACK, 14 X 150MG & 14 X 200MG ORAL TABLET THERAPY PACK, 14 X 50MG & 14 X 100MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs per year |
| XDEMVI (OPHTHALMIC SOLUTION) | Maximum of 1 bottle (10 ml) per 42 days |
| XELJANZ (ORAL SOLUTION) | Maximum of 10 ml per day |
| XELJANZ (ORAL TABLET IMMEDIATE RELEASE) | Maximum of 2 tablets per day |
| XELJANZ XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| XERMELO (ORAL TABLET) | Maximum of 3 tablets per day |
| XIGDUO XR (10-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 10-500MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 5-500MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| XIGDUO XR (2.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| XIIDRA (OPHTHALMIC SOLUTION) | Maximum of 2 vials per day |

| Drug name | Quantity limit |
|--|--|
| XOFLUZA (40MG DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 2 tablets per 30 days |
| XOFLUZA (80MG DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 1 tablet per 30 days |
| XOLREMDI (ORAL CAPSULE) | Maximum of 4 capsules per day |
| XOSPATA (ORAL TABLET) | Maximum of 3 tablets per day |
| XPOVIO (100MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 8 tablets per 28 days |
| XPOVIO (40MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 4 tablets per 28 days |
| XPOVIO (40MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 8 tablets per 28 days |
| XPOVIO (60MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 4 tablets per 28 days |
| XPOVIO (60MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 24 tablets per 28 days |
| XPOVIO (80MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 8 tablets per 28 days |
| XPOVIO (80MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 32 tablets per 28 days |
| XTAMPZA ER (13.5MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT, 18MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT, 9MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT) | Maximum of 3 capsules per day |
| XTAMPZA ER (27MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT, 36MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT) | Maximum of 6 capsules per day |
| YF-VAX (SUBCUTANEOUS INJECTABLE) | 1 vaccination dose (1 injection) per day |
| <i>Zaleplon (10MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Zaleplon (5MG Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Zidovudine (Oral Capsule)</i> | Maximum of 6 capsules per day |
| <i>Zidovudine (Oral Syrup)</i> | Maximum of 64 ml per day |
| <i>Zidovudine (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Ziprasidone HCl (Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Zolpidem Tartrate (Oral Tablet Immediate Release)</i> | Maximum of 1 tablet per day |
| ZUBSOLV (0.7-0.18MG TABLET SUBLINGUAL, 1.4-0.36MG TABLET SUBLINGUAL, 5.7-1.4MG TABLET SUBLINGUAL) | Maximum of 3 tablets per day |
| ZUBSOLV (11.4-2.9MG TABLET SUBLINGUAL) | Maximum of 1 tablet per day |
| ZUBSOLV (2.9-0.71MG TABLET SUBLINGUAL) | Maximum of 5 tablets per day |
| ZUBSOLV (8.6-2.1MG TABLET SUBLINGUAL) | Maximum of 2 tablets per day |
| ZURZUVAE (20MG ORAL CAPSULE, 25MG ORAL CAPSULE) | Maximum of 28 capsules per 14 days |
| ZURZUVAE (30MG ORAL CAPSULE) | Maximum of 14 capsules per 14 days |

Required information

Benefits, Drug List (Formulary), pharmacy network and/or copays/coinsurance may change from time to time during each plan year. You will receive notice when necessary.

This information is available for free in other languages. Please call our Customer Service number located on the cover.

We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, call our Customer Service number located on the cover. Someone who speaks a language other than English can help you. This is a free service.

UnitedHealthcare does not discriminate on the basis of race, color, national origin, sex, age, or disability in health programs and activities. UnitedHealthcare provides free services to help you communicate with us such as letters in other languages, braille, large print, audio, or you can ask for an interpreter. For more information, please call our Customer Service number located on the cover.

For more up-to-date information or if you have other questions, contact Customer Service:

 retiree.uhc.com/peehip

 Toll-free **1-877-298-2341**, TTY **711**
8 a.m.-8 p.m. local time, Monday-Friday